

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 17 Part 3

17 12 2018

ISSN 1015-8243



Uighurs are an ancient civilization in the world; indestructible even under inhuman pressures



<http://zoobank.org/References/FE4DF8B1-133B-40E0-B79D-739F44B8E1D3>

Contributions to the fauna and taxonomy on some Heterocera of Uighur Ili (Lepidoptera)

Muhabbet Kemal¹ Ahmet Ömer Koçak

Abstract: Contributions to the fauna and taxonomy on some Heterocera of Uighur Ili (Lepidoptera). *Priamus* 17 (3): 210-318, 2 appendices, 63 figs., 36 maps.

In this paper, 50 species of 10 families are mentioned. Various problems of some taxa are discussed. A new subspecies of *Arctia caja* is described. Adult moth, genitalia and tympanal organ of some species are illustrated. Totally 17 species are reported here from the Uighur Ili for the first time. For diagnostic purpose, 12 male genitalia, 6 female genitalia are illustrated. Separately, tympanal organs of 7 species are also illustrated. Pictorial observations are also given. Informative lists of Heterocera of Kirazdere (Amasya, N Turkey), Heterocera of Uighur Ili, and 36 maps are added.

Key words: *Arctiidae*, *Coleophoridae*, *Geometridae*, *Lymantriidae*, *Noctuidae*, *Notodontidae*, *Pyrilidae*, *Saturniidae*, *Scythridae*, *Tortricidae*, *Lepidoptera*, Uighur Ili, fauna, genitalia, tympanal organ, maps.

A small collection of the Heterocera from the Ili Region² between Ghulja and Tokuztara, North of Teklimakan Desert (Uighur Ili). Materials were collected by the authors in 2005 from following localities: Köndeleng (Kön), Kichikkuştay (Kty), Mongolküre (Mkü), Ürümchi (Um). In 2011, the first author observed several species in the Ili Region (Ghulja [Ku], Akuzen [Aku] North of Ghulja (**Fig.1**)³, Künes [Kun], Narat [Nra] (**Fig.2**), and Süydöng [Sjd]).

The aim of the authors with this short paper is to share their scientific opinions about the species listed below, and evaluate them especially from the faunistical standpoint. Totally 50 species of 10 moth families are given and discussed. *Arctia caja* ssp. *roshengul* (ssp.n.) is proposed here as new subspecies. For the purpose of identifications of the species, 12 male genitalia, 6 female genitalia, as well as 7 tympanal organs are prepared and illustrated. Following species are reported here from Uighur Ili for the first time: *Manulea complana*, *Phragmatobia fuliginosa paghmani*, *Horisme vitalbata*, *Ligdia coctata*, *Scopula decorata*, *Scotopteryx chenopodiata*, *Lymantria dispar*, *Amphipyra tragopoginis*, *Anaplectoides prasina*, *Athetis lepigone*, *Catocala neonympha*, *Eublemma purpurinum*, *Lacanobia thalassina*, *Lygephila cracca*, *Xestia baja bajula*, *Oncocera semirubella*, *Ostrinia nubilalis*. Tympanal organ of *Gnophopsodos stemmataria* is illustrated here for the first time. Female genitalia of *Cryphia rueckbeili* is also illustrated here for the first time. List of the Heterocera species of Uighur Ili is also updated in Appendix II (see also Kemal & Koçak, 2007a-b).

All the images used in this paper are preserved in the Cesa archive, and the material in the Collection of the Cesa.

Nomenclaturally unavailable names are marked with # (Uninominal names or nomina nuda). The symbol * denotes that the mtCOI DNA of the species will be examined separately.

¹ Dr Muhabbet Kemal - Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.

e-mails: muhabbet_kemal@yahoo.com.tr

Prof. em. Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Dept. of Biology.

e-mail: cesa_tr@yahoo.com.tr

² "Ili" means [1] "vatan" in Uighur and Turkish languages, [2] name of the main river in this region, up to Kaptschagai (Alma-Ata, W. Kazakhstan), [3] name of the region. This definition was used by various authors in the past (Wagner, 1913; Boursin, 1953, etc).

³ Gold mine excavations at North of Akuzen, disturb severely the ecosystems of the valley.

Arctiidae***Arctia* (s.str.) *caja* (Linnaeus, 1758) (Map 1)**

Synonyms: *caja* Linnaeus, 1758; *erinacea* Retzius, 1783; *phantasma* Niepelt, 1905; *lusitanica* Spuler, 1906; *confluens* Rebel, 1910 nec Rom., 1884; *rebeli* Wnukowsky, 1929.

Original reference: *Phalaena caja* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 500-501. Syntypes: [Europa].

Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT MD UA Cm BY GG Cc AZ Nv AM KG Ssn CN Hph Ui Kml Tek Kty KK TJ Pm Fe UZ AF PK Ch Snn IN Up Alh Khs IR Elb Mz Ar MN RU Sb Kmt Am Vv To Mgd Ya Sj Ir Irk Ur Kr KP KR JP Clu Hkk CA US Als Ut Jn Lng Lvv 05 08 14 25 32 36 58 60 61 65 75

Remarks: An Holarctic species and morphologically its taxonomical problems has not been solved yet. It is represented by 12 subspecies in Eurasia, apart from the nominate one (Dubatolov, 2010). These are as follows; *kamtschadalis* Draudt, 1931 (Russia: Kamtschatka), *martinhoneyi* Dubatolov & Gurko, 2005 (Kashmir; originally described as species, later treated as a subspecies (Dubatolov, 2010)), *mazandarana* Dubatolov & Zahiri, 2005 (Northern Iran), *olschwangi* Dubatolov, 1990 (Polar Russia, Alaska; later treated as distinct species (Dubatolov & Philip, 2013)), *orientalis* Moore, 1878 (NW India), *ossetica* Dubatolov, 1996 (North Caucasus), *pamiroalaica* Stshetkin, 1982 (Alai-Pamirs in Tadjikistan and Afghanistan), *phaeosoma* Butler, 1877 (from Russia Primorye to Japan), *sajana* O.Bang-Haas, 1927 (Russia, East Sajan, Yakutia; Mongolia), *tschiliensis* Draudt, 1931 (Russia Amur basin to China Hebei), *tshimgana* Sheljuzhko, 1935 (Uzbekistan: Tshimgan), *wiskotti* Staudinger, 1879 (Turkey, NW Iran).

Nominate subspecies is found in Europe, and some northern parts of asiatic Russia (Dubatolov, 1996, 2010; Dubatolov & Philip, 2013). Among them, *tschiliensis*, *kamtschadalis* and *wiskotti* are well illustrated in Seitz's Supplement volume pl.7 (Draudt, 1931). The name *martinhoneyi*, after comparing morphologically by Dubatolov & Gurko (2005) with the type of *orientalis*, was proposed as a species. Later, Dubatolov (2010) placed it as a subspecies of *caja* Linnaeus. Sheljuzhko (1935) described *tshimgana* from Uzbekistan. Other central asiatic subspecies, like *pamiroalaica*, *sajana*, *phaeosoma*, as well as *ossetica*, *wiskotti*, are well illustrated by Dubatolov online⁴. After checking all the subspecies, including the nominate one mentioned above, the authors came to the conclusion that in Uighur Ili an undescribed subspecies exists. Description of this subspecies is given below:

****Arctia* (s.str.) *caja* ssp. *roshengul* (ssp.n.) (Fig. 3)**

<http://zoobank.org/NomenclaturalActs/94F51C48-968A-42A4-A6EC-69290CC302BC>

Description: Holotype (♀): Forewing: 34mm, wingspan: 69mm.

Head and thorax with long cinnamon-coloured hairs. Collar red. Abdomen with bright red, long hairs; dorsally black-spotted.

Upperside of forewing ground colour dark creamy, all spots are cinnamon-coloured. Costa with five broad bands, among them 2-4 more or less anastomosed with the asymmetrical blotch in the midst of posterior margin. On outer margin, three large, almost triangular shaped blotches well developed and fused with each other. Subanal blotch divided into two. Basal area with irregular shaped small spots. Hind wing upperside with four black blotches, two round, two irregular shaped, with hardly visible indigo-blue centre. A small irregular shaped black discal spot also well developed. Underside of the wings, patterns and colourations similar to those of upperside but paler in some parts.

Diagnosis: With the colourations and patterns of the wings, this taxon is different from all known subspecies of *Arctia caja* in Central Asia.

Material studied: 1♀ (Holotype), Uighur Ili, Ili Region, Tekes, Kichikkuştay 1800m, 10.vii.2005, M.Kemal & A. Koçak leg. (in coll. Cesa)

Etymology: The name of this subspecies is dedicated to Roshengül Shawket (1928-1945). Roshengül is born in 1928 to a wealthy and educated family in Ghulja city of East Turkestan. Her father was a teacher. Due to his intervention with the two Kuomintang soldiers, who molesting high school girls in the middle of the street, he was arrested, then executed. A year later, Roshengül's mother died. Roshengül lived with servants working at her home for a while.

⁴ http://szmn.eco.nsc.ru/Lepidop/images/Arctia_caja.htm

Like many European women who sacrificed their lives for their homeland during the Second World War, Uyghur women also showed incredible heroism in the war of independence of East Turkistan, which started in 1944. One of those heroic women was the 16-year-old Roshengül. She left all her possessions to the servants and joined the army as soldier. She served as a nurse in the army. On September 5, 1945, soldiers injured in the battle near the city of Jing were in urgent need of water. There was a creek running about 150 meters away from the point where the soldiers were. Roshengül wanted to bring to the soldiers in distress. However, the commander did not want to allow this to be dangerous. Because, their position was under surveillance by Kuomintang soldiers. But Roshengül insisted. On the edge of the creek, where she went to get water, Roshengül was martyred by the concealed Kuomintang soldiers. She was only 17 years old (Kemal Yunusoğlu, 2015).

***Manulea* (s.str.) *complana* (Linnaeus,1758)**

(Figs. 5, 7)

Synonyms: *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939.

Original reference: *Phalaena complana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 512. Type(s): [Europa].

Material studied: 8♂ (GP3012♂) Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M. Kemal & A.Koçak leg. (Cesa)

Prep. no: GP2154♂, GP2257♂, GP2370♂, GP2370♂, GP3012♂.

Range (as codes): FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc GG Bjo Smt Mng Dar AM Da Der KG Lps IR Gls Ui Kön 05 06 08 14 16 18 25 33 34 36 39 44 46 58 65 75

Remarks: Alpheraky (1882) reported the species *lutarella*, currently placed in the genus *Manulea* from Künes, and Juldus in the Ili Region. Present species from Köndeleng is the second one of the genus in the region. New faunistic record for Uighur Ili.

****Palearctia erschoffii* (Alpheraky,1882)**

(Fig. 4, Map 2)

Synonyms: *erschoffii* Alpheraky,1882; *korlana* O.Bang-Haas,1927

Original reference: *Arctia erschoffii* Alpheraky,1882, Horae Soc. ent. ross. 17: 29-31, pl.1 fig.33.

Syntypes: [Uighur Ili]: "Jouldousse" [Yultuz].

Range (as codes): Ui Mkü Ju Srm Kl KK Na Ik

Material studied: 1♂, Ili Region, Mongolküre 2500m, 7.viii.2005, A.Koçak & M.Kemal leg. (Cesa)

***Phragmatobia fuliginosa* (Linnaeus,1758)**

(Map 3)

Synonyms): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934

Original reference: *Phalaena fuliginosa* Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa].

Range (as codes): AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn Ui Ku CN Ts Kno Gn Ti Ui Kön UZ Fe Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc CA On Mai Wc BCo Mnt Nca Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz Gls Kh Kd Bne Km Fa Pag PK Gg Hu Psu Khh DhM Anna Lvv 01 05 06 07 12 13 14 16 19 22 24 26 30 31 32 33 34 35 36 42 44 46 50 52 53 55 56 61 65 71 72 76

****Phragmatobia fuliginosa paghmani* Lenek,1966**

Synonym(s): *paghmani* Lenek,1966; *nawari* Ebert,1973

Original reference: *Phragmatobia fuliginosa* ssp. *paghmani* Lenek,1966, Z. Wien. ent. Ges. 51 (8): 105. Holotype: Afghanistan, Paghman Mt.

Range (as codes): AF Pag Bark TJ KK UZ Fe Ui Kön IR Ab Khy Oru Ak Aha Gh Mz Gls Th Kh Kd Bne Km Fa Cc AZ AM

Material studied: 1♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for the Uighur Ili.

Coleophoridae

***Coleophora* sp.**

(Fig. 8)

Material: Observed by the first author from Künes (Ili Region), on 11.viii.2011.

Geometridae***Alcis repandata* (Linnaeus,1758)****(Map 4)**

Synonyms: *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallo,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941

Original reference: *Phalaena repandata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 524. Type(s): Europa.

Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY CN Ui Kön Sz Szi 06 14 16 34 56 61 75 81

Material studied: 2♀. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Aplocera plagiata* (Linnaeus,1758)*(Map 5)**

Synonyms: *plagiata* Linnaeus,1758; *duplicata* Fabricius,1775; *terlineata* Goeze,1781; *triplicata* Geoffroy,1785; *plagiaria* Boisduval,1840; *scotica* Richardson,1952

Original reference: *Phalaena plagiata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa.

Range (as codes): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ Rwx IR Ab Oru Fa Sse Com Kz Gls Kh CY DK NO SE FI EE LV LT RU Krl MD UA BY Ui Ju Kön IL Pa Js He LB Bsa 01 05 06 13 14 16 17 18 22 23 24 29 30 31 33 34 35 38 39 42 44 45 46 56 58 60 61 62 65 71 75 80 81

Material studied: 3♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Cataclysmes riguata* (Hübner,[1813])*(Map 6)**

Synonym: *riguata* Hübner,[1813]

Original reference: *Geometra riguata* Hübner,[1813], Samml. eur. Schmett. 5: pl.69, fig.358. Type: Europa.

Range (as codes): PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM LT RU Tv MD UA BY IR Elb Mz Th AF TM Kp TJ T-S Ur Am Cm Cc GG Kir AZ AM KK Ax Osh Uzg KG Ssn At Lps UZ Smk Nmg Al Ui Ku Kön 05 06 13 14 16 24 36 38 42 50 58 65 71 76

****Cataclysmes riguata festinata* (Staudinger,1892) (Figs. 10-12)**

Synonyms: *festinata* Staudinger,1892

Original reference: *Cidaria riguata* var. *festinata* Staudinger,1892, Dt. ent. Z., Iris 5: 243. Syntypes: [Kazakhstan]: Altai, Saisan, Lepsa; [Kirgizistan]: Alexander Mts., Osch, Alai, Usgent; [Uzbekistan]: Namangan, Samarkand; [Uighur Ili]: Kuldja.

Range (as codes): KK Ax Osh Uzg KG Ssn At Lps UZ Smk Nmg Al Ui Ku Kön

Material studied: 1♀ (GP3021). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

***Digrammia rippertaria* (Duponchel,1830)**

Synonyms: *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923.

Original reference: *Phasiane rippertaria* Duponchel,1830, Hist. nat. lépid. pap. Fr. 8 (1): 159, pl.clxxx fig.5. Type: France, "Digne".

Range (as codes): US CA ES FR Si? IT RO RU MD UA BY TR Cc Ui Au Khr Tlk Ku Kön 36

Material: Observed by the authors from Ili Region, Tokuztara, Köndeleng in 2005.

Remarks: This species is represented in Uighur Ili by the subspecies *flavularia* and ab. *analogaria* described by Püngeler (1902) from Aksu. The Aksu city is located in [Uighur Ili], not in Uzbekistan as Skou & Sihvonen (2015: 182) stated. Püngeler (1901) clearly explained the location of Aksu by giving the geographical coordinates.

Eilicrinia subcordaria* (Herrich-Schäffer,[1852])*(Fig. 9)**

Synonyms: *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.

Original reference: *Macaria subcordaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 71, fig.446. Type (s): Türkei.

Range (as codes): TR IR Kz Fa Com RU Ao Ur Ui Khr Sjd Ku Ga KK Ik KG Ssn Tk Dj Ii UZ Fe 65 76

Remarks: Alpheraky (1883: 170) reported this species from Ili valley, “Khorgosse” (Khr), “Kouldja” [Ghulja] and “Soudoune” [Süydöng]. The present observation was made by the author at the same place in August (probably 2nd generation of the species).

****Gnophopsodos stemmataria* (Eversmann, 1848)**

(Figs. 13-15)

Synonyms: *stemmataria* Eversmann, 1848; *orbicularia* Püngeler, 1904

Original reference: *Cabera stemmataria* Eversmann, 1848, Bull. Soc. nat. Moscou 21: 227. Type ♀: [Kazakhstan], Noor Saisan (ZRAS).

Range (as codes): KG Ssn Tk Tyk Sem KK Sda Ik Ui Il Au Ju

Material studied: 1♀ (GP3030) (det. J. Viidalepp), Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Remarks: This species was transferred from the genus *Cabera* to *Gnophopsodos* (Erlacher & Erlacher, 2016). It has also been collected by Rückbeil, Tancre, and Wagner in Ili Region (Aksu, Juldus) more than 100 years ago. The genus is represented by 3 species (*tholeraria* Püng., 1901, *stemmataria* Ev., 1848, and *fractifasciaria* Püng., 1901) in Uighur Ili. The tympanal organ of this species is illustrated here for the first time.

***Horisme vitalbata* (Hübner, [1799])**

(Map 7)

Synonyms: #*vitalbata* [Denis & Schiffermüller], 1775; *nebulata* De Villers, 1789 nec Thunb., 1784; *vitalbata* Hübner, [1799]; *vitalbaria* Boisduval, 1840; *detersata* Püngeler, 1900; *repedata* L.B. Prout, 1938

Original reference: *Geometra vitalbata* Hübner, [1799], Samml. eur. Schmett. 5: pl. 52, fig. 269. Type: Europa.

Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY MN Ui Ku Kön KK Ik UZ Fe Sb Am Prj Us JP 05 16 17 22

Material: Observed by the authors from Ili Region, Tokuztara, Köndeleng for the first time.

***Idaea straminata* (Borkhausen, 1794)**

(Map 8)

Synonyms: *straminata* Borkhausen, 1794; *inornata* Haworth, 1809; *suffusata* Treitschke, 1828; *suffusaria* Boisduval, 1840; *inornaria* Doubleday, 1849; *agrostemmata* Guenée, [1858]; *minuta* Heydemann, 1934

Original reference: *Phalaena straminata* Borkhausen, 1794, Naturg. eur. Schmett. 5: 568. Syntypes: Germany.

Range (as codes): MA DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Len AZ DK NO SE FI EE LV LT RU Sb At MD UA BY LB Bsa IR AF MN Ui Kön KP KR Sh Krl 05 16 36 42 52 81

****Idaea straminata sibirica* (Djakonov, 1926)**

(Figs. 16-18)

Synonym: *sibirica* Djakonov, 1926

Original reference: *Ptychopoda inornata sibirica* Djakonov, 1926, Ezheg. Gosud. Muz. N.M. Mart'yanova 4 (1): 21. Syntypes: Siberia, Altai, etc.

Range (as codes): RU Sb At Ui Kön

Material studied: 4♀ (GP3026). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Ligdia coctata* Guenée, [1858]**

(Fig. 19, Map 9)

Synonyms: *coctata* Guenée, [1858]; *efferrata* Walker, 1862; *restitutata* Walker, 1862; *inspersata* Staudinger, 1879; *restituta* Butler, 1886

Original reference: *Ligdia coctata* Guenée, [1858], [in] Boisduval & Guenée, Hist. Nat. Insectes (Lépid.) 10: 210. Type: “Nord de l’Inde” (coll. Gn.).

Material: Observed from Ili Region, Tokuztara, Köndeleng by the authors in 2005.

Larval food-plant: *Evonymus europaeus* (Celastraceae) (Denis & Schiffermüller, 1775: 114).

Range (as codes): IN PK K-P Haz Mre Cp Pj Swa Sgl Kkar Ui Kön

New record for Uighur Ili.

Remarks: [1]. Denis and Schiffermüller (1775: 114) proposed with the binominal name, “*Geometra adustata*”, but without morphological description. According to the current ICZN Rules, such names cannot be used as valid of the species. Later, Fabricius (1787: 205) used this name as “*Phalaena adustata*” with full descriptions. Hereby, the Fabricius’s name became the valid name for the species, at the same time type-species of the genus *Ligdia* Guenée (see also Koçak, 1982-1987; Koçak & Kemal, 2015).

Differences especially on the shape of valva of the male genitalia may be important in discriminating the European and Bolu population in Asiatic Turkey (**Fig. 20**).

[2]. Rogenhofer (1873) described a new species, "*Abraxas lassulata*" from Gülek (Bulgar Mts.) in the Taurus Mountain Range (South Turkey). This is perhaps the valid name of the species, inhabiting in Asiatic Turkey. But, it is currently needed faunistic investigations in Turkey. There are also some taxonomical problems with *lassulata*, namely; although it was described originally as a new species, Wehrli (1934: 34) considered it as a subspecies of *Ligdia coctata* Gn., while Skou & Sihvonen (2015) treated it temporarily under *Ligdia adustata*.

[3]. Staudinger (1879: 443) proposed a geographical variation of *adustata*, as "*inspersata*" from "Kerasdere". This name was described from Kirazdere (now suburb of Amasya city, North of Turkey), but the name of the collecting locality misspelled by Staudinger as "Kerasdere". He collected many species from Kerasdere during his stay in Amasya in 1875. In his paper on page 206, he explained the meaning of his "Kerasdere" as follows: "... *Ich komme nun zu der für uns wohl am Ergiebigsten Lokalität, zu dem Kerasdere (Keras – Kirsche, Dere – Thal)...*". Later, Staudinger (1881: 79) considered his name *inspersata* as junior synonym of *lassulata*.

[4]. Whalley (1970: 49) took changing the spelling a step further⁵, namely he proposed a generic name in the *Phycitinae*, by changing "Kerasdere" into "Keradere". He also indicated the locality as "Turkey: Keradere". Thus the original name Kirazdere of Amasya changed into "Kerasdere", later "Keradere" in the lepidopterological literature.

[5]. Finally, Skou & Sihvonen (2015: 52) published their opinions about the "Kerasdere" and its geographical location. According to them, "Kerasdere" must be [Karadere], and located in [Muğla Province], SW Turkey.

[6]. Muğla Province is around 800 km SW of Amasya Province in Turkey. Staudinger was many times around "Kerasdere" in Amasya and collected numerous species from there [see Appendix I], but he never visited Muğla Province. He wrote about his travel to Amasya and the excursions around this city in detail.

If the wrongs had been accepted, the world, we live in today, would be very different. We believe that.

***Opisthograptis luteolata* (Linnaeus, 1758)**

(Map 10)

Synonyms: *luteolata* Linnaeus, 1758; *crataegata* Linnaeus, 1761; *crataegaria* Hübner, [1823]; *#emaculata* Graeser, 1892; *impunctata* Osthelder, 1931.

Original reference: *Phalaena luteolata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 525. Type(s): [Europa], in *Oxyacanthus*.

Range (as codes): DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY LB Bsa Ui Ku Kön KK Ik KG Ssn PK Swa Sgl 05 06 08 13 14 16 17 18 34 39 45 52 57 61 65 81

Material studied: 2♂. Ili Region, Tokuztara, Köndeleng 1400 m, 8.viii.2005, M. Kemal & A. Koçak leg. (Cesa).

Remarks: Alpheraky (1883: 169) reported this species from "Kouldja" [Ghulja], in April.

****Pareulype* aff. *consanguinea* (Butler, 1878)**

(Figs. 21-23)

Synonyms: *consanguinea* Butler, 1878; *directaria* Graeser, 1890

Original reference: *Anticlea consanguinea* Butler, 1878, Ann. Mag. nat. Hist. (5) 1: 449. Type: [Japan]: Hakodate.

Range (as codes): RU Am KR KG At CN Jn Ui Kun Kön

Material studied: 12♀ (GP3013, GP3014). Ili Region, Tokuztara, Köndeleng 1400 m, 8.viii.2005, M. Kemal & A. Koçak leg. (Cesa).

Remarks: Identity of this species needs further investigations. The female genitalia also near to *berberata*.

***Scopula decorata* ([Denis & Schiffermüller], 1775)**

(Fig. 24, Map 11)

Synonyms: *decorata* [Denis & Schiffermüller], 1775; *cinerata* Fabricius, 1781; *violata* Thunberg, 1784; *caerulata* Gmelin, 1790; *decoraria* Hübner, [1799]; *ornataria* Esper, [1806]; *armeniaca* Thierry-Mieg, 1916

Original reference: *Geometra decorata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district.

⁵ This case reminds us "*The Comedy of Errors*", by William Shakespeare.

Range (as codes): MA DZ Ges TN PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Kir Ord Kur Cc AZ Arr Ksp IR Elb Mz DK SE FI EE LV LT RU Sj MD UA BY CN Stg Ui Aku MN KK KG 03 05 06 13 14 16 27 29 30 38 39 42 43 44 45 46 51 58 60 61 65 71 76 80

Material: Observed by the first author from Ili Region, Ghulja, Akuzen on 15.viii.2011.

New record for Uighur Ili.

***Scopula marginepunctata* (Goeze, 1781)**

Synonyms: *marginepunctata* Goeze, 1781; *conjugata* Borkhausen, 1794; *aniculosata* Rambur, 1829; *puellaria* Boisduval, 1840; *mutaria* Heydenreich, 1851; *promutata* Guenée, [1858]; *promutaria* Morris, 1861; *apertaria* Walker, [1863]; *madoniata* Fuchs, 1901; *pastoraria* Joannis, 1891; *#marginipunctata* Rothschild, 1914; *britonaria* Oberthür, 1917; *subatrata* Wagner, 1919; *#insubrica* Vorbrodt, 1930

Original reference: *Phalaena marginepunctata* Goeze, 1781, Ent. Beytr. 3 (3): 385.

Range (as codes): MA Rf DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG Tbl Bjo Kir Ber Ord Nv AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY Ui Ku Ju Kön LB Bsa IL Pa Jf MN 01 02 05 06 13 14 16 17 21 22 24 30 33 34 35 38 39 42 44 46 52 56 58 59 60 61 65 71 76 80 81

Prep. no: GP1045♂, GP2366♂, GP2366♂ [nominate subspecies]

****Scopula marginepunctata terrigena* L.B.Prout, 1935 (Figs. 25-27)**

Synonym: *terrigena* L.B.Prout, 1935

Original reference: *Scopula marginepunctata* ssp. *terrigena* L.B.Prout, 1935, [in] Seitz, A., Gross-Schmett. Erde Pal. 4 (Suppl.): 39, pl.4 fig.i. Syntypes 26♂♀: Iran, Elburz-Gebirge (BMNH).

Range (as codes): IR Elb Th MN Ui Ku Ju Kön

Material studied: 1♀ (GP3031). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Remarks: Alpheraky (1883: 160) reported this species from "Jouldousse" in July. This population of this species inhabiting in Ili Valley may attributed to the subspecies *terrigena* from North Iran (cf. Hausmann, 2004).

****Scopula ornata* (Scopoli, 1763) (Figs. 28-31, Map 12)**

Synonyms: *ornata* Scopoli, 1763; *instilata* Hufnagel, 1767; *paludata* Linnaeus, 1767; *institata* Rottemburg, 1777; *interrupta* Goeze, 1781; *intersecta* Fourcroy, 1785; *ornataria* Hübner, [1799]; *paludalis* Schrank, 1802

Original reference: *Phalaena ornata* Scopoli, 1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain].

Range (as codes): MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY Ui Kun Kön AF Ca PK BI Qu Haz Mre 01 05 06 07 09 11 13 14 16 17 18 22 29 30 34 39 44 52 59 61 65 76 77 81

Material studied: 3♂ (GP3016). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Remarks: Alpheraky (1883: 163) reported this species from "Kounguesse" [Künes] in Ili Region.

***Scopula rubiginata* (Hufnagel, 1767) (Map 13)**

Synonyms: *rubiginata* Hufnagel, 1767; *rubricata* [Denis & Schifferrmüller], 1775; *vittata* Thunberg, 1784; *domialla* Fourcroy, 1785; *variata* De Villiers, 1789; *#rubricaria* Hübner, [1799]; *subangularia* Herrich-Schäffer, 1839

Original reference: *Phalaena rubiginata* Hufnagel, 1767, Berl. Mag. 3:610. Type(s): Deutschland: Berlin.

Range (as codes): MA PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Lag Bjo Mng Smt Kir Cc AZ AM DK SE FI EE LV LT RU Sb MD UA BY CN IMn Ui Ku Tek Kty IR Ab MN 05 06 07 13 14 16 24 25 34 39 42 44 52 58 59 65 75 81

Material: Observed by the authors around Kichikkustay (Tekes, Ili Region) in 2005.

***Scotopteryx chenopodiata* (Linnaeus, 1758) (Figs. 32-35, Map 14)**

Synonyms: *chenopodiata* Linnaeus, 1758; *limitata* Scopoli, 1763; *zonata* Hufnagel, 1767; *olivaceofasciata* Retzius, 1783; *chenopodiaria* Haworth, 1809; *mensuraria* sensu Duponchel, 1829

Original reference: *Phalaena chenopodiata* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 525-526. Type(s): [Europa], in *Chenopodium*.

Range (as codes): PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Ur Sb At Ya Am Us Prj Sh Ir Krl Mgd KG Ui Kön MN Kti MD UA Cm BY 05 06 08 14 18 42 36 53 60 61 65 69 75

Material studied: 1♂ (GP3020). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Xanthorhoe fluctuata* (Linnaeus,1758)**

(Map 15)

Synonyms: *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisdual,1840; *multistriga* Oberthür,1910

Original reference: *Phalaena fluctuata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527. Type(s): [Europa].

Range (as codes): MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG Ui Kön KP KR JP 01 05 06 14 16 17 21 22 31 33 34 39 42 46 48 49 51 52 56 58 65 73

Material studied: 2♂1♀. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Lymantriidae

***Lymantria dispar* (Linnaeus,1758)**

(Map 16)

Synonyms: *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926

Original reference: *Phalaena dispar* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 501.

Range (as codes): MA DZ Sbd Btina TN DhM PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk LB IR Mz Elb Sari Ha Ab Oru CN Lng Pkn Ui Kön Sz Mc SY CY AF JP MN KP KR TM Hkk TJ UZ IN TW CA On Bco US Col Ut Cf Fl Io Mai Ny Oh Org Krl Gls Lvv 06 07 10 11 12 13 17 19 23 25 30 31 33 36 46 48 49 50 56 62 65 71 76

Material studied: 1♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

Noctuidae

***Amphipyra (s.str.) tragopoginis* (Clerck,1759)**

(Map 17)

Synonym(s): *#tragopoginis* Clerck,1759 [uninominal]; *luciola* Hufnagel,1766; *repressus* Grote,1871

Original reference: [*Phalaena*] *tragopoginis* Clerck,1759, Icones Ins. Rariorum 1: Taf.1 fig.5. Schweden.

Range (as codes): MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG Smt Bjo Mng AZ Kir AM Cc LB IR Maz Gls Fa Lo By Yas Ke Mia Kz Kd Mrv DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb At MD UA BY Ch IN Hp Kul Ui Kön CA US Pns Mss Ny Lvv 01 05 06 08 09 13 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65 76 78

Material studied: 1♀. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Anaplectoides prasina* (Goeze,1781)**

(Map 18)

Synonym(s): *#prasina* [Denis & Schiffermüller],1775 [nomen nudum, without description]; *#hebrida* [Denis & Schiffermüller],1775 [nomen nudum, without description]; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 nec De Vill.,1789; *mixta* Haworth,1809 nec Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894

Original reference: *Phalaena prasina* Goeze,1781, Ent. Beytr. 3 (3): 217, nr.161.

Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY Cc GG Smt Bku Tbl AM AZ IR Mz Elb Sb KK TrA Ax MN CN Ti Ui Kön KP KR JP CA US 05 08 14 28 36 50 53 61 69 75

Material studied: 1♀. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Apopestes phantasma* (Eversmann,1843)**

(Map 19)

Synonyms: *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913

Original reference: *Amphipyra phantasma* Eversmann,1843, Bull. Soc. imp. Nat. Mosc. 16: 546. Lectotype ♂: Russia: "Altai, coll. Eversmann", designated by Ronkay,1990 (ZIASL).

Range (as codes): RU At TR GG Smt Bjo Lag AZ Kir Cc Ch KK Ik AF Srb Kab Ca IR UA Cm TM Ui Ku Kön Kml 05 30 36 47 56

Material studied: 1♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

***Athetis lepigone* (Möschler,1860)**

(Map 20)

Synonyms: *lepigone* Möschler,1860; *nigrosignata* Graeser,1889; *banghaasi* F.Wagner,1913; *sounkeana* Matsumura,1927; *exquisita* Bryk,1942

Original reference: *Hydrilla lepigone* Möschler,1860, Wien. Ent. Monatschr. 4: 273. Type: Russia, Sarepta.

Range (as codes): FR IT? AT CZ SK HU RO YU TR GG Smt Akh Lag Cc RU Sr Ro Kr St Ich Kyi Da Krl SE FI IR KG Tk Dj MN CN Mc Lng Hph Shs Stg Hnn Ahw Kig Ui Kön JP Hkk

***Athetis lepigone banghaasi* (F.Wagner,1913)**

(Figs. 36, 37)

Synonym: *banghaasi* F.Wagner,1913

Original reference: *Hypostilbia bang-haasi* F.Wagner,1913, Int. Ent. Z. 7: 3.

Syntypes 4♂: [Kazachstan: Taldi Korghan]: "Umgb. Djarkents".

Range (as codes): KG Tk Dj CN Ui Kön

Material studied: 6♂♀ (GP3009♂). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Catocala (s.str.) neonympha* (Esper,[1805])**

(Map 21)

Synonym: *neonympha* Esper,[1805]

Original reference: *Phalaena neonympha* Esper,[1805], Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta.

Range (as codes): TR AZ Kir AM GG Cc RU Ro St Ich Da Der At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe Ui Ku Kön Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ab Oru Ha Km Kd Bne Mrv Snj Kaz Mia Fa Bk Qz IQ Jha Mos Sbn Mq Bsr kut Dy TIH SY 05 13 16 19 23 30 36 42 44 56 58 60 62 65

***Catocala (s.str.) neonympha variegata* (W.Warren,1913)**

Synonym: *variegata* W.Warren,1913

Original reference: *Mormonia neonympha* ssp. *variegata* W.Warren,1913, [in] Seitz,A. Die Gross-Schmett. Erde 3: 303 (54c). Syntypes: "Sanka, Thian-shan, Ketmen Tjube, Sussamyr-Bergen, Uralsk".

Range (as codes): KG TrA Aa T-S Ket Uk KK Ik Ui Ku Kön Tek Kty TJ

Material studied: 2♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

****Cryphia (Bryoleuca) rueckbeili* Boursin,1953**

(Figs. 38, 39, Map 22)

Synonym: *rueckbeili* Boursin,1953

Original reference: *Cryphia rückbeili* Boursin,1953, Mitt. münch. ent. Ges. 43: 248-250, figs. Holotype ♂: [Kazachstan]: "Umgebung Dsharkent (bei Kuldscha, Ili-Gebiet, Russisch-Turkestan)" Rückbeil leg. (ZSM).

Range (as codes): KG Tk Dj Ui Ku Au Kön AF Pag

Material studied: 1♀ (GP3032). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Remarks: The identity of this species is based upon the external morphology (Boursin, 1953; Lödl. *et al.*, 2012). Boursin selected holotype (male) from "Dscharkent (bei Kuldscha, Ili-Gebiet", allotype (female) "Kuldscha (Ili-Gebiet), and also Aksu (paratype). All the specimens were collected by Rückbeil (ZSM). Mrs. Vartian collected this species also from Afghanistan (Paghman) in 1962 (*cf.* Lödl, *et al.*,2012). The collecting locality of the female specimen, submitted here, is around 60km SE of Kuldscha [Ghulja]. Apparently, the female genitalia of this species is illustrated here for the first time.

***Eublemma (rosina-gr.) purpurinum* ([Denis & Schiffermüller],1775)**

(Fig. 40)

Synonyms: *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.

Original reference: *Noctua purpurina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district.

Range (as codes): DZ Dhm Lbs TN Khh PT ES Mu FR Si IT CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Mz Th FI RU GG Smt Bjo Lag AZ Kir Nv Ord Cc Ro Kr St Ich Da Kyi MD UA BY Ui Aku 03 05 10 14 18 24 34 36 42 44 50 56 60 62 65

Material: Observed by the author from Ili Region around Akuzen (Ghulja) in 15.viii.2011.

New record for Uighur Ili.

****Eugnorisma (s.str.) trigonica* (Alpheraky,1882)**

(Figs. 41, 42, Map 23)

Synonyms: *trigonica* Alpheraky,1882; *capnoptera* Püngeler,1898

Original reference: *Agrotis trigonica* Alpheraky,1882, Horae Soc. ent. ross. 17: 43. Lectotype ♂, Charkhode [Sarhoja, Chk], Tian Chian [Tengri Taghliri] (ZIN).

Range (as codes): Ui Ku Tek Chk Kön KK Ik Skm Ax TrA TJ Pm Chr

Material studied: 6♂♀ (GP3007♂). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

****Hoplodrina* sp.**

(Figs. 43, 44)

Material studied: 1♂5♀ (GP3022♂). Uighur Ili, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

Remarks: Markings on the upperside of forewing of the male, and the genitalia of the species resembles to some degree to *octogenaria* Gz. In the male genitalia, juxta elongated, shape of valva looks like *octogenaria*. However, hindwing almost pure white, and 6 cornuti groups in vesica of the male genitalia can be distinguished.

***Lacanobia (Dianobia) thalassina* (Hufnagel,1766)**

(Figs. 45, 46, Map 24)

Synonyms: *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]

Original reference: *Phalaena thalassina* Hufnagel,1766, Berl. Mag. 3(3): 298. Type(s):[Germany]: Berlin.

Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da At MD UA Lvv BY MN Ur Cc AM Sb Am Prj Us Ui Ii Kön KK Ik IR Elb Th Kdj KG Pw 01 05 06 08 18 25 32 36 39 50 65 66 75

Material studied: 1♂ (GP3008). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Lygephila (s.str.) craccae* (Fabricius,1787)**

(Map 25)

Synonyms: *#craccae* [Denis & Schiffermüller],1775 [nomen nudum, without description]; *craccae* Fabricius,1787; *nigricollis* De Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999 [incorrect spelling].

Original reference: *Noctua craccae* Fabricius,1787, Mant. Ins. 2: 154, nr.137. Type(s): [Wien].

Range (as codes): MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz Ui Chk Kön AF Pag KG Tk Dj Ii KK Ik PK Bbu Psu Gg Hu Nar Mlk T-A CY Smt Bjo Mng Lag Kir Bne Mrv 01 05 06 07 08 12 13 14 16 17 18 22 23 24 25 29 30 31 33 36 42 44 48 49 50 56 58 60 62 63 65 75 76

Material studied: 1♂. Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

***Mythimna (Hyphilare) ferrago* (Fabricius,1787)**

(Fig. 47, Map 26)

Synonyms: *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926

Original reference: *Noctua ferrago* Fabricius,1787, Mant. Ins. 2: 160, nr.170. Type(s): [Germany]: Kiliae [=Kiel].

Range (as codes): DZ MA PT ES FR Co Sa Si AD IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY Ui Kun Kön TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Lvv Bjo Mng Lag Kir Haz Abe Shd Sét DhM TN TJ Sha Bt Deo Hk 01 04 06 07 08 09 12 13 24 28 30 33 36 39 42 44 45 46 49 50 56 58 61 62 65 66

Material studied: 2♂ (GP3025). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

***Xestia (Megasema) c-nigrum* (Linnaeus,1758)**

(Figs. 48, 49, Map 27)

Synonyms: *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *#pallida* Lempke,1962 [individual form]; *ignorata* Eitschberger,1972.

Original reference: *Phalaena c-nigrum* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa.

Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY IR Kh Gh Elb Mz Kdj KK Ax Ik UZ N-A Ui Ku Kön Ga Sz T-T IN Hp Drm Kul NI SI Up Bhi Nnt Kil PK Pj Cp KP KR JP GG AZ CA Nsc US Ny Iln MX Ro Kr St Kb Kc Nt Ich Ing Da Kyi Smt Bjo Tbl Kir Lag Swa Sgl Yek DZ Blid Agi Abe DhM Hrh Dzc TN Txl Psu Gg 05 13 28 34 33 36 50 51 56 58 60 61 65 75

Material studied: 1♂ (*f.pallida*) (GP3010), and 1♂ (typical). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

***Xestia (s.str.) baja* ([Denis & Schiffermüller],1775) (Map 28)**

Synonyms: *baja* [Denis & Schiffermüller],1775; *immaculata* Hoffmann,1910

Original reference: *Noctua baja* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district.

Range (as codes): PT ES Mu FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag DK SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY IR Gh Mz Elb Dam KK Skm Ax KG Lps Ui Kön 08 14 25 34 36 37 53 56 69 75

****Xestia (s.str.) baja bajula* (Staudinger,1881) (Figs. 50, 51)**

Synonym: *bajula* Staudinger,1881

Original reference: *Agrotis baja* var. *bajula* Staudinger,1881, Stettin ent. Ztg. 42: 411. Syntypes ♀♀: [Kazakhstan]: "Lepsa".

Range (as codes): KG Lps Ui Kön

Material studied: 4♂♀ (GP3011♂). Ili Region, Tokuztara, Köndeleng 1400m, 8.viii.2005, M.Kemal & A.Koçak leg. (Cesa).

New record for Uighur Ili.

Notodontidae

***Clostera anastomosis* (Linnaeus,1758) (Fig. 52)**

Synonyms: *anastomosis* Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *koonis* Matsumura,1929; *insignior* Kiriakoff,1963

Original reference: *Phalaena anastomosis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 506. "Habitat in Salice".

Range (as codes): ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Am Us Ask MD UA Lvv BY KG Ssn Ui Ku Au CN Fkn Yu Lik Sz Ats T-T Sz 11 28

Material: Observed by the author from Ghulja (Ili Region) on 7.viii.2011.

***Notodonta ziczac* (Linnaeus,1758) (Map 29)**

Synonyms: *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956

Original reference: *Phalaena ziczac* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 504.

Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Am MD UA Lvv BY Ju KG Aa T-S TeA KK Ui Kön 37

***Notodonta ziczac pallida* Grünberg,1912**

Synonym: *pallida* Grünberg,1912

Original reference: *Notodonta ziczac* ssp. *pallida* Grünberg,1912, [in] Seitz,A., Gross-Schmett. Erde 2: 300 (45g). Lectotype ♀: [Uighur Ili]: Yultuz.

Range (as codes): Ui Kön Ju KG Aa T-S TeA KK

Material: Observed by the authors from Ili Region, Tokuztara, Köndeleng in 2005.

Pyralidae

***Crambus perlellus* (Scopoli,1763) (Fig. 53)**

Synonyms: *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.

Original reference: *Phalaena perlella* Scopoli, 1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain].

Range (as codes): MA Ifr PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Mo MD UA BY TR GG AM Cc AZ KG UK IR Qm Gh Ha Ke Jrf Msh Mz Kh Gor Nss Shh Plr Dam KK TJ Pm AF Ch Ui Kun Kml CN Mc Jn US Cf Col CA BCo Abt Als Mai Iln Mrl Sdk Vr Mch Mns Mnt Nbw Nfl On Qb 01 14 13 16 24 25 42 51 58 65 69 76

Remarks: Previously, this species was reported by Rebel (1901) from Hami [Kumul] as "*Thian.or.*", East of Uighur A.R. After 110 years, this species was observed by the first author from Künes, near Ghulja in the Ili Region.

***Loxostege sticticalis* (Linnaeus, 1761)**

(Figs. 54, 55, Map 30)

Synonyms: *#lupulina* Clerk, 1759; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811; *lupulinalis* Guenée, 1854

Original reference: *Phalaena sticticalis* Linnaeus, 1761, Fauna Suecica (2): 352, no. 1354. Lectotype ♂: Upsaliae (designated by Robinson & Nielsen, 1983: 231).

Range (as codes): MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR Cr TR Cc GG Tbl Bjo Der Da AZ Nv MD UA Cm TM Kp DK NO SE FI EE LV LT RU Sb VI BY KG Tk Dj Ii Ui Ku Kun Kml IR Gls Kh Dam Elb AF Hr PK Psu Bl Qu CA 05 07 10 13 16 17 34 39 42 44 46

Material: Observed by the first author from Ili Region, Künes and Ghulja in 2011.

***Nomophila noctuella* ([Denis & Schiffermüller], 1775)**

(Fig. 56, Map 31)

Synonyms: *noctuella* [Denis & Schiffermüller], 1775; *hybridalis* Hübner, 1796; *incertalis* Hübner, [1825]; *indistinctalis* Walker, 1859

Original reference: *Tinea noctuella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].

Range (as codes): Cn Md MA Rbt DZ Bsa Btma Bsk Sfr Cst TN Sfx LY Cy Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO SS B-H HV MK YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz JO Amm LB Bsa Bei AF Hr Bmu Anj Gz Jla Kot SA SA50 SA74 KE Elg Nai SD SDO7 SN GM CG TZ MW Mje AO ZW MZ DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Ans Bf Est Nta Kzu LS Tra Gau Pre Umk Wri RE KM MG MU Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr Ii Ui Ku Njr Mer Har Nam SD95 EG EG07 EG11 EG31 EG33 EG34 EG35 ET ET08 ET70 ET87 ET263 SY Hal IL Pa Js Hf YE Sna BH PK Mre Krc UZ Smk Br Rw Bl Lag Ax Dlh Hp Cp Drm Ca Ass Khs Pj NI Nag Nnt Poo Pus Sml NP SI MM LK CN Mc Ti Hun Pkn Yu Lik Kgs Sz Ome Stg T-T KP KR JP Hkk Hw 01 05 06 08 11 13 14 16 17 21 30 31 32 33 34 35 37 38 39 44 46 48 49 53 55 56 58 60 63 65 71 73 76 80

Material: Observed by the author from Ili Region, Ghulja in 2011.

Remarks: This is almost a geopolit species, but previously it was not known by us in the Uighur Ili. Munroe (1973) reported this species from "Turkestan".

***Oncocera semirubella* (Scopoli, 1763)**

(Map 32)

Synonyms: *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 nec Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916

Original reference: *Phalaena semirubella* Scopoli, 1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain].

Range (as codes): DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh Ui Tek Kty 01 05 06 07 08 09 13 14 16 17 26 30 31 33 36 44 46 48 56 65 71 75 76 80 81

Material: Observed by the first author from Ili Region, Kichikkustay in 2005.

New record for Uighur Ili.

***Ostrinia nubilalis* (Hübner, 1796)**

(Fig. 57, Map 33)

Synonyms: *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796; *glabralis* Haworth, 1803; *appositalis* Lederer, 1858; *#paulalis* Fuchs, 1900; *funeralis* Zerny, 1914; *rubescens* Krulikovsky, 1928; *mauretanica* Mutuura & Munroe, 1970; *persica* Mutuura & Munroe, 1970

Original reference: *Pyralis nubilalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 14 fig. 94. Type(s): Europa.

Range (as codes): MA DZ Orn Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg UZ Fe PK K-P CY SY Dms IR Elb Gh Tgo CA On Nfl Qb Mnt Ui Ku US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU 01 05 07 13 16 31 32 33 46 53 58 65 80

Material: Observed by the first author from Ili Region, Ghulja in 2011.

New record for Uighur Ili.

Plodia interpunctella* (Hübner,[1813])*(Fig. 58)**

Synonyms: *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.

Original reference: *Tinea interpunctella* Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.45 fig.310. Type(s): Europa.

Range (as codes): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk Ui Ku CN Kgs Stg JP Hkk TW ZA AU CA 01 05 06 16 30 33 35 48 65

Material: Observed by the first author from Ili Region, Ghulja in 2011.

Pyrausta despicata* (Scopoli,1763)*(Fig. 59)**

Synonyms: *despicata* Scopoli,1763; *koenigiana* O.F.Müller,1764; *vestianella* Clerk,1764; *cespitis* [Denis & Schiffermüller],1775; *sordialis* Thunberg,1784; *intermedialis* Duponchel,1833; *tendinosalis* Bremer,1874; *yangtsealis* Caradja,1938; *ifranalis* Leraut,2001

Original reference: *Phalaena despicata* Scopoli,1763, Entomologia Caniolica: 231. Type(s): [Slovenien]: Carniolia [Krain].

Range (as codes): MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR IQ Rwz Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli Ui Ju Aku UZ Fe AZ AM LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG DZ Lbs BY MD UA Cm Lvv Da Aa VI KP KR 01 05 06 11 13 14 16 17 21 24 25 30 31 32 33 34 42 46 49 51 55 56 58 65 71 76

Material: Observed by the first author from Ili Region, Ghulja, Akuzen in 15.viii.2011.

Uresiphita gilvata* (Fabricius,1794)*(Fig. 60, Map 34)**

Synonym(s): *polygonalis* sensu [Denis & Schiff.],1775 nec Linn.,1767; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *meridionalis* Wocke,1871; *virescens* Butler,1881; *gracilis* Caradja,1916; *ochrocrossa* Clarke,1971

Original reference: *Phalaena gilvata* Fabricius,1794, Ent. Syst. 3 (2): 208.

Range (in code): TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr Ssa IR Ahz Fa Shr Se Ha Gls Elb Th Kdj Lo KG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt PK Cp Gg Ui Sjd ZA Tva Lpo Spb Hgl Mdk Cm Lvv VI Ur Tv Lj Sd Krc Lbs An Grn Bei DZ Gtt Onç Anna Orn Ges 01 05 13 16 30 31 33 45 46 56 65 71 80

Material: Observed by the first author from Ili Region, Süydöng in 2011.

Saturniidae***Saturnia* (Neoris) *shadulla* (Moore,1872)****(Map 35)**

Synonyms: *shadulla* Moore,1872; *svenihedini* M.Hering,1936; *alatauica* O.Bang-Haas,1937

Original reference: *Neoris huttoni shadulla* Moore,1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River.

Range (as codes): AF Ch TJ UZ KK Frz CN Gn Shs Ui Sdh Ku Ju Um KG T-S Aa TrA MN RU At Tv Sb Sj

Material: Observed by the authors Ili Region, South of Ürümqi in 2005.

Scythridae***Scythris* (sinensis-gr.) *sinensis* (R.Felder & Rogenhofer,1875) (Figs. 61, 62, Map 36)**

Synonyms: *sinensis* R.Felder & Rogenhofer,1875; *apiciguttella* Christoph,1882; *pyrrhopyga* Filipjev,1924; *penthaxantha* Meyrick,1929; *kibarae* Matsumura,1931; *mitakeana* Matsumura,1931

Original reference: *Butalis sinensis* R.Felder & Rogenhofer,1875, Öst. Fregatte Novarra (Zool.) 2 (2) (5): pl. 140 fig.11.

Range (as codes): EE DE GB LT LV JP KP KR TW RU Us BY Sb Ui Ku Brç CN Kgs Gn Hph Hnn Lng She Tkj Jn US Pns

Material: Observed by the first author from Ili Region, Ghulja and Künes in 2011.

Tortricidae***Grapholita* sp. (aff. *lunulana*)****(Fig. 63)**

Material: Observed by the author from Ili Region, Süydöng on 13.viii.2011.

Acknowledgements

Our sincerest thanks to Dr. J. Viidalepp (Tartu, Estonia) for the identification of the *Gnophopsodos* species, and to Mrs. Selime A. Kamal, for her help in supplying the necessary documents about Roshengül Shawket.

References

- Alpheraky S.**, 1882. Lépidoptères du district de Kouldja et des montagnes environnantes. *Horae Soc. ent. ross.* 17: 15-103, pls. 1-3.
- Boursin, C.**, 1953, Zwei neue paläarktische *Cryphia* (*Bryophila*)-Arten. *Mitt. münch. ent. Ges.* 43: 248-251, Taf.vi.
- [**Denis, M. & I. Schiffermüller**], 1775, *Ankündigung eines systematischen Werkes von den Schmetterlingen der Wienergegend*. Vienna. 324 pp., 3 plates.
- Dubatolov, V.V. & K.W. Philip**, 2013, Review of the northern Holarctic *Arctia caja* complex (Lepidoptera: Noctuidae: Arctiinae). *Can. Ent.* 145: 147-154.
- Dubatolov, V.V. & V.O. Gurko**, 2005, A new *Arctia* species from the Himalayas. *Atalanta* 36 (3/4): 538-540, pl.15.
- Dubatolov, V.V.** 1996. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). *Neue ent. Nachr.* 37: 39-87.
- Dubatolov, V.V.**, 2010, Tiger-moths of Eurasia (Lepidoptera, Arctiinae). *Neue ent. Nachr.* 65: 1-106.
- Erlacher, S. & J. Erlacher**, 2016, A systematic revision of the genus *Gnophopsodos* Wehrli, 1945, with description of two new species (Lepidoptera: Geometridae). *Zootaxa* 4169 (3): 435-456.
- Fabricius, J. C.**, 1787, *Mantissa Insectorum Sistens Eorum Species Nuper Detectus Adjectis Characteribus Genericis Differentiis Specificis, Emendationibus, Observationibus*. Tom II: 1-259. Hafniae.
- Felder, R. & A. F. Rogenhofer**, 1875, Reise der Österreichischen Fregatte Novara um die Erde in den Jahre 1857, 1858, 1859. Zoologischer Theil. Zweiter Band, zweite Abtheilung, pls. Vienna, Austria.
- Hausmann, A.**, 2004, *The Geometrid Moths of Europe Volume 2, Sterrhinae*. Apollo Books.
- Hausmann, A. & J. Viidalepp**, 2012, *The Geometrid Moths of Europe Volume 3, Subfamily Larentiinae I*. Apollo Books.
- Kemal, M. & A.Ö. Koçak**, 2007a, Annotated check-list of the butterflies of the Uighur Ili (Lepidoptera). *Priamus* 11 (4): 61-80.
- Kemal, M. & A.Ö. Koçak**, 2007b, Illustrated list of the Lepidoptera recorded in Uighur Ili, [in] Results of the International Projects of the CESA on the World Lepidoptera - I. Cent. ent. Stud., *Memoirs* 3-4: 1685-1717, [pls. 6, 8, 17].
- Kemal Yunusoğlu, M.**, 2015, Uygur tarihinde meşhur kadın şahıslar (2). *Uygur Akademiyesi* 7. Uluslararası Sempozyumu. 10-11 Ekim, 2015, İstanbul.
- Koçak, A.Ö. & M. Kemal**, 2015, List of the genera of the *Geometridae* of Turkey (Lepidoptera). *Cesa News* 118: 1-16.
- Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". *Priamus* 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- Lödl, M. et al.**, 2012, *Fibigeriana Volume 1. The Vartian Collection Part 1 Noctuoidea*. 303pp. Heterocera Press, Budapest.
- Munroe, E.**, 1973, A supposedly cosmopolitan insect: The celery webworm and allies, genus *Nomophila* Hübner (Lepidoptera, Pyralidae, Pyraustinae). *Can. Ent.* 105 (2): 177-216.
- Murzin, V.**, 2003, *The Tiger Moths of the former Soviet Union (Insecta: Lepidoptera: Arctiidae)*. Pensoft Series Faunistica 23: 250pp., 50 pls.
- Püngeler, R.**, 1901-1902, Neue Macrolepidopteren aus Centralasien. *Dt. Ent. Z., Iris* 14: 177-191, *ibid.* 15: 147-160, Taf.
- Rebel, H.**, 1901, II. Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger, O. & H. Rebel, *Catalog der Lepidopteren des palaearctischen Faunengebietes*. 368 S. Berlin.
- Sheljuzko, L.**, 1935, Einige neue und wenig bekannte Lepidopteren aus dem westlichen Tian-Shan. *Mitt. münch. ent. Ges.* 25: 27-38, Taf.iii.
- Sheljuzhko, L.**, 1955, Neue und wenig bekannte Noctuiden und Geometriden der Zoologischen Staatssammlung in München. *Mitt. münch. ent. Ges.* 45: 277-292, Taf.v.
- Skou, P. & P. Sihvonen**, 2015, Subfamily Ennominae I, [in] Hausmann, A. (ed.), *The geometrid moths of Europe* 5: 1-657. Brill & Leiden.
- Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. *Horae Soc. ent. ross.* 14: 176-482; 15: 159-435; 16: 65-135.

- Staudinger, O.**, 1881, Beitrag zur Lepidopteren-Fauna Central Asiens (Fortsetzung). Heterocera. *Stettin ent. Ztg.* 42 (10-12): 393-424.
- Wagner, F.**, 1913, Neue Heteroceren aus Centralasien. *Int. Ent. Z.* 7: 2-4.
- Wehrli, E.** 1934, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien (Fortsetzung). *Mitt. münch. ent. Ges.* 24 (2): 25-55, Taf.
- Whalley, P. E. S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae) of the World. *Bull. Brit. Mus. (Nat. Hist.) Ent.* 25: 31-72.
- Zhang, J. & H. Li**, 2010, Review of the sinensis group of the genus *Scythris* (Lepidoptera, Scythrididae) from China. *Ent. News* 121 (1): 63-68, figs.

Images



Figs. 1, 2 - Environment of Akuzen 1400m (N. of Ghulja), 15.viii.2011. Observed species: *Spialia orbifer*, *Thecla betulae*, *Polyommatus icarus*, *Argynnis paphia*, *Aglais urticae*, *Coenonympha pamphilus*, *Pieris napi*, *Parnassius apollo*, *Scopula decorata*, *Eublemma purpurinum*, *Pyrausta despicata* (left); On the way from Ghulja to Korla, env. Narat [Nra], 18.viii.2011. Observed species: *Vanessa cardui*, *Aglais urticae*, *Issoria lathonia*, *Polyommatus icarus*, *Colias erate*, *Pieris rapae* (right). M. Kemal (Cesa)



Figs. 3, 4 - *Arctia caja* ssp. *roshengul* (ssp.n.) (Holotype) (Arctiidae). Upperside of female. Ili Region, Kichikkuştay 1800m (left); *Palearctia erschoffii*. Upperside of male. Ili Region, Mongolküre (right). M.Kemal (Cesa)



Figs. 5-7 - *Manulea* (s.str.) *complana* (Arctiidae). Male genitalia aedeagus removed, abdominal skin, upperside of male (GP3012). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 8, 9 - *Coleophora* sp. (Coleophoridae). Ili Region, Künes, 11.viii.2011 (left); *Ellicrinia subcordiaria* (Geometridae), Ili Region, Süydöng, 13.viii.2011, M.Kemal (Cesa)




Figs. 10-12 - *Cataclysme riguata* (Geometridae). Female genitalia, tympanal organ (before & after preparation), upperside of female (GP3021). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 13-15 – *Gnophopsodos stemmataria* (Geometridae). Female genitalia, tympanal organ (before & after preparation), upperside of female (GP3030). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 16-18 – *Idaea straminata* (Geometridae). Female genitalia, tympanal organ (before & after preparation), upperside of female (GP3026). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 19, 20 - Male genitalia of two *Ligdia* species: *Ligdia coctata* (left), Pakistan, Swat, Shangla, GP1266; *Ligdia* sp. aff. *lassulata* (right), Turkey, Bolu Province, Karadere, Hacifahri, GP1267, both prepared by A. Koçak in 1990 (Cesa)




Figs. 21-23 – *Pareulype* aff. *consanguinea* (Geometridae). Female genitalia (GP3014), tympanal organ (before & after preparation) (GP3013), upperside of female (GP3014). Ili Region, Köndeleng, M. Kemal (Cesa)



Fig. 24 – *Scopula decorata* (Geometridae). Ili Region, Akuzen, 15.viii.2011, M. Kemal (Cesa)



Figs. 25-27 – *Scopula marginepunctata* (Geometridae). Female genitalia, tympanal organ (before & after preparation), upperside of female (GP3031). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 28-31 – *Scopula ornata* (Geometridae). Male genitalia, terminal abdominal segments, tympanal organ (before & after preparation), upperside of male (GP3016). Ili Region, Köndeleng, M. Kemal (Cesa)



Figs. 32-35 – *Scotopteryx chenopodiata* (Geometridae). Male genitalia, abdominal skin, tympanal organ (before & after preparation), upperside of male (GP3020). Ili Region, Köndeleng, M. Kemal (Cesa)




Figs. 36, 37 – *Athetis lepigone* (Noctuidae). Male genitalia and upperside of male (GP3009). Ili Region, Köndeleng, M.Kemal (Cesa).



Figs. 38, 39 – *Cryphia rueckbeili* (Noctuidae). Female genitalia and upperside of female (GP3032). Ili Region, Köndeleng, M.Kemal (Cesa).



Fig. 40 – *Eublemma purpurinum* (Noctuidae). Ili Region, Akuzen 1150m, 15.viii.2011, M. Kemal (Cesa)



Figs. 41, 42 – *Eugnorisma trigonica* (Noctuidae). Male genitalia and upperside of male (GP3007). Ili Region, Köndeleng, M.Kemal (Cesa).



Figs. 43, 44 – *Hoplodrina sp.* (Noctuidae). Male genitalia and upperside of male (GP3022). Cornuti groups in vesica enlarged. Ili Region, Köndeleng. M.Kemal (Cesa).



Figs. 45, 46 – *Lacanobia thalassina* (Noctuidae). Male genitalia and upperside of male (GP3008). Ili Region, Köndeleng. M.Kemal (Cesa).




Fig. 47 –*Mythimna ferrago* (Noctuidae). Male genitalia (GP3015). Ili Region, Köndeleng. M.Kemal (Cesa).



Figs. 48, 49 –*Xestia c-nigrum*, f. *pallida* (Noctuidae). Male genitalia and upperside of male (GP3010). Ili Region, Köndeleng. M.Kemal (Cesa).



Figs. 50, 51 – *Xestia baja* ssp. *bajula* (Noctuidae). Male genitalia and upperside of male (GP3011). Ili Region, Köndeleng. M.Kemal (Cesa).




Figs. 52 53 – *Clostera anastomosis* (Notodontidae). Ili Region, Ghulja, 7.viii.2011 (left); *Crambus perlellus* (Pyralidae). Ili Region, Künes, 11.viii.2011 (right). M. Kemal (Cesa)



Figs. 54, 55 - *Loxostege sticticalis* (Pyralidae). Ili Region, Künes 11.viii.2011 (left); same species, Ili Region, Ghulja 18.viii.2011 (right). M.Kemal (Cesa)




Figs. 56, 57 - *Nomophila noctuella* (Pyralidae). Ili Region, Ghulja 7.viii.2011 (left); *Ostinia nubilalis* (Pyralidae). Ili Region, Ghulja 7.viii.2011 (right). M.Kemal (Cesa)



Figs. 58, 59 - *Plodia interpunctella* (Pyralidae). Ili Region, Ghulja, 8.viii.2011 (left); *Pyrausta despicata* (Pyralidae). Ili Region, Akuzen, 15.viii.2011 (right). M.Kemal (Cesa)



Figs. 60, 61 - *Uresiphita gilvata* (Pylalidae). Ili Region, Süydöng, 13.viii.2011 (left); *Scythris sinensis* (Scythridae), in copula. Ili Region, Ghulja, 7.viii.2011 (right). M.Kemal (Cesa)



Figs. 62, 63 - *Scythris sinensis* (Scythridae), during feeding. Ili Region, Narat, Araltöpe 1135m, 18.viii.2011 (left); *Grapholita* sp. (Tortricidae), Ili Region, Süydöng, 13.viii.2011 (right). M.Kemal (Cesa)

Appendix I. List of the 343 species recorded from “Kerasdere” by Staudinger and his team (1878-1881)

The species are listed with the original name combinations used by Staudinger. New taxa are marked with *.

<i>Papilio alexanor</i>	<i>Sesia bibioniformis</i>	<i>Prothymia viridaria</i>	<i>Cidaria polygrammata</i>
<i>Thais deyrollei</i>	<i>Ino amasina</i>	<i>Prothymia leda</i>	<i>Cidaria corticata</i>
<i>Parnassius mnemosyne</i>	<i>Ino chloros</i>	<i>Metaponia flava</i>	<i>Eupithecia breviculata</i>
<i>Pieris napi</i>	<i>Zygaena ganymedes</i>	<i>Zethes insularis</i>	<i>Eupithecia limbata*</i>
<i>Anthocharis cardamines</i>	<i>Zygaena formosa</i>	<i>Acantholipes regularis</i>	<i>Eupithecia subsequaria</i>
<i>Anthocharis gruneri</i>	<i>Zygaena laeta</i>	<i>Catocala puerpera</i>	<i>Eupithecia multilineata</i>
<i>Leucophasia sinapis</i>	<i>Zygaena carniolica</i>	<i>Catocala neonympha</i>	<i>Eupithecia plumbeolata</i>
<i>Rhodometra farinosa</i>	<i>amasina</i>	<i>Spintherops cataphanes</i>	<i>Eupithecia pumilata</i>
<i>Thecla rubi</i>	<i>Syntomis phegea</i>	<i>ligaminosa</i>	-
<i>Polyommatus ochimus</i>	<i>Earias clorana</i>	<i>Spintherops dilucida</i>	<i>Cledeobia pertusalis</i>
<i>Lycaena boetica</i>	<i>Hylophila bicolorana</i>	<i>Spintherops limbata</i>	<i>Aglossa cuprealis</i>
<i>Lycaena loewii</i>	<i>Nola strigula</i>	<i>Exophila rectangularis</i>	<i>Endotricha flammealis</i>
<i>Lycaena eurypilus</i>	<i>Nola subchlamydula</i>	<i>Dichagyris melanura</i>	<i>Scoparia ochrealis</i>
<i>Lycaena panagaea</i>	<i>Nudaria murina v.</i>	<i>Toxocampa lusoria</i>	<i>Scoparia ambigua</i>
<i>Lycaena myrrha</i>	<i>cinerascens</i>	<i>amasina*</i>	<i>Scoparia obsolenta*</i>
<i>Lycaena candalus</i>	<i>Lithosia unita v. palleola</i>	<i>Herminia crinalis</i>	<i>Ephelis cruentalis</i>
<i>Lycaena icarus</i>	<i>Euchelia jacobaeae</i>	<i>Hypena antiqualis</i>	<i>Anthophilodes lepidalis</i>
<i>Lycaena amanda</i>	<i>Callimorpha hera</i>	<i>Hypena ravalis</i>	<i>Aeschremon disparalis</i>
<i>Lycaena bellargus</i>	<i>Arctia villica</i>	<i>Hypena munitalis</i>	<i>Botys flavalis</i>
<i>Lycaena coridon</i>	<i>Arctia hebe</i>	<i>Hypena palpals</i>	<i>Botys hyalinalis</i>
<i>v.corydonius</i>	<i>Phragmatoecia territa</i>	<i>Phorodesma pustulata</i>	<i>Botys subsequialis</i>
<i>Lycaena meleager</i>	<i>Endagria emilia*</i>	<i>Phorodesma smaragdaria</i>	<i>Botys diffusalis</i>
<i>Lycaena admetus &</i>	<i>Psyche febretha v. lutea</i>	<i>Nemoria pulmentaria</i>	<i>Botys rubiginalis</i>
<i>v. ripartii</i>	<i>Epichnopteryx pulla</i>	<i>Thalera fimbrialis</i>	<i>Botys fimbriatilis</i>
<i>?Lycaena mithridates</i>	<i>Ocneria lapidicola urbicola</i>	<i>Acidalia consanguinaria</i>	<i>Botys fulvalis</i>
<i>Lycaena menalcas</i>	<i>Ocneria terebynthi</i>	<i>Acidalia moniliata</i>	<i>Eurycreon verticalis</i>
<i>Lycaena hopfferi</i>	<i>Cnethocampa solitaria</i>	<i>Acidalia camparia</i>	<i>Psamotis pulveralis</i>
<i>Lycaena sebrus</i>	<i>Acronycta pontica*</i>	<i>Acidalia circuitaria</i>	<i>Orobena segetalis</i>
<i>Lycaena cyllarus</i>	<i>Bryophila raptricula</i>	<i>Acidalia consolidata</i>	<i>Orobena desertalis</i>
<i>Lycaena jolas</i>	<i>Bryophila muralis</i>	<i>Acidalia trigeminata</i>	<i>Cornifrons ulceratalis?</i>
<i>Libythea celtis</i>	<i>Agrotis c.nigrum</i>	<i>Acidalia intermedia*</i>	<i>Metasia carnealis</i>
<i>Limenitis camilla</i>	<i>Agrotis forcipula</i>	<i>Acidalia dilutaria</i>	<i>Metasia ? mendicilis*</i>
<i>Thaleropsis ionia</i>	<i>Agrotis tritici aquilina</i>	<i>Acidalia nitidata</i>	<i>Stenia bruguieralis</i>
<i>Vanessa polychloros</i>	<i>Mamestra dianthi</i>	<i>Acidalia degeneraria</i>	<i>Stenia punctalis</i>
<i>Melitaea cinxia</i>	<i>Mamestra chrysozona</i>	<i>Acidalia deversaria</i>	<i>Amaurophanes stigmosalis</i>
<i>Melitaea phoebe</i>	<i>Mamestra serena caduca</i>	<i>Acidalia beckeraria</i>	<i>Euclasta splendidalis</i>
<i>Melitaea trivialis</i>	<i>Dianthoecia consparcata</i>	<i>Acidalia marginepunctata</i>	<i>Crambus craterellus</i>
<i>Melitaea didyma</i>	<i>Dianthoecia compta ?</i>	<i>Acidalia coenosaria</i>	<i>Crambus saxonellus</i>
<i>Argynnis euphrosyne</i>	<i>armeriae</i>	<i>Acidalia submutata</i>	<i>Eromene ocella</i>
<i>Argynnis daphne</i>	<i>Dianthoecia pumila*</i>	<i>Acidalia flaccidaria</i>	<i>Nephopteryx strigata*</i>
<i>Argynnis aglaia</i>	<i>Luperina ferrago</i>	<i>Zonosoma punctaria v.</i>	<i>Nephopteryx insignata</i>
<i>Argynnis paphia</i>	<i>Hadena mendax*</i>	<i>suppunctaria</i>	<i>Nephopteryx dahliella</i>
<i>Melanargia larissa</i>	<i>Chloantha hyperici</i>	<i>Pellonia vibicaria</i>	<i>Nephopteryx janthinella</i>
<i>Satyrus hermione</i>	<i>Polyphaenis sericata</i>	<i>Pellonia calabraria</i>	<i>Etiella zinckenella</i>
<i>Satyrus circe</i>	<i>Caradrina morosa?</i>	<i>Abraxas adustata v.</i>	<i>Pempelia semirubella</i>
<i>Satyrus bischoffii</i>	<i>Caradrina aspersa</i>	<i>inspersata</i>	<i>Pempelia formosa</i>
<i>Satyrus arethusia</i>	<i>Caradrina ambigua</i>	<i>Orthostixis cribraria</i>	<i>Pempelia gallicola</i>
<i>Satyrus fatua</i>	<i>Amphipyra tetra</i>	<i>Selenia lunaria</i>	<i>Pempelia sordida*</i>
<i>Satyrus amasina</i>	<i>Scoliopteryx libatrix</i>	<i>Eilicirina trinotata</i>	<i>Pempelia noctivaga*</i>
<i>Pararge roxelana</i>	<i>Calophasia casta</i>	<i>Nychiodes lividaria</i>	<i>Pempelia epischniella*</i>
<i>Epinephele lycaon</i>	<i>Calophasia platyptera</i>	<i>Synopsis serrularia</i>	<i>Gymnancyla canella</i>
<i>Coenonympha leander</i>	<i>Cleophana antirrhini</i>	<i>Gnophos stevenaria</i>	<i>Eucarphia ilignella</i>
<i>Syrichthus sidae</i>	<i>Cleophana olivina</i>	<i>Gnophos sartata</i>	<i>incredibilis*</i>
<i>Syrichthus ? alveus</i>	<i>Cleophana opposita</i>	<i>Gnophos glaucinaria</i>	<i>Eucarphia antiquella</i>
<i>Syrichthus serratulae</i>	<i>Cucullia blattariae</i>	<i>Gnophos variegata</i>	<i>Epischnia prodromella</i>
<i>Nisoniades tages</i>	<i>Aedia funesta</i>	<i>Scodiona conspersaria</i>	<i>Epischnia cretaciella</i>
<i>Nisoniades marloyi</i>	<i>Heliodes rupicola</i>	<i>Aspilates ochrearia</i>	<i>Brephia compositella</i>
<i>Hesperia thamas</i>	<i>Janthinea violacea</i>	<i>Lythria purpuraria</i>	<i>Acrobasis celticola*</i>
<i>Hesperia lineola</i>	<i>Heliopsis incarnatus</i>	<i>Ortholitha plumbaria</i>	<i>Myelois rhodochrella</i>
<i>Hesperia hyrax</i>	<i>Aedophron rhodites</i>	<i>Ortholitha bipunctaria</i>	<i>Myelois albunculella*</i>
<i>Hesperia acteon</i>	<i>Aedophron phlebophora</i>	<i>Lithostegia griseata</i>	<i>Myelois dulcella</i>
<i>Hesperia sylvanus</i>	<i>Chariclea victorina</i>	<i>Scotosia rhamnata</i>	<i>Myelois legatella</i>
<i>Hesperia alcides</i>	<i>Chariclea treitschkei</i>	<i>Cidaria approximata*</i>	<i>Myelois epelydella</i>
<i>Deilephila porcellus</i>	<i>Acontia urania</i>	<i>Cidaria frustata</i>	<i>Myelois monogrammos</i>
<i>Pterogon gorgoniades</i>	<i>Thalpochara arcuina</i>	<i>Cidaria permixtaria</i>	<i>Myelois argyrogrammos</i>
<i>Macroglossa croatica</i>	<i>Thalpochara lacernaria</i>	<i>Cidaria unicata</i>	<i>Ancylosis cinnamomella</i>
<i>Sciapteron tabaniforme</i>	<i>Thalpochara polygramma</i>	<i>Cidaria galiata</i>	<i>Ancylosis morbosella*</i>
<i>Sciapteron tengyraeforme</i>	<i>Thalpochara pallidula</i>	<i>Cidaria bilineata</i>	<i>Ancylosis maculifera</i>
<i>Sesia myopaeformis</i>	<i>Erastria diaphora*</i>	<i>Cidaria rubidata</i>	<i>Homoeosoma nimbella</i>

Homoeosoma binaevella
Homoeosoma sinuella
*Anerastia strigosa**
Anerastia ablutella
Anerastia limbella
Ephestia ficella
Ephestia reductella
Melissoblaptes anellus
Teras boscana
Tortrix sorbiana
Tortrix loeflingiana
Tortrix pilleriana
Sciaphila communana
Cochylis purgatana
Cochylis francillana
Cochylis roseofasciana
*Cochylis centaureana**
Aphelia lanceolana
Eudemis botrana
*Grapholitha umbratana**
Grapholitha thapsiana

Grapholitha tenebrosana
Grapholitha caecana
Grapholitha pallifrontana
Grapholitha dorsana
*gigantana**
Grapholitha coronillana
Steganoptycha delitana
Dichrorampha gruneriana
Choreutis myllerana
*Atychia compar**
Talaeporia improvisella
*Talaeporia pallida**
Tinea crassicornella
Adela repetitella
Atemelia torquatella
Psecadia quadrinotella
*Psecadia amasina**
Depressaria rhodochrella
Depressaria depressella
*amasiella**
*Depressaria zelleri**

Gelechia malvella
Gelechia terebinthinella
*Teleia maculata**
Parasia aprilella
Ergatis pancaliella
*Doryphora parvula**
Rhinosia sordidella
Euteles kollariella
*Holcopogon helveolellus**
Pleurota pyropella
Pleurota metricella
Symmoca cedeștiella
Oecogonia quadripuncta
Glyphipteryx thrasonella
Gracillaria limosella
Coriscium brogniardellum
Coleophora milvipennis
*Coleophora bivittella**
*Coleophora similis**
*Coleophora breviscula**
Coleophora asteris

*Coleophora luteolella**
*Chauliodus wockeellus**
Laverna miscella
*Douglasia columbella**
*Douglasia ? minutissima**
Stagmatophora
albiapicella
Butalis flabella
*Butalis canescens**
*Elachista atrisquamosa**
Elachista festicolella
*Elachista deceptricula**
Lithocolletis caprinicolella
Lithocolletis millierella
Phyllocnistis suffusella
*Bucculatrix infans**
Platyptilia zetterstedtii
Oxyptilus distans

Appendix II

Updated list of the 1237 Heterocera species of 32 families known from Uighur Ili, based upon the info-system of the Cesa,¹ are given below alphabetically. Synonyms are arranged chronologically. Distributional information to each species are given as codes.

Adelidae

1. **Adela mutabilella Küppers, 1980** (Adelidae) Synonym(s): mutabilella Küppers, 1980 Range (in code): Ui Ku RU Sb

Arctiidae

2. **Acerbia kolpakofskii (Alpheraky, 1882)** (Arctiidae) Synonym(s): kolpakofskii Alpheraky, 1882 Range (in code): Ui Kun
3. **Aemene altaica (Lederer, 1855)** (Arctiidae) Synonym(s): altaica Lederer, 1855; fasciata Butler, 1877 Range (in code): JP RU At Us Sh Mc CN Ui KP KR
4. **Arctia (Eucharia) festiva (Hufnagel, 1766)** (Arctiidae) Synonym(s): festiva Hufnagel, 1766; hebe Linnaeus, 1767; interrogationis Ménétriés, 1863; sartha Staudinger, 1886; nivea O. Bang-Haas, 1927; ragusai Stauder, 1928; arafati De Freina, 1997 Range (in code): PT ES FR Si IT BE NL LU DE AT PL CZ SK HU RO YU AL BG GR Rd TR SY Hal LB IR Ak Shf Zj Tbz Ar Kd Snj Km Ha Ma Ke Kh Fa Hz LV LT MD UA BY KK Ax RU Tv MN CN Ui IMn Hph GG Tbl Bjo Kir Smt Akh AZ Bak Cc AM KG Ssn Tk Ii UZ Fe Man IQ Shq
5. **Arctia (s.str.) caja (Linnaeus, 1758)** (Arctiidae) Synonym(s): caja Linnaeus, 1758; erinacea Retzius, 1783; phantasma Niepelt, 1905; lusitanica Spuler, 1906; confluens Rebel, 1910 nec Rom., 1884; rebeli Wnukowsky, 1929. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT MD UA Cm BY GG Cc AZ Nv AM KG Ssn CN Ui Kml Hph Tek Kty KK TJ Pm Fe UZ AF PK Ch Snn IN Up Alh Khs IR Elb Mz Ar MN RU Sb Kmt Am Vv Tv To Mgd Ya Sj Ir Irk Ur Kr KP KR JP Clu Hkk CA US Als Ut Jn Lng Lvv
6. **Arctia (s.str.) flavia (Fuessly, 1779)** (Arctiidae) Synonym(s): flavia Fuessly, 1779; virgo Hübner, [1804]; campestris Graeser, 1892; uralensis Heyne, 1899; sibirica Heyne, 1899; lederi O. Bang-Haas, 1927; baicalensis O. Bang-Haas, 1927; jeholensis O. Bang-Haas, 1927 Range (in code): FR IT CH AT BG TR GG Cc UA KG Ssn RU Us At Tv Sj Sb Ya Am Vv Or Ur MN U-B CN Ui Mc
7. **Arctia (s.str.) intercalaris (Eversmann, 1843)** (Arctiidae) Synonym(s): intercalaris Eversmann, 1843; boettcheri O. Bang-Haas, 1927. Range (in code): KG DsA KK UZ AI Pm TJ AF Kab Bd CN Ui Ju Ti PK Nwf Ci Gg IN Hp Kul Ch
8. **Arctia (s.str.) ladakensis (O. Bang-Haas, 1927)** (Arctiidae) Synonym(s): ladakensis O. Bang-Haas, 1927 Range (in code): IN Ld Ui Au
9. **Arctia (s.str.) rueckbeili Püngeler, 1901** (Arctiidae) Synonym(s): rueckbeili Püngeler, 1901 Range (in code): KK Sda UZ TJ Ui Au
10. **Chelis daturica (Boisduval, 1832)** (Arctiidae) Synonym(s): daturica Boisduval, 1832; gruneri Staudinger, 1867; sojota Tschetverikov, 1904. Range (in code): Ui RU At Tv Ur Sb Bn No Kg Om KG Sau Sj Us MN
11. **Chelis maculosa (Gerning, 1780)** (Arctiidae) Synonym(s): #maculosa [Denis & Schiffermüller], 1775; maculosa Gerning, 1780; monacensis Osthelder, 1933. Range (in code): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU MN TM Kp KG Uk UA Cm Sb Ui
12. **Chelis strigulosa (Böttcher, 1905)** (Arctiidae) Synonym(s): strigulosa Böttcher, 1905; thianshana Dubatolov, 1988 Range (in code): KK Ax KG TrA DsA Tar Ui T-S
13. **Coscinia (s.str.) cribraria (Linnaeus, 1758)** (Arctiidae) Synonym(s): cribraria Linnaeus, 1758; cribrum Linnaeus, 1761; chrysocephala Hübner, [1804]; punctigera Freyer, 1834; sibirica Staudinger, 1892; bivittata South, 1900; fumidaria O. Bang-Haas, 1927; arenaria Lempke, 1937; nikitini O. Bang-Haas, 1938; pannonica Daniel, 1955; benderi Marten, 1957 Range (in code): AET DZ TN DhM MA Agi BSa Pt ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA BY KG Ssn Sb Ya MN Ui At Mc CY
14. **Diacrisia sannio (Linnaeus, 1758)** (Arctiidae) Synonym(s): sannio Linnaeus, 1758; russula Linnaeus, 1758; vulpinaria Linnaeus, 1758; hesperidea Fourcroy, 1785; pallida Staudinger, 1892. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA Lvv Cm BY Cc GG AZ RU At Sb Sj KK Ik Ui Ju MN KG Aa Ket Ssn T-S JP
15. **Eudiaphora turensis (Erschoff, 1874)** (Arctiidae) Synonym(s): turensis Erschoff, 1874; maracandica Seitz, 1910; afghanistanensis Daniel, 1966. Range (in code): IR Se Kh KuB TM Kp UZ Fe AF KG Ssn Tk Dj Ii CN Ui Ket TJ Pm AF Kbb Pnj Hr
16. **Hyphoraia aulica (Linnaeus, 1758)** (Arctiidae) Synonym(s): aulica Linnaeus, 1758; pustulata Müller, 1764 Range (in code): FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR GG Tbl Cc DK SE FI EE LV LT RU MD UA BY Kis Sb Om No Mnu Kj Am Us MN CN Ui Mc Lng KP KR JP Hkk
17. **Lacydes spectabilis (Tauscher, 1806)** (Arctiidae) Synonym(s): spectabilis Tauscher, 1806; intercissa Freyer, 1842. Range (in code): RU KG Ssn Uk T-S Sb TM AF Bd Ui Kml MN IR Th Dam Elb Mz GlS Kp Kh Fa Sse Ak Mz GlS Ma Se IQ TR Cc AM KK
18. **Manulea (s.str.) complana (Linnaeus, 1758)** (Arctiidae) Synonym(s): complana Linnaeus, 1758; ochrocephala Fourcroy, 1785; sericea Gregson, 1860; molybdeola Guenée, 1861; balcanica Daniel, 1939. Range (in code): FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc GG Bjo Smt Mng Dar AM Da Der KG Lps IR GlS Ui Kõn
19. **Manulea (s.str.) lutarella (Linnaeus, 1758)** (Arctiidae) Synonym(s): lutarella Linnaeus, 1758; luteola [Denis & Schiffermüller], 1775; alboflava Retzius, 1783; flava Fabricius, 1798; lutea Fabricius, 1798 nec Fabr., 1775 Range (in code): PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG Lps Cc GG Smt Mng Bjo Bku Da Kus Ui Ju Kun II
20. **Oroncus (s.str.) tancrei (Staudinger, 1887)** (Arctiidae) Synonym(s): tancrei Staudinger, 1887; urania Püngeler, 1904. Range (in code): KK Ik Na Ui KI
21. **Orontobia coelestina (Püngeler, 1904)** (Arctiidae) Synonym(s): coelestina Püngeler, 1904 Range (in code): CN Ui Alt Ts
22. **Palaearctia erschoffii (Alpheraky, 1882)** (Arctiidae) Synonym(s): erschoffii Alpheraky, 1882; korlana O. Bang-Haas, 1927 Range (in code): Ui Mkü Ju Srm KI KK Na Ik
23. **Palaearctia ferghana (Staudinger, 1887)** (Arctiidae) Synonym(s): ferghana Staudinger, 1887 Range (in code): KK UZ Fe Man Ui Ju AF Anj Bd

¹ Info-system of the Cesa: <http://www.cesa-tr.org/Infos.htm>

- 24. *Palaearctia glaphyra* (Eversmann, 1843)** (Arctiidae) Synonym(s): glaphyra Eversmann, 1843 Range (in code): KK AI Ik KG Ssn DsA TrA Ax KuA TeA Na Tk Ui Ku Bc Au Cho
- 25. *Palaearctia gratiosa* (Groum-Grshimailo, 1890)** (Arctiidae) Synonym(s): gratiosa Groum-Grshimailo, 1890 Range (in code): PK Gg SkL IN Ch CN Ti Sz Ui Sry KK TeA Sda Al TJ His Pm Rsh
- 26. *Palaearctia rasa* Saldaitis, Ivinskis & Churkin, 2000** (Arctiidae) Synonym(s): rasa Saldaitis, Ivinskis & Churkin, 2000 Range (in code): Ui Kml
- 27. *Parasemia plantaginis* (Linnaeus, 1758)** (Arctiidae) Synonym(s): plantaginis Linnaeus, 1758; hospita [Denis & Schiffermüller], 1775. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR GG Smt Aba Akh Bku AM AZ Cc IR Elb Mz DK NO SE FI EE LV LT MD UA BY MN JP Hkk RU Ur Sb Ya Prj Us Am Mgd KP KR KG Tar Ssn CN Mc IMn Lng Jn Ui Ts Sz Shs CA US
- 28. *Parasiccia altaica* (Lederer, 1855)** (Arctiidae) Synonym(s): altaica Lederer, 1855 Range (in code): KG RU At Am Sh CN Ui Mc KP KR JP Hkk
- 29. *Phragmatobia fuliginosa* (Linnaeus, 1758)** (Arctiidae) Synonym(s): fuliginosa Linnaeus, 1758; fervida Staudinger, 1871 nec Walk., 1855; lurida Rothschild, 1910; monticola Daniel, 1970 nec Reiss., 1934 Range (in code): AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn CN Ui Ku Ts Kno Gn Ti Ui Kön UZ Fe Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc CA On Mai Wc BCo NCa Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz GlS Kh Kd Bne Km Fa Pag Kön PK Gg Hu Psu Khh DhM Anna Lvv
- 30. *Rhyparia purpurata* (Linnaeus, 1758)** (Arctiidae) Synonym(s): purpurata Linnaeus, 1758; purpurea Linnaeus, 1767; uralensis Spuler, 1906; barteli Krulikowsky, 1909. Range (in code): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT AZ Len Cc GG Tbl Bjo Smt Kir RU MD UA BY KG Ssn KK Cm Vi To Sr Ir Am Ss SY MN CN Ui Jn Lng IMn Gn Mc Kig KP KR JP IR Ak Gh
- 31. *Sibirarctia kindermanni* (Staudinger, 1867)** (Arctiidae) Synonym(s): kindermanni Staudinger, 1867 Range (in code): KK CN Ui Ku Ts Kno Mc MN RU Am Ur Sb Vv
- 32. *Spilarctia lutea* (Hufnagel, 1766)** (Arctiidae) Synonym(s): lutea Hufnagel, 1766; radiatus Haworth, 1812; rhododactyla Bryk, 1948; reisseri Koutsaftikis, 1973 Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY CN She Ahw Lng Jn Mc IMn Ui JP
- 33. *Spilosoma erythrozona* (Kollar, [1844])** (Arctiidae) Synonym(s): erythrozona Kollar, [1844]; cognata Walker, 1869 Range (in code): Ch PK Haz Nar Swa Klm AF IN Hp Dlh Drm CN Ui Ti
- 34. *Spilosoma urticae* (Esper, [1789])** (Arctiidae) Synonym(s): urticae Esper, [1789]; papyratia Marsham, 1791 Range (in code): PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Prj Us Krl Am Sb MD UA Lvv BY CN Ui Sz IR Mz Cc Th Ar Gh GlS GG Bjo Tbl Smt Lag Da Der Kir Sok Abk KG KK UZ
- 35. *Spiris bipunctata* (Staudinger, 1892)** (Arctiidae) Synonym(s): bipunctata Staudinger, 1892 Range (in code): RU Sb CN Ui Ga Mc Shs Ts MN
- 36. *Spiris striata* (Linnaeus, 1758)** (Arctiidae) Synonym(s): striata Linnaeus, 1758; grammica Linnaeus, 1758; funerea Eversmann, 1847; strandi Obratzov, 1936; slovenica Daniel, 1939; wisniewskii Wojtusiak & Niesielowski, 1946; hospitali Marten, 1948. Range (in code): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE EE LV LT RU Sb Ya MD Cm UA BY GG AZ Len Cc KG Ssn Ui MN At
- 37. *Tancrea pardalina* Püngeler, 1898** (Arctiidae) Synonym(s): pardalina Püngeler, 1898 Range (in code): KG Tk Dj Ii TM Ui Kun
- 38. *Tyria jacobaeae* (Linnaeus, 1758)** (Arctiidae) Synonym(s): jacobaeae Linnaeus, 1758; senecionis Godart, 1823; confluens Schultz, 1908. Range (in code): PT ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD Cm UA BY GG Lag Der Da Cc AZ AM Nv Sb KG Lps UZ KK KG TJ Ui CA BCo US Cf Org TS NZ AU
- 39. *Utetheisa* (s.str.) *pulchella* (Linnaeus, 1758)** (Arctiidae) Synonym(s): pulchella Linnaeus, 1758; pulchra [Denis & Schiffermüller], 1775; thyter Butler, 1877; shyama Bhattacharjee & Gupta, 1969; menoni Bhattacharjee & Gupta, 1969. Range (in code): CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg Ui GP IQ Agh TH Cma Knc Sbu Ab Oru Gh Mz Kh GlS Se Th Qz Kd Bne Mrv Snj Lo Km Il Es Yz By Bk Fa Ke Ss Hz Bu Kz Tbl Bjo Smt Lag Der Da Bak Len PK Nwf Pes Bt Skd Bl Cp SO IN Cn Md ID Ja VN LK Cob Pdy Dek AU Bhh SO Zai YE Ad MA DZ TN Afl Ess Tun Tgr Khh BtNa Ktr BSa Gha Dje Ges Agi Gle Hdd Bsk Ah Ajj
- 40. *Watsonarctia deserta* (Bartel, 1902)** (Arctiidae) Synonym(s): casta Esper, [1784] nec Pall., 1771; deserta Bartel, 1902; sibirica Kozhantschikov, 1924; callesi Gomez-Bustillo, 1979; esperi Koçak, 1980 Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR AM Alg Cc TR IR Elb Mz RU Or MD UA BY KG Sb Pe At Mnu Kj Ir MN Ui Ju

Autostichidae

- 41. *Deroxena venosulella* (Möschler, 1862)** (Autostichidae) Synonym(s): venosulella Möschler, 1862; neglectella Lederer, 1863. Range (in code): FR AT SK HU RO YU GR TR GG RU Cc Ui Ku KG UK
- 42. *Symmoca pelospora* Meyrick, 1927** (Autostichidae) Synonym(s): pelospora Meyrick, 1927 Range (in code): Ui Ku

Bombycidae

- 43. *Dalailama bifurca* Staudinger, [1896]** (Bombycidae) Synonym(s): bifurca Staudinger, [1896] Range (in code): CN Ui Kn Ts Kno Shs

Brachodidae

- 44. *Brachodes fallax* (Staudinger, 1900)** (Brachodidae) Synonym(s): fallax Staudinger, 1900 Range (in code): RU Ui Ku Au Ju KG Tk Dj KK AI
- 45. *Brachodes fasciatus* (Staudinger, [1900])** (Brachodidae) Synonym(s): fasciatus Staudinger, [1900] Range (in code): Ui
- 46. *Brachodes neglectus* Kallies, 1998** (Brachodidae) Synonym(s): neglectus Kallies, 1998 Range (in code): KK UZ Fe Man Ui Ln
- 47. *Brachodes pumilus* (Ochsenheimer, 1808)** (Brachodidae) Synonym(s): pumila Ochsenheimer, 1808; chimaera Hübner, [1808] Range (in code): FR IT DE AT SK HU RO YU AL BG GR MK HV Cc TR SY RU CN Ui Ku KG Ssn KK

- 48. *Brachodes staudingeri* Kallies, 1998** (Brachodidae) Synonym(s): *staudingeri* Kallies, 1998 Range (in code): RU Sr Ui Ku Ju KK Ik Ax UZ Fe Man KG Aa TrA

Coleophoridae

- 49. *Coleophora absinthii* Wocke, 1876** (Coleophoridae) Synonym(s): *absinthii* Wocke, 1876 Range (in code): Si IT DE CH PL CZ HU DK NO SE FI EE LV LT RU MD UA BY RO CN Ui Mc
- 50. *Coleophora alcyonipennella* (Kollar, 1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962 Range (in code): MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Ghz IQ Hjo Ry IR Elb Th Kh Msh Ab Mak AF Nu Pag Kab Bd PK Swa Mdy DK NO SE FI EE LV LT RU MD UA BY JP NZ AU NSW Syd KK Ui Ku Um
- 51. *Coleophora armeniae* Baldizzone & Patzak, 1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak, 1991 Range (in code): Cc AM Geg Eri RU TR UA KG KK Ui
- 52. *Coleophora bagorella* (Falkovitsh, 1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh, 1977; *capusiella* Nemes, 2003 Range (in code): RO RU MN Ui TR
- 53. *Coleophora botaurella* Herrich-Schäffer, 1861** (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer, 1861 Range (in code): TR RU Sr TM Ur IR Kd Snj Km AF KG Uk Ui Ku
- 54. *Coleophora capitargentella* Li & Zheng, 1998** (Coleophoridae) Synonym(s): *capitargentella* Li & Zheng, 1998 Range (in code): Ui Um
- 55. *Coleophora ceratoidis* (Falkovitsh, 1979)** (Coleophoridae) Synonym(s): *ceratoidis* Falkovitsh, 1979 Range (in code): UZ MN Ui
- 56. *Coleophora clypeiferella* Hofmann, 1871** (Coleophoridae) Synonym(s): *clypeiferella* Hofmann, 1871 Range (in code): FR GB BE NL DE AT PL CZ SK HU RO BG DK SE FI LV LT RU Cc Ur MD UA BY KG Uk CN Mn Ui IMn
- 57. *Coleophora conspicuella* Zeller, 1849** (Coleophoridae) Synonym(s): *conspicuella* Zeller, 1849; *centaureicoella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920 Range (in code): DZ Eba ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc SY Dms LB Bsa IQ Hjo Ry DK SE FI EE LV LT AM Cc RU Sb At Us KG MD UA BY Ui Ku
- 58. *Coleophora diogenes* Falkovitsh, 1970** (Coleophoridae) Synonym(s): *diogenes* Falkovitsh, 1970 Range (in code): RU Ur Ui UZ
- 59. *Coleophora isomoera* (Falkovitsh, 1972)** (Coleophoridae) Synonym(s): *isomoera* Falkovitsh, 1972 Range (in code): MA ES TR UZ MN Ui
- 60. *Coleophora kudrosella* Baldizzone & Oku, 1988** (Coleophoridae) Synonym(s): *kudrosella* Baldizzone & Oku, 1988 Range (in code): JP CN Ui IMn Mc
- 61. *Coleophora lasiocharis* Meyrick, 1931** (Coleophoridae) Synonym(s): *lasiocharis* Meyrick, 1931; *shirazella* Toll, 1959 Range (in code): IR Fa Shr Ss Kh TM UZ Ui Yk
- 62. *Coleophora lativalva* Li & Zheng, 1998** (Coleophoridae) Synonym(s): *lativalva* Li & Zheng, 1998 Range (in code): Ui Um
- 63. *Coleophora ornatipennella* (Hübner, 1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner, 1796; *ornatea* Haworth, 1828; *#agrammella* Rebel, 1935 Range (in code): FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IL EE RU KG Uk Ui Ku
- 64. *Coleophora pellicornella* Zerny, 1930** (Coleophoridae) Synonym(s): *pellicornella* Zerny, 1930 Range (in code): PT ES TR Ui
- 65. *Coleophora pendulivalvula* Li & Zheng, 1998** (Coleophoridae) Synonym(s): *pendulivalvula* Li & Zheng, 1998 Range (in code): Ui Um
- 66. *Coleophora salicorniae* Heinemann & Wocke, 1877** (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928. Range (in code): Cn PT ES FR Sa Si IT GB BE NL AT HU RO YU GR TR TM IR Fa Shr CY EG DK SE FI RU MD UA BY Ui UZ
- 67. *Coleophora trifolii* (Curtis, 1832)** (Coleophoridae) Synonym(s): *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861. Range (in code): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR IR Elb Th AF DK NO SE FI EE LV LT RU MD UA BY IQ Agh Bgd Ui Kl CA BCc

Cosmopterigidae

- 68. *Eteobalea tririvella* (Staudinger, 1871)** (Cosmopterigidae) Synonym(s): *tririvella* Staudinger, 1871; *kasyi* Riedl, 1965. Range (in code): IT AT CZ SK HU RO YU SE EE LV RU Sr Sb MD UA BY TR Cc KG Uk Ui Ku MN

Cossidae

- 69. *Barchaniella inspersus* (Christoph, 1887)** (Cossidae) Synonym(s): *inspersus* Christoph, 1887 Range (in code): TM Kp Mrw Rpt UZ Ui Kml Au MN KG Aa
- 70. *Catopta albonubilis* (Graeser, 1888)** (Cossidae) Synonym(s): *albonubilis* Graeser, 1888 Range (in code): RU Sb Vv Am KP KR Ui Kl KG Tk Dj KK Ik Shs She
- 71. *Catopta lacertulus* (Staudinger, 1887)** (Cossidae) Synonym(s): *lacertulus* Staudinger, 1887 Range (in code): UZ Fe Nmg Man Ui Ku Um Au Ii Kml KK Ax Ik
- 72. *Cecryphalus nubila* (Staudinger, 1895)** (Cossidae) Synonym(s): *nubila* Staudinger, 1895; *strix* Groum-Grshimailo, 1897; *speyeri* Austaut, 1897 Range (in code): Cc AZ Kir IR TM I-B Kka Mrw Rpt Ui Ga
- 73. *Cossus afghanistanus* Daniel, 1953** (Cossidae) Synonym(s): *afghanistanus* Daniel, 1953 Range (in code): AF Pag Kab Hr PK Bl Ui Kl
- 74. *Cossus bohatschi* Püngeler, 1898** (Cossidae) Synonym(s): *bohatschi* Püngeler, 1898 Range (in code): CN Ui Ii KK Ik
- 75. *Cryptoholcocerus mongolicus* (Erschoff, 1882)** (Cossidae) Synonym(s): *mongolicus* Erschoff, 1882; *nigrescens* Rothschild, 1912 Range (in code): Ui Ku AF Bd Bm Srb Kab KG Tk KK UZ Fe TJ Pm PK Sha
- 76. *Deserticossus arenicola* (Staudinger, 1879)** (Cossidae) Synonym(s): *arenicola* Staudinger, 1879; *albida* Seitz, 1912; *dilutior* Rothschild, 1912 Range (in code): Sn JO Cc AM Dar RU Da AZ Nv Dz GG TM Mrw Rpt Krn UZ Br Ui Yk Ku Au IR Ss Se KK Ax Ik KG Tk Dj AF Ca PK Bl Qu MN

- 77. *Deserticossus consobrinus* (Püngeler,1898)** (Cossidae) Synonym(s): consobrinus Püngeler,1898; consobrinus Püngeler,1899; aksuensis Daniel,1953; sheljuzhkoii Schawerda,1930; apicalis Chou & Hua,1986 Range (in code): CN Ui Ku Kml Ln Au Ga Yk KK KG Tk Dj MN RU Sb
- 78. *Deserticossus pullus* (Chua, Chou, Fang & Chen,1990)** (Cossidae) Synonym(s): pullus Chua, Chou, Fang & Chen,1990 Range (in code): Ui Bkr
- 79. *Deserticossus pulverulentus* (Püngeler,1898)** (Cossidae) Synonym(s): pulverulentus Püngeler,1898; phuckangensis Hua, Chou, Fang & Chen,1990 Range (in code): IL Pa He TM Mrw Rpt CN Fkn Ui Au KG UZ
- 80. *Dyspessa albina* Rothschild,1912** (Cossidae) Synonym(s): albina Rothschild,1912 Range (in code): Ui
- 81. *Dyspessa lacertula* Staudinger,1887** (Cossidae) Synonym(s): lacertula Staudinger,1887 Range (in code): UZ Fe T-S KK KG Ui
- 82. *Dyspessa ruckbeili* Yakovlev,2007** (Cossidae) Synonym(s): ruckbeili Yakovlev,2007 Range (in code): Ui Alt
- 83. *Dyspessa salicicola* (Eversmann,1848)** (Cossidae) Synonym(s): salicicola Eversmann,1848 Range (in code): RO MK BG GR TR Cc GG Tbl Akh Smt Kak Akk AM Eri UA Cm RU Ur Sr IR Mz GlS TM Kp Mrw KG Ui Kml Mng Kir Der Da AZ
- 84. *Dyspessa thianshanica* Daniel,1964** (Cossidae) Synonym(s): thianshanica Daniel,1964. Range (in code): Ui Au Ii
- 85. *Dyspessa tristis* A.Bang-Haas,1912** (Cossidae) Synonym(s): tristis A.Bang-Haas,1912; affinis Rothschild,1912; pallida Rothschild,1912. Range (in code): AF Hr KG Dj Tk Ii KK Na Ui Au
- 86. *Dyspessacossus fereidun* (Groum-Grshimailo,1895)** (Cossidae) Synonym(s): fereidun Groum-Grshimailo,1895; firdusi Wagner,1937. Range (in code): IR Elb Dam Th Cc AM IQ Ry Shq TR Ui
- 87. *Gobibatyra colossus* (Staudinger,1887)** (Cossidae) Synonym(s): colossus Staudinger,1887 Range (in code): KG Tk Dj Ui Ku MN
- 88. *Holcocerus brunneogriseus* Daniel,1949** (Cossidae) Synonym(s): brunneogriseus Daniel,1949 Range (in code): Ui T-S
- 89. *Holcocerus nobilis* (Staudinger,1884)** (Cossidae) Synonym(s): nobilis Staudinger,1884; strigatus Austaut,1897; marmoratus Austaut,1897; difficilis A.Bang-Haas,1906 Range (in code): IR Mz Kh TM Kp Rpt Mrw RU Ur UZ Fe Man Tas Ui Ln Kml TJ AF Hr KG Aa Tk KK Ik
- 90. *Kotchevnik modestus* (Staudinger,1887)** (Cossidae) Synonym(s): modestus Staudinger,1887 Range (in code): IR Ss TM Mrw Ui Ii Ku TJ UZ KK KG Tk Dj TrA Aa At Ket
- 91. *Phragmataecia albida* Erschoff,1874** (Cossidae) Synonym(s): albida Erschoff,1874; erschoffi Reisser,1962 Range (in code): Cr GR TR Cc TM Kp AF IR Kh TM UZ KG Ui Ku RU
- 92. *Phragmataecia castaneae* (Hübner,1790)** (Cossidae) Synonym(s): castaneae Hübner,1790; arundinis Hübner,[1808]; minor Moore,1879; pygmaea Graeser,1888; minima Hampson,1891 Range (in code): MA TN ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Kz Mz DK SE FI EE LV LT RU Vv Sb Am MD UA BY IQ Ama Da Der TM GG Pti AZ Kir Cc LB SY EG BD IN Ui JP
- 93. *Semagystia agilis* (Christoph,1884)** (Cossidae) Synonym(s): agilis Christoph,1884 Range (in code): IR Kh TM Kp Mrw Krn AF Bd Ui Au UZ Br Fe Nmg

Ctenuchidae

- 94. *Amata bactriana* (Erschoff,1874)** (Ctenuchidae) Synonym(s): bactriana Erschoff,1874 Range (in code): TM Ui Au UZ Fe Man Smk
- 95. *Amata caspia* (Staudinger,1877)** (Ctenuchidae) Synonym(s): caspia Staudinger,1877; #caspica Romanoff,1884; minuta A.Bang-Haas,1910 nec Bsd.,1833; martinierici Bryk,1941; banghaasi Obratzov,1966; minutissima Obratzov,1966; schachtli De Freina,1994 Range (in code): Cc AM Eri AZ Len TR Arr TM Kp Mrw KG Tk Ssn DsA Tk Dj Ii UZ Fe T-S Aa Tk KK Ik MN Ui Um Au Gn Ts Kno RU Ao Ur Pja Da Der Sb IQ AF
- 96. *Amata sovinskiji* Obratzov,1966** (Ctenuchidae) Synonym(s): sovinskiji Obratzov,1966 Range (in code): UZ Ui Ii KK Ax TeA KG T-S Ik Osh Fe Smk Nmg Ts Kno TJ

Ethmiidae

- 97. *Ethmia cirrhocnemis* (Lederer,1870)** (Ethmiidae) Synonym(s): cirrhocnemis Lederer,1870 Range (in code): RU Ur Sb At Am Ya Vv Kj Mnu Ir Irk Cc GG IR Gor KG Tk Dj Ii MN Shs Ui
- 98. *Ethmia comitella* Caradja,1927** (Ethmiidae) Synonym(s): comitella Caradja,1927 Range (in code): CN Ui Au Sz Shs Pkn RU Sb Tv MN
- 99. *Ethmia nigripedella* (Erschoff,1877)** (Ethmiidae) Synonym(s): nigripedella Erschoff,1877; nigripedella Rebel,1901. Range (in code): RU Am Ya Sb Vv UA Cm MN KG CN Shs Ui Ku Ts Kno JP Hkk
- 100. *Ethmia pusiella* (Linnaeus,1758)** (Ethmiidae) Synonym(s): pusiella Linnaeus,1758; scalella Scopoli,1763; sequella [Denis & Schiffermüller],1775; lithosperma Hübner,1796. Range (in code): ES FR IT GB DE CH AT PL CZ SK HU RO YU B-H AL GR TR IL Pa IQ Bgd Ama NO SE FI EE LV LT RU Ur Sb Vv MD UA BY MN KG Tk Dj Ui Ju KK Ik RU Kj Mnu IR Fa Shr
- 101. *Ethmia pyrausta* (Pallas,1771)** (Ethmiidae) Synonym(s): pyrausta Pallas,1771; nigrella Fabricius,1775; atropunctella Thunberg,1788. Range (in code): GB SE FI EE LV RU Ur Sb Tv KG TrA Aa MN Ui Ku
- 102. *Ethmia vittalbella* (Christoph,1877)** (Ethmiidae) Synonym(s): vittalbella Christoph,1877; #vittalbata Mabilie,1906; radiatella Chrétien,1907; tripolitanella Turati,1929. Range (in code): MA DZ Bsk TN EG SA IL Jt Pa SY Hms AZ Nv Ord Cc AM IR Kh TM Krn PK Gg Ch IQ KG AF Hr Srb Pli Ca Dwe Ui Ku

Gelechiidae

- 103. *Agnippe miniscula* (Li,1993)** (Gelechiidae) Synonym(s): miniscula Li,1993 Range (in code): Ui Tpn
- 104. *Athrips mongolorum* Piskunov,1980** (Gelechiidae) Synonym(s): mongolorum Piskunov,1980; crassivalva Li & Zheng,1998 Range (in code): CN IMn Ts Ui MN UZ TM KG Tk
- 105. *Athrips tigrina* (Christoph,1877)** (Gelechiidae) Synonym(s): tigrina Christoph,1877; agnathos Li & Zheng,1998 Range (in code): TM Krn UZ MN CN IMn Ui
- 106. *Bryotropha rossica* Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): rossica Anikin & Piskunov,1996; tachengensis Li & Zheng,1997 Range (in code): RU Sr Ui Qoq Tarz

- 107. Chionodes frigidella Huemer & Sattler, 1995** (Gelechiidae) Synonym(s): frigidella Huemer & Sattler, 1995 Range (in code): Ui Ju UZ TJ KK Al
- 108. Euscrobipalpa artemisiella (Treitschke, 1833)** (Gelechiidae) Synonym(s): artemisiella Treitschke, 1833; paniculatella Novickij, 1924 Range (in code): ES FR Co Sa Si IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR SY Dms DK SE FI EE LV LT RU Ur Sb Cc MD UA BY KG Uk MN Ui KG
- 109. Euscrobipalpa atriplicella (Fischer v. Röslerstamm, 1841)** (Gelechiidae) Synonym(s): atrella Thunberg, 1788 nec [Den. & Schiff., 1775; atriplicella Fischer v. Röslerstamm, 1841; detersella Clemens, 1860 nec Z., 184; infumatella Fuchs, 1901; brackenridgiella Busck, 1903; chenopodiella Busck, 1906; arogantella Povolny, 1967; altajica Povolny, 1969 Range (in code): PT ES FR Co Sa Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AF Adr DK NO SE FI EE LV LT RU At MD UA BY CN Hnn Mc IMn Jn Ts She Sz Ti Ui US
- 110. Euscrobipalpa bryophiloides Povolny, 1966** (Gelechiidae) Synonym(s): bryophiloides Povolny, 1966 Range (in code): LV RU Ur MD UA BY TR FI MN CN IMn She Ui IR KG TM UZ
- 111. Euscrobipalpa candicans (Povolny, 1996)** (Gelechiidae) Synonym(s): candicans Povolny, 1996 Range (in code): Ui KK KG
- 112. Euscrobipalpa divergens (Povolny, 2002)** (Gelechiidae) Synonym(s): divergens Povolny, 2002 Range (in code): Ui KI
- 113. Euscrobipalpa erichi Povolny, 1964** (Gelechiidae) Synonym(s): erichi Povolny, 1964 Range (in code): AT SK HU RO MK TR RU IL Pa Jer UA CN IMn Ui IR MN
- 114. Euscrobipalpa erichiodes Bidzilya & Li, 2010** (Gelechiidae) Synonym(s): erichiodes Bidzilya & Li, 2010 Range (in code): CN Gn Hph Mc IMn She Ui Um NHu
- 115. Euscrobipalpa fusca Bidzilya & Li, 2010** (Gelechiidae) Synonym(s): fusca Bidzilya & Li, 2010 Range (in code): CN IMn Ui KG Aa TM UZ
- 116. Euscrobipalpa gobica Povolny, 1969** (Gelechiidae) Synonym(s): gobica Povolny, 1969 Range (in code): Ui MN
- 117. Euscrobipalpa heretica Povolny, 1973** (Gelechiidae) Synonym(s): heretica Povolny, 1973; submagnificella Povolny, 1977 Range (in code): TR IR Mak Ab RU Ur At KK KG ES AF Ui
- 118. Euscrobipalpa indignella (Staudinger, 1879)** (Gelechiidae) Synonym(s): indignella Staudinger, 1879; hyocyamivora Gerasimov, 1930; pseudobsoletum Povolny & Gregor, 1955; grossa Povolny, 1966 Range (in code): TR IR Ab Oru IL Pa RU Or Sr Cc St IQ Ui AF Bm Kab TM Kp SY Dms AZ Cc UA
- 119. Euscrobipalpa kyrana (Povolny, 2001)** (Gelechiidae) Synonym(s): kyrana Povolny, 2001 Range (in code): Ui RU
- 120. Euscrobipalpa magnificella Povolny, 1967** (Gelechiidae) Synonym(s): magnificella Povolny, 1967 Range (in code): SY IR Se Ui MN UA RU Ur UZ
- 121. Euscrobipalpa maniacia Povolny, 1967** (Gelechiidae) Synonym(s): maniacia Povolny, 1967 Range (in code): Ui AF MN RU UZ TM
- 122. Euscrobipalpa mongolica Povolny, 1969** (Gelechiidae) Synonym(s): mongolica Povolny, 1969 Range (in code): CN IMn Ts Ui MN
- 123. Euscrobipalpa mongoloides (Povolny, 1969)** (Gelechiidae) Synonym(s): mongoloides Povolny, 1969; puplesisi Piskunov, 1990 Range (in code): PK CN Gn KK MN CN Gn Hph Hnn IMn Ts Ui KG UZ
- 124. Euscrobipalpa nigrosparsa Povolny, 1969** (Gelechiidae) Synonym(s): nigrosparsa Povolny, 1969 Range (in code): CN IMn Ui MN
- 125. Euscrobipalpa nitentella (Fuchs, 1902)** (Gelechiidae) Synonym(s): nitentella Fuchs, 1902; seminella Pierce & Metcalfe, 1935 Range (in code): TN ES FR IE GB NL DE AT CZ SK HU RO DK NO SE FI EE LV RU Ur Sb MD UA BY TR MN AF CN Ts Ui KG No
- 126. Euscrobipalpa obsoletella (Fischer v. Röslerstamm, 1841)** (Gelechiidae) Synonym(s): obsoletella Fischer v. Röslerstamm, 1841; miscitella Clarke, 1932; bipunctella Hartig, 1941; calaritanella Amsel, 1951; hospes Povolny, 1964 Range (in code): ZA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AF DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY CN IMn Ui ZA US
- 127. Euscrobipalpa paradoxa Piskunov, 1990** (Gelechiidae) Synonym(s): paradoxa Piskunov, 1990 Range (in code): Ui KG TrA UZ
- 128. Euscrobipalpa parki (Povolny, 1993)** (Gelechiidae) Synonym(s): parki Povolny, 1993 Range (in code): CN Gn Hph NHu Ts She Ui KR
- 129. Euscrobipalpa pulchra Povolny, 1967** (Gelechiidae) Synonym(s): pulchra Povolny, 1967 Range (in code): TR SY IR Th Elb AF Bm IL Pa MN LT RU Ur UA MN Ui KK KG
- 130. Euscrobipalpa selectella (Caradja, 1920)** (Gelechiidae) Synonym(s): selectella Caradja, 1920; fraterna Povolny, 1969 Range (in code): RU UA GR KG Uk MN TR SA TN CN Hph IMn Ui
- 131. Euscrobipalpa smithi Povolny & Bradley, 1965** (Gelechiidae) Synonym(s): smithi Povolny & Bradley, 1965 Range (in code): MA DZ ES TR SY LB Ui MN UA
- 132. Euscrobipalpa solitaria Povolny, 1969** (Gelechiidae) Synonym(s): solitaria Povolny, 1969 Range (in code): RU Ur Or UA Ui MN
- 133. Euscrobipalpa vartianorum Povolny, 1968** (Gelechiidae) Synonym(s): vartianorum Povolny, 1968 Range (in code): Ui IR Se
- 134. Gnorimoschema herbichii (Nowicki, 1864)** (Gelechiidae) Synonym(s): herbichii Nowicki, 1864; pusillella Rebel, 1893; tengstroemiella Joannis, 1910; pазsiczkyi Rebel, 1913; parenthesesella Toll, 1936; tengstroemi Hackman, 1946 Range (in code): PT ES FR NL DE PL SK HU RO YU DK NO SE FI EE LV LT RU Kmt Sb IQ TR MN CA On CN IMn Ui TM UZ AF
- 135. Gnorimoschema nordlandicolella (Strand, 1902)** (Gelechiidae) Synonym(s): nordlandicolella Strand, 1902; cyceonodes Meyrick, 1926; eucausta Meyrick, 1929; fennicella Hackman, 1946 Range (in code): NO SE FI RU At Ya MD UA BY UZ TM TR EE KK KG Ui
- 136. Holcophora statices Staudinger, 1871** (Gelechiidae) Synonym(s): statices Staudinger, 1871 Range (in code): FR HU RU Ur Sr RO Cc MD UA Cm BY IR Mz KG Uk Ui Ku
- 137. Megacraspedus argyoneurellus Staudinger, 1871** (Gelechiidae) Synonym(s): argyoneurellus Staudinger, 1871 Range (in code): AT? RU Ur Sr Or VI Gub MD UA Cm BY Cc AM TR KG Uk Ui Ku IR Elb Mz Plr
- 138. Megacraspedus fallax (Mann, 1867)** (Gelechiidae) Synonym(s): fallax Mann, 1867; neurophanes Meyrick, 1926 Range (in code): ES FR HU RU Ur Sb VI Or Cc MD UA BY TR KG Uk KK KuA Ui Ku
- 139. Metanarsia incertella (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): incertella Herrich-Schäffer, 1861; longivittella Rebel, 1914; halmyropis Meyrick, 1926; rhamniferella Lucas, 1940 Range (in code): DZ ES Grn Hue Zg MA TN KG Uk RU Sr Sb Ur TR UZ MN Ui Ku
- 140. Metzneria intestinella (Mann, 1864)** (Gelechiidae) Synonym(s): intestinella Mann, 1864 Range (in code): PT ES FR IT RO YU MK AL BG GR TR Cc AM KG Uk Ui Ku

- 141. Metzneria paucipunctella (Zeller, 1839)** (Gelechiidae) Synonym(s): paucipunctella Zeller, 1839; zimmermanni Hering, 1940; confusalis Lucas, 1955. Range (in code): MA Ifr Rbt DZ Lbs PT ES An Grn FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR LT LB Bsa Cc AM Eri KG Uk Ui Ku
- 142. Ornativalva basistriga Sattler, 1976** (Gelechiidae) Synonym(s): basistriga Sattler, 1976 Range (in code): CN Ui Pay IMn MN
- 143. Ornativalva grisea Sattler, 1967** (Gelechiidae) Synonym(s): grisea Sattler, 1967 Range (in code): AF CN Ui IMn
- 144. Ornativalva heluanensis (Debski, 1913)** (Gelechiidae) Synonym(s): heluanensis Debski, 1913; frankeniivorella Chrétien, 1917; oasicolella Turati, 1924; siculella Mariani, 1937. Range (in code): DZ Bsk MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR GlS AF PK UZ MN CN Ts NHu Ui
- 145. Ornativalva mixolitha (Meyrick, 1918)** (Gelechiidae) Synonym(s): mixolitha Meyrick, 1918 Range (in code): DZ MA TN TR RU IQ SD IN IR PK AF MN Ui Pay
- 146. Ornativalva ornatella Sattler, 1967** (Gelechiidae) Synonym(s): ornatella Sattler, 1967 Range (in code): RO RU TR AF IR MN Ui Pay IMn
- 147. Ornativalva plutelliformis (Staudinger, 1859)** (Gelechiidae) Synonym(s): plutelliformis Staudinger, 1859; olbiaella Millière, [1861]; siewersiellus Christoph, 1867; sinuatella Walsingham, 1904 Range (in code): Cn Md MA DZ Bsk Hes TN Gf LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ Bgd KW IR Bmp Ana Ke Kh GlS AF PK CY CN IMn Ui
- 148. Ornativalva xinjiangensis Li, 1991** (Gelechiidae) Synonym(s): xinjiangensis Li, 1991 Range (in code): CN Ui Yh
- 149. Ornativalva zepuensis Li & Zheng, 1995** (Gelechiidae) Synonym(s): zepuensis Li & Zheng, 1995 Range (in code): CN NHu Ts Ui IMn
- 150. Ornativalva zonella (Chrétien, 1917)** (Gelechiidae) Synonym(s): zonella Chrétien, 1917; cimelion Amsel, 1935; iranella Sattler, 1967 Range (in code): Pa IL SA DZ TN Gf IR Kh Ke Ana AF CN Ui IMn
- 151. Platyedra subcinerea (Haworth, [1828])** (Gelechiidae) Synonym(s): subcinerea Haworth, [1828]; vilella Zeller, 1847. Range (in code): PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bei DK SE LV RU MD UA BY IR GlS Kh Ui Ku IL Pa Hf AF Hr
- 152. Scrobipalpa aptatella (Walker, 1864)** (Gelechiidae) Synonym(s): aptatella Walker, 1864; heliopa Lower, 1900 Range (in code): FR IT YU TR IR Fa Shr AU ZA Nta Kzu Tva Lpo Ec IN LK ID Ja TH Ui

Geometridae

- 153. Alcis repandata (Linnaeus, 1758)** (Geometridae) Synonym(s): repandata Linnaeus, 1758; consobrinaria Scriba, 1790; repandaria Borkhausen, 1794; bistortae Vallot, 1802; destrigaria Haworth, 1809; conversaria Hübner, [1809]; muraria Curtis, 1826; dealbata Turati & Verity, 1911; fasciata Albers, 1949 nec Wrnk., 1941 Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY CN Ui Kõn Sz Szi
- 154. Alcis songarica (Alpheraky, 1883)** (Geometridae) Synonym(s): songaricus Alpheraky, 1883; subfuscarius Staudinger, 1892. Range (in code): UZ KK Ik Ui Arc
- 155. Alcis subrepandata (Staudinger, 1892)** (Geometridae) Synonym(s): subrepandata Staudinger, 1892; atschana Wehrli, 1943 Range (in code): UZ Smk CN Ui Au Ts Kno
- 156. Anticlea derivata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): derivata [Denis & Schiffermüller], 1775; nigrofasciaria Goeze, 1781; separata Thunberg, 1788. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LV LT RU MD UA Cm BY Cc GG AZ Tbl Lag AM At Sb Ya Am Sh Us MN KG Sp Tar Tk DsA Ui Tlk
- 157. Anticlea querulata (Püngeler, 1904)** (Geometridae) Synonym(s): querulata Püngeler, 1904 Range (in code): Ui Ki
- 158. Aplocera plagiata (Linnaeus, 1758)** (Geometridae) Synonym(s): plagiata Linnaeus, 1758; duplicata Fabricius, 1775; terlineata Goeze, 1781; triplicata Geoffroy, 1785; plagiaria Boisduval, 1840; scotica Richardson, 1952 Range (in code): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ Rvw IR Ab Oru Fa Sse Com Kz GlS Kh CY DK NO SE FI EE LV LT RU Krl MD UA BY CN Ui Ju Kõn IL Pa Js He LB Bsa
- 159. Apocheima cinerarium (Erschoff, 1874)** (Geometridae) Synonym(s): cinerarium Erschoff, 1874; isfacana Wehrli, 1941; pyri Yang, 1978; pyricola Chu, 1979 Range (in code): UZ Fe CN Ui Ku Pkn Mc Gn Sz Hbe MN TM KK KG TrA Aa RU Us
- 160. Artemidora alpherakyi Wagner, 1918** (Geometridae) Synonym(s): alpherakyi Wagner, 1918; symmetrica Djakonov, 1923; aksua Wehrli, 1940. Range (in code): Ui Au Kun Ju UZ Fe Nmg
- 161. Artemidora maracandaria (Erschoff, 1874)** (Geometridae) Synonym(s): maracandaria Erschoff, 1874 Range (in code): UZ Ui Kun
- 162. Aspitates (Napuca) insignis (Alpheraky, 1883)** (Geometridae) Synonym(s): insignis Alpheraky, 1883 Range (in code): KG MN Ui Arc
- 163. Aspitates acuminaria (Eversmann, 1851)** (Geometridae) Synonym(s): acuminaria Eversmann, 1851; glessaria Christoph, 1877; opulentaria Staudinger, 1877. Range (in code): RU Da Kus Cc GG KG TrA Aa Ssn Tar KK Ui Ku
- 164. Aspitates quadripunctata (Goeze, 1781)** (Geometridae) Synonym(s): #gilvaria [Denis & Schiffermüller], 1775; quadripunctata Goeze, 1781; fenica Fuchs, 1899 Range (in code): DZ Clo PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Arr FI EE LV LT RU MD UA BY Cc GG Mng Smt CN Ui Au Chk Ts Kno Sz MN KG Ssn
- 165. Biston huberarius (Ballion, 1866)** (Geometridae) Synonym(s): huberarius Ballion, 1866; concinna W. Warren, 1899; tienschana Wehrli, 1941. Range (in code): RU Sb CN Ui fi Um Ts Kno
- 166. Cabera exanthemata (Scopoli, 1763)** (Geometridae) Synonym(s): exanthemata Scopoli, 1763; exanthemaria Borkhausen, 1794; striaria Hübner, [1799]; approximaria Haworth, 1809; arenosaria Haworth, 1809; suprapunctata Wehrli, 1935. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ui Kun Kml JP CA
- 167. Casilda antophilaria (Hübner, [1813])** (Geometridae) Synonym(s): antophilaria Hübner, [1813]; gegenaria Alpheraky, 1883; #albipunctaria Alpheraky, 1883; elvira Thierry-Mieg, 1911. Range (in code): DZ Ges Mri ES FR IT YU AL GR Rd Cr CY TR RU Da Der UA Cm Cc AM GG AZ Len IR IQ Ui Ku KG
- 168. Cataclysmes festinata (Staudinger, 1893)** (Geometridae) Synonym(s): festinata Staudinger, 1893 Range (in code): TM Kp TJ KK T-S KG Lps Ui Ku IR AF RU Am
- 169. Cataclysmes riguata (Hübner, [1813])** (Geometridae) Synonym(s): riguata Hübner, [1813] Range (in code): PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM LT RU Tv MD UA BY IR Elb Mz Th AF TM Kp TJ T-S Ur Am Cm Cc GG Kir AZ AM KK Ax Osh Uzg KG Ssn At Lps UZ Smk Nmg Al Ui Ku Kõn
- 170. Catarhoe cuculata (Hufnagel, 1767)** (Geometridae) Synonym(s): cuculata Hufnagel, 1767; sinuata [Denis & Schiffermüller], 1775; sabinata Dannehl, 1933 Range (in code): DZ TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Hkd AM AZ DK NO SE FI EE LV LT RU Ur Sb Ya Am Sh MD UA BY Ui Kun Um KK Ik KG UZ MN

- 171. Charissa (Cnestrognophos) evanidaria Püngeler, 1901** (Geometridae) Synonym(s): evanidaria Püngeler, 1901 Range (in code): Ui Au
- 172. Charissa (Dysgnophos) difficilis (Alpheraky, 1883)** (Geometridae) Synonym(s): difficilis Alpheraky, 1883; finitimaria Fuchs, 1899; desparataria Fuchs, 1900; luteopicta Thierry-Mieg, 1916. Range (in code): CN Ui Ju Au Kun Kl Ga Ts Kno Kml KG Lps KK Ik Nrk RU Sb Teb Kc Cc
- 173. Charissa (Kemtroglyphos) orbicularia (Püngeler, 1904)** (Geometridae) Synonym(s): orbicularia Püngeler, 1904; pungeleri Bohatsch, 1910. Range (in code): UZ Fe KK Ik Ui Au Ju
- 174. Charissa (Organognophos) sibirata (Guenée, [1858])** (Geometridae) Synonym(s): sibirata Guenée, [1858] Range (in code): RU At CN Ui Kl Kno Ts KK Ik KG TJ Pm MN AF IR
- 175. Chiasmia (Godonella) aestimaria (Hübner, [1809])** (Geometridae) Synonym(s): aestimaria Hübner, [1809]; contemptata Guenée, [1858]; aestimaria Herrich-Schäffer, 1861; tunesella Lucas, 1949. Range (in code): DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Ord Der Da Nv CY IQ Agh IR Mz Gls Fa Sse RU MD UA BY Ui Ku KK Ik IL Pa Jf Hf PK Nwf YE Hd YE68
- 176. Chiasmia clathrata (Linnaeus, 1758)** (Geometridae) Synonym(s): clathrata Linnaeus, 1758; almacola Wehrli, 1934. Range (in code): MA DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY Ui Ju Kun Ii KG Ssn Lps
- 177. Chlorissa cloraria (Hübner, [1813])** (Geometridae) Synonym(s): cloraria Hübner, [1813]; porrinata Zeller, 1848; porrinaria Heydenreich, 1851. Range (in code): PT ES FR Co IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Smt LT RU MD UA BY Ui Kun
- 178. Chlorissa viridata (Linnaeus, 1758)** (Geometridae) Synonym(s): viridata Linnaeus, 1758; volutata Fabricius, 1775; sirene De Villiers, 1789. Range (in code): DZ Ges PT ES FR Co Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Sok Kir Cc DK NO SE FI EE LV LT RU Ur MD UA BY Ui Tik Kun UZ Fe KK Ik IR Ab Jal
- 179. Cinglis humifusaria (Eversmann, 1837)** (Geometridae) Synonym(s): humifusaria Eversmann, 1837 Range (in code): DZ Ges Bsk ES TR RU Cc AM GG AZ TM Ui Ku
- 180. Cleora cinctaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): cinctaria [Denis & Schiffermüller], 1775; pasuaria Brahm, 1791; consimilaria Duponchel, 1829. Range (in code): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI LV LT RU Sb MD UA BY Ui Tik JP
- 181. Cosmorhoe ocellata (Linnaeus, 1758)** (Geometridae) Synonym(s): ocellata Linnaeus, 1758; lynca Fabricius, 1775; lynceata Fabricius, 1781; ocellaria Boisduval, 1840. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ IR Gls DK NO SE FI EE LV LT RU MD UA BY Ui Ku
- 182. Costaconvexa polygrammata (Borkhausen, 1794)** (Geometridae) Synonym(s): polygrammata Borkhausen, 1794; postagammata Haworth, 1809; conjunctaria Lederer, 1853; #rosea Wiltshire, 1946. Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG Tbl Lag Kir Len AM LB IL Pa IQ IR Fa Shr Mz Kh AF DK SE FI LV LT RU Ur KK KG TJ UZ TM MD UA Cm BY Ui Ku
- 183. Cyclophora pendularia (Clerck, 1759)** (Geometridae) Synonym(s): pendularia Clerck, 1759; orbicularia Hübner, 1799. Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV RU MD UA BY Ui Kun
- 184. Cyclophora sympathica (Alpheraky, 1883)** (Geometridae) Synonym(s): sympathica Alpheraky, 1883 Range (in code): Ui Khr
- 185. Digrammia rippertaria (Duponchel, 1830)** (Geometridae) Synonym(s): rippertaria Duponchel, 1830; hebetata Hulst, 1881; ponderosa Barnes & McDunnough, 1917; demaculata Barnes & McDunnough, 1917; tularata Cassino & Swett, 1923. Range (in code): US CA ES FR Si? IT RO RU MD UA BY TR Cc Ui Au Khr Tik Ku Kön
- 186. Digrammia tancrearia (Staudinger, 1892)** (Geometridae) Synonym(s): tancrearia Staudinger, 1892 Range (in code): Ui Ku TJ Pm
- 187. Dyscia (Calodyscia) innocentaria (Christoph, 1885)** (Geometridae) Synonym(s): innocentaria Christoph, 1885; #innocentaria Pugaev & Zolotuhin, 2006. Range (in code): Co Sa Si IT YU HV AL MK BG RO Do GR RU Ao MD UA Cm TR IQ Er Ama Shq IR Gor Gls Kh TM Kp Noc JO Amm IL Pa Hf Js SY Dms CY Cc Da GG Bjo Lag AZ Kir AM Eri AF KG UZ Smk Ui Au
- 188. Dyscia (Psednothrix) fagaria (Thunberg, 1784)** (Geometridae) Synonym(s): fagaria Thunberg, 1784; belgaria Hübner, [1790]; belgaria Borkhausen, 1794; favillacearia Hübner, [1799]; mediopunctaria Donovan, 1808; ilivolans Wehrli, 1953; duanjiao Yang, 1978. Range (in code): ES FR IE GB BE NL DE AT PL RO DK NO SE Ui Ku Khr Kl Au KG KK MN TM Cc AZ Kir
- 189. Ecliptopera fastigata (Püngeler, 1909)** (Geometridae) Synonym(s): fastigata Püngeler, 1909. Range (in code): UZ Fe Ui Ku
- 190. Eilicrinia orias Wehrli, 1933** (Geometridae) Synonym(s): orias Wehrli, 1933. Range (in code): CN Ui Krm
- 191. Eilicrinia rosearia A. Bang-Haas, 1907** (Geometridae) Synonym(s): rosearia A. Bang-Haas, 1907. Range (in code): Ui Ga
- 192. Eilicrinia subcordaria (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): tritomatia Fischer de Waldheim, 1840; subcordaria Herrich-Schäffer, [1852]; anicularia Eversmann, 1852; freitagaria Möschler, 1854; subcordata Herrich-Schäffer, 1861. Range (in code): TR IR Kz Fa Com Ru Ur Ui Khr Ku Ga Sjd KK Ik KG Ssn Tk Dj Ii UZ Fe
- 193. Ematurga atomaria (Linnaeus, 1758)** (Geometridae) Synonym(s): atomaria Linnaeus, 1758; isoscelata Scopoli, 1763; pennata Scopoli, 1763; aceraria Hufnagel, 1767; artemisaria Herbst, 1782; picta, microcosa Fourcroy, 1785; glarearia Hübner, [1799]; obsoletaria Zett., 1839; minuta Heydemann, 1925; arenaria Candeze, 1926. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Ii Ku Gn KG Tk
- 194. Entephria expiata (Püngeler, 1904)** (Geometridae) Synonym(s): expiata Püngeler, 1904. Range (in code): CN Ui Au KK T-S
- 195. Entephria intermediaria (Alpheraky, 1883)** (Geometridae) Synonym(s): intermediaria Alpheraky, 1883; subvaria L.B. Prout, 1914. Range (in code): Ui Arc Ju Au KG KK T-S
- 196. Entephria polata (Duponchel, 1830)** (Geometridae) Synonym(s): polata Duponchel, 1830; polaria Boisduval, 1840; fumidotata Walker, [1863]; cineraria Schöyen, 1880 nec Butl., 1878; ursata Munroe, 1951. Range (in code): NO SE FI RU Sb Kol MD UA BY Ui Kl CA
- 197. Epirrhoe alternata (Müller, 1764)** (Geometridae) Synonym(s): alternata Müller, 1764; sociata Borkhausen, 1794; degenerata Haworth, 1809; subtristata Haworth, 1809; contristata Donovan, 1811; aparinata Hübner, [1825]. Range (in code): PT ES FR Co Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Ya Bry Sj Krl MD UA Cm BY TR Ui Kun KK KG UZ TJ Pm MN Cc GG Tbl Mng Lag Bjo Bku Kir AZ Da Kus AM
- 198. Epirrhoe fulminata (Alpheraky, 1883)** (Geometridae) Synonym(s): fulminata Alpheraky, 1883. Range (in code): Ui Kun T-S KK
- 199. Epirrhoe pupillata (Thunberg, 1788)** (Geometridae) Synonym(s): pupillata Thunberg, 1788; funerata Hübner, [1799]; reducta Osthelder, 1929 nec Djak., 1929 [priority?]. Range (in code): FR DE CH AT CZ SK HU DK NO SE FI EE RU Ur Cc Sb MD UA BY KG KK Ui T-S Gn MN
- 200. Erannis erectaria (Püngeler, 1902)** (Geometridae) Synonym(s): erectaria Püngeler, 1902. Range (in code): Ui Au
- 201. Euphyia intersecta (Staudinger, 1882)** (Geometridae) Synonym(s): intersecta Staudinger, 1882; desiderata Staudinger, 1897; aksuensis Wehrli, 1928. Range (in code): IR Kh TM Kp Ui Au Ku KK Ik KG Ssn

- 202. *Eupithecia biornata* Christoph, 1867** (Geometridae) Synonym(s): biornata Christoph, 1867 Range (in code): RO GR BG RU Sr Da Cc MD TR UA Cm Ui Ku MN KG
- 203. *Eupithecia carpophilata* Staudinger, 1897** (Geometridae) Synonym(s): carpophilata Staudinger, 1897; collega Dietze, 1908; kaszabi Vojnits, 1974. Range (in code): RU Ur Am MN CN Ui Au
- 204. *Eupithecia chesiata* Dietze, 1904** (Geometridae) Synonym(s): chesiata Dietze, 1904 Range (in code): CN Ui Au KI
- 205. *Eupithecia corroborata* Dietze, 1908** (Geometridae) Synonym(s): corroborata Dietze, 1908 Range (in code): KG Tk Dj Ui Ku
- 206. *Eupithecia denotata* (Hübner, [1813])** (Geometridae) Synonym(s): denotata (Hübner, [1813]; atraria Herrich-Schäffer, [1848]; campanulata Herrich-Schäffer, 1861; primulata Millière, 1874; jasionata Crewe, 1881; livida Dietze, 1910; pseudocastigata Pinker, 1976 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ui Ju
- 207. *Eupithecia despectaria* Lederer, 1853** (Geometridae) Synonym(s): despectaria Lederer, 1853 Range (in code): RU At Sb KG Ui Ku Ii KK TJ UZ TR
- 208. *Eupithecia dissertata* (Püngeler, 1905)** (Geometridae) Synonym(s): dissertata Püngeler, 1905; kaszabi Vojnits, 1974; perfusata Vojnits, 1975; certa Vojnits, 1981 Range (in code): IT FR CH SK MN CN Shs Ui At RU Sb Sj
- 209. *Eupithecia exactata* Staudinger, 1882** (Geometridae) Synonym(s): exactata Staudinger, 1882; modesta Dietze, 1910 nec Tayl., 1906; opulenta Vojnits, 1982; subolivacea Inoue, 1996. Range (in code): IR Elb Ui Au KI Nrk KG Tk T-S Mn Ssn PK Gg Ch IN Ld AF Bd Wk Kbb Anj
- 210. *Eupithecia extensaria* (Freyer, 1845)** (Geometridae) Synonym(s): extensaria Freyer, 1845; prolongata Lienig, 1846; sydyi Staudinger, 1885; leuca Dietze, 1910; prolongata Dietze, 1910 nec Lien., 1846; occidua L.B. Prout, 1914 Range (in code): ES GB RO LV LT RU Prj Us Da At Sb MD UA Cm BY Cc AZ Kir IR Ab TR Ui Ku Kun KK KG MN KP KR JP
- 211. *Eupithecia fulgurata* Vojnits, 1982** (Geometridae) Synonym(s): fulgurata Vojnits, 1982 Range (in code): Ui Ju
- 212. *Eupithecia hilarata* Dietze, 1908** (Geometridae) Synonym(s): hilarata Dietze, 1908 Range (in code): Ui Ju TJ Pm Ipj KK AF Pag Kab TM
- 213. *Eupithecia illaborata* Dietze, 1904** (Geometridae) Synonym(s): illaborata Dietze, 1904 Range (in code): Ui Au
- 214. *Eupithecia innotata* (Hufnagel, 1767)** (Geometridae) Synonym(s): innotata Hufnagel, 1767; tamarisciata Freyer, 1836; suspectata Dietze, 1871; uliata Staudinger, 1897; ulicada Dietze, 1910; alexandriana Vardikjan, 1972; sergiana Vardikjan, 1972. Range (in code): MA DZ Ges TN PT ES FR Co Sa IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Kir Lag AZ AM Eri DK NO SE FI EE LV LT RU Sb MD UA BY MN Ui Ku Kun AF Kab
- 215. *Eupithecia insigniata* (Hübner, 1790)** (Geometridae) Synonym(s): insigniata Hübner, 1790; consignata Borkhausen, 1794. Range (in code): FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR DK SE LV LT RU MD UA BY CN Ui Ga Kgs
- 216. *Eupithecia kuldschaensis* Staudinger, 1892** (Geometridae) Synonym(s): kuldschaensis Staudinger, 1892 Range (in code): Ui Ku
- 217. *Eupithecia lunata* Dietze, 1910** (Geometridae) Synonym(s): lunata Dietze, 1910 Range (in code): Ui Ii Ju
- 218. *Eupithecia marginata* Staudinger, 1892** (Geometridae) Synonym(s): marginata Staudinger, 1892 Range (in code): AM AZ Cc TR CY Ui Ku Ld KK KG UZ TJ PK Gg AF Pag Kab Sfk
- 219. *Eupithecia minusculata* Alpheraky, 1883** (Geometridae) Synonym(s): minusculata Alpheraky, 1883; inversaria Turati, 1930; penultima Wiltshire, 1985; herrenschmidt Mentzer & Moberg, 1992 Range (in code): ES An Grn DZ TN UA Cm RU Ui Ku LY Cy IQ Bgd TR AM Cc AZ Da SY IL Pa JO KG TM UZ TJ AF Nu MN
- 220. *Eupithecia mitigata* Dietze, 1906** (Geometridae) Synonym(s): mitigata Dietze, 1906 Range (in code): Ui Ln Ld TJ KK KG AF Pkt Wk Sfk
- 221. *Eupithecia nephelata* Staudinger, 1897** (Geometridae) Synonym(s): nephelata Staudinger, 1897 Range (in code): MN Ui KI PK Gg Sst Ld IN AF Wk
- 222. *Eupithecia oblongata* (Thunberg, 1784)** (Geometridae) Synonym(s): #centaureata [Denis & Schiffermüller], 1775; oblongata Thunberg, 1784; boloniensis Fourcroy, 1875; centralisata Staudinger, 1892; chinae Vojnits, 1977. Range (in code): MA DZ Ges TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG Tbl Kir Lag AM AZ DK NO SE FI EE LV LT RU Da Us MD UA BY KG Ssn Tk CN Ui Ku Stg Kwa IL Pa Car Jf LB Bsa PK Ch IN Ld Gg KK Ax UZ Smk AF Nu Bd TW
- 223. *Eupithecia omnigera* Vojnits, 1982** (Geometridae) Synonym(s): omnigera Vojnits, 1982; recentissima Vojnits, 1982. Range (in code): CN Ui KI Ju
- 224. *Eupithecia omniparens* Dietze, 1908** (Geometridae) Synonym(s): omniparens Dietze, 1908 Range (in code): UZ KK Ik KG Ssn Ui M-A Yk
- 225. *Eupithecia opistographata* Dietze, 1906** (Geometridae) Synonym(s): opistographata Dietze, 1906; arenicola Rothschild, 1913; #opisthographata Schütze, 1961 Range (in code): DZ Ogl Gle Omy JO IL Pa IQ Amr Mos Ahz IR Ui Au YE
- 226. *Eupithecia orphnata* W. Petersen, 1909** (Geometridae) Synonym(s): #orphnata Bohatsch, 1883; orphnata W. Petersen, 1909 Range (in code): ES FR DE CH AT PL CZ SK HU RO AL BG SE FI UZ Fe Ui Ku AZ Nv Cc AM TR
- 227. *Eupithecia parallelaria* Bohatsch, 1893** (Geometridae) Synonym(s): parallelaria Bohatsch, 1893 Range (in code): ES FR Co LB Bei TR TM Kp UZ Ui KI Ch PK Gg AF Nu Srb
- 228. *Eupithecia paupera* Vojnits, 1982** (Geometridae) Synonym(s): paupera Vojnits, 1982 Range (in code): Ui Ku Ju
- 229. *Eupithecia pauxillaria* Boisduval, 1840** (Geometridae) Synonym(s): pauxillaria Boisduval, 1840; euphrasiata Herrich-Schäffer, 1861; vellicata Dietze, 1906 Range (in code): ES FR Co Sa Si IT DE CH AT PL CZ SK RO GR Ui Um RU MD UA Cm BY
- 230. *Eupithecia pimpinellata* (Hübner, [1813])** (Geometridae) Synonym(s): pimpinellata Hübner, [1813]; altaicata Guenée, [1858]; lantoscata Millière, 1873; cinerascens Tengström, 1875; limbosignata Dietze, 1910; elongata Dietze, 1913 nec Hw, 1809; retheli L.B. Prout, 1938; variata Schwingenschuss, 1936. Range (in code): MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb At MD UA BY LB IR MN Ui Ku KG Tk
- 231. *Eupithecia plumbeolata* (Haworth, [1809])** (Geometridae) Synonym(s): plumbeolata Haworth, [1809]; isogrammata Treitschke, 1828; begrandaria Boisduval, 1840; singularia Herrich-Schäffer, 1848; plumbeolaria Doubleday, 1849; begrandata Bruand, 1850; dshungarica Viidalepp, 1988. Range (in code): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Akh DK NO SE FI EE LV LT RU Ur Sb At Sj MD UA BY KG Dsa Ui KK
- 232. *Eupithecia praesignata* Bohatsch, 1893** (Geometridae) Synonym(s): insignata Bohatsch, 1893 nec Hbn., 1789; praesignata Bohatsch, 1893 Range (in code): TJ T-A KK Ik Osh TM Kp Fe UZ Ui Kml AF Wk
- 233. *Eupithecia rebeli* Bohatsch, 1893** (Geometridae) Synonym(s): rebeli Bohatsch, 1893 Range (in code): UZ Fe KK Ui Ku
- 234. *Eupithecia recens* Dietze, 1904** (Geometridae) Synonym(s): recens Dietze, 1904; creta Dietze, 1908. Range (in code): CN Ui Ku Ts Kno KK Ik
- 235. *Eupithecia relaxata* Dietze, 1904** (Geometridae) Synonym(s): relaxata Dietze, 1904; vicariata Dietze, 1904; adjunctata Dietze, 1904; costisignata Dietze, 1904; pamiri Vojnits, 1988 Range (in code): IR Elb Shh TM Kp UZ Ui KI MN TJ Pm PK Bt Skd AF Kbb Slg Nu Sfk Wk
- 236. *Eupithecia rubellata* Dietze, 1904** (Geometridae) Synonym(s): rubellata Dietze, 1904; deserticola Dietze, 1910; scotaeata Dietze, 1910; invenusta Vojnits, 1977. Range (in code): CN Ui Ti KI Au Ku Ju Alt MN Ld IN

- 237. *Eupithecia saisanaria* Staudinger, 1882** (Geometridae) Synonym(s): saisanaria Staudinger, 1882 Range (in code): KG Ssn Ui Kml
- 238. *Eupithecia satyrata* (Hübner, [1813])** (Geometridae) Synonym(s): satyrata Hübner, [1813]; satyria Boisduval, 1840; italicata Guenée, 1858; submelanochroa Vojnits, 1973 Range (in code): ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Tk Nrk At Ui Ju US Nca Ca Abt On BCo
- 239. *Eupithecia sclerata* Vojnits, 1982** (Geometridae) Synonym(s): sclerata Vojnits, 1982 Range (in code): Ui Ln
- 240. *Eupithecia simplicata* Haworth, [1809]** (Geometridae) Synonym(s): simplicata Haworth, [1809]; subnotata Hübner, [1813]; subnotaria Boisduval, 1840; subnotataria Herrich-Schäffer, 1848. Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Da Cc AZ Kir IR Ab Ui Arc KK AF Wk Bkt
- 241. *Eupithecia sinuosaria* (Eversmann, 1848)** (Geometridae) Synonym(s): sinuosaria Eversmann, 1848 Range (in code): IT GB NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sh MD Am Sh UA BY UZ Fe MN CN Ui Kl Shs Kml KK Osh
- 242. *Eupithecia stigmaticata* Christoph, 1885** (Geometridae) Synonym(s): stigmaticata Christoph, 1885 Range (in code): TM Kp Ui Ii
- 243. *Eupithecia subbrunneata* Dietze, 1904** (Geometridae) Synonym(s): subbrunneata Dietze, 1904; amita Dietze, 1910; carissima Vojnits & Laever, 1973 Range (in code): CN Sz Ts Kno Ui Kl Au
- 244. *Eupithecia subpulchrata* Alpheraky, 1883** (Geometridae) Synonym(s): subpulchrata Alpheraky, 1883 Range (in code): UZ KK Ui Ku AF Slg Bd TM
- 245. *Eupithecia subumbrata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): subumbrata [Denis & Schiffermüller], 1775; scabiosata Borkhausen, 1794; piperata Stephens, 1831, subumbraria Boisduval, 1840; obrutaria Doubleday, 1849; majoraria De La Harpe, 1855. Range (in code): NO DK SE FI EE LV LT PL CZ SK DE NL GB IE BE LU FR ES Si IT CH AT HU RO BG AL YU MK TR Cc GG Akh RU Mnu Ui Ku Ju Arc UZ Fe KK Ax IR Ab Oru
- 246. *Eupithecia succenturiata* (Linnaeus, 1758)** (Geometridae) Synonym(s): succenturiata Linnaeus, 1758; disparata Hübner, [1799] Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG KK Ik At DsA Ui Ku Da Ur Sb Am Kmt T-S UZ Fe
- 247. *Eupithecia sutiata* Christoph, 1877** (Geometridae) Synonym(s): sutiata Christoph, 1877; aequata Staudinger, 1892; orientata Staudinger, 1901; diffusata Dietze, 1903; rjabovi Vojnits, 1975; kasachstanica Viidalepp, 1988. Range (in code): GR IR Kh Elb Se AM Cc AZ Nv TM KG Tk UZ Fe RU Da Ui Ii TJ
- 248. *Eupithecia vicariata* Dietze, 1904** (Geometridae) Synonym(s): vicariata Dietze, 1904; adjunctata Dietze, 1904; privata Dietze, 1910; lutulenta Dietze, 1913 nec lutulenta Warr., 1907; proprivata Vojnits, 1982; uighurica Kemal & Koçak, 2004 Range (in code): Ui Kl Yk M-A TM TJ
- 249. *Eupithecia vulgata* (Haworth, [1809])** (Geometridae) Synonym(s): vulgata Haworth, [1809]; pygmaeata Borkhausen, 1794; clusterata Hübner, [1813]; austeraria Herrich-Schäffer, 1848; atropicta Dietze, 1910; cyrneata Schawerda, 1933 Range (in code): MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY KG Lps Ui Arc LB Bsa AF Pag Kab Sfk Kbb Wk
- 250. *Glossotrophia (Libanonia) rufotinctata* (L.B. Prout, 1913)** (Geometridae) Synonym(s): rufotinctata L.B. Prout, 1913 Range (in code): Ui Au UZ KK TJ
- 251. *Gnopharmia cocandaria* (Erschoff, 1874)** (Geometridae) Synonym(s): cocandaria Erschoff, 1874; maculifera Staudinger, 1892; subrubraria Staudinger, 1892 Range (in code): UZ Fe Smk Nmg Man Ui Ku AF Pli KK
- 252. *Gnophopsodos fractifasciaria* (Püngeler, 1901)** (Geometridae) Synonym(s): fractifasciaria Püngeler, 1901 Range (in code): Ui Kl KK Ax KG TeA Ik
- 253. *Gnophopsodos stemmataria* (Eversmann, 1848)** (Geometridae) Synonym(s): stemmataria Eversmann, 1848; orbicularia Püngeler, 1904 Range (in code): KG Ssn Tk Tyk Sem KK Sda Ik Ui Il Au Ju
- 254. *Gnophopsodos tholeraria* (Püngeler, 1901)** (Geometridae) Synonym(s): tholeraria Püngeler, 1901 Range (in code): Ui Au
- 255. *Gnophos (Acrognophos) iveni* Erschoff, 1874** (Geometridae) Synonym(s): iveni Erschoff, 1874; clarior Staudinger, 1892; boarmioides Wiltshire, 1967 Range (in code): AF Bd KG KK TJ Pm UZ Fe Ui
- 256. *Gnophos (Rhipignophos) lineolaris* Püngeler, 1901** (Geometridae) Synonym(s): lineolaria Püngeler, 1901 Range (in code): KK Ax KG Tk Ui
- 257. *Gnophos (Rhipignophos) praestigiarius* Püngeler, 1902** (Geometridae) Synonym(s): praestigiaria Püngeler, 1902 Range (in code): Ui Au
- 258. *Gnophos (Rhipignophos) rubefactarius* Püngeler, 1902** (Geometridae) Synonym(s): rubefactaria Püngeler, 1902; pervicinaria Wehrli, 1922; stshetkini Viidalepp, 1988. Range (in code): KK Ui M-A Kl
- 259. *Gnophos (Rhipignophos) vastarius* Staudinger, 1892** (Geometridae) Synonym(s): vastaria Staudinger, 1892 Range (in code): IR AF PK KK Ik TJ Pm Ui Ga
- 260. *Gnophos (Zystrognophos) kuldjanus* Wehrli, 1953** (Geometridae) Synonym(s): kuldjana Wehrli, 1953 Range (in code): Ui Ku
- 261. *Gnophos (Zystrognophos) nimbatu* Alpheraky, 1888** (Geometridae) Synonym(s): nimbata Alpheraky, 1888; alexandra Wehrli, 1953 Range (in code): Ui Ii Ga KG TJ Pm KK Ax Ik UZ Fe AF Hk IR
- 262. *Gnophos (Zystrognophos) sericarius* Alpheraky, 1883** (Geometridae) Synonym(s): sericaria Alpheraky, 1883 Range (in code): KG Ui Arc
- 263. *Gnophos stoliczkarius* Moore, 1878** (Geometridae) Synonym(s): stoliczkaria Moore, 1878 Range (in code): Ui Yk
- 264. *Heliomata glarearia* (Brahm, 1791)** (Geometridae) Synonym(s): #glarearia [Denis & Schiffermüller], 1775; glarearia Brahm, 1791. Range (in code): FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IR GlS RU MD UA BY Ui Ku
- 265. *Heliothea (Apetovia) iliensis* Alpheraky, 1883** (Geometridae) Synonym(s): iliensis Alpheraky, 1883; christophi Alpheraky, 1883. Range (in code): Ui Ku Kun UZ
- 266. *Herochroma crassipunctata* Alpheraky, 1888** (Geometridae) Synonym(s): crassipunctata Alpheraky, 1888 Range (in code): Ui IN Lho AF Pag PK
- 267. *Herochroma sordida* (Wehrli, 1928)** (Geometridae) Synonym(s): sordida Wehrli, 1928 Range (in code): Ui Yk M-A
- 268. *Horisme aquata* (Hübner, [1813])** (Geometridae) Synonym(s): aquata Hübner, [1813] Range (in code): ES FR IT BE NL DE CH AT PL CZ SK RO DK SE LV LT RU MD UA BY Ui Ga Ur At Sb Am
- 269. *Horisme scotosiata* (Guenée, [1858])** (Geometridae) Synonym(s): scotosiata Guenée, [1858] Range (in code): KG Ssn RU At MN Ui Kml
- 270. *Horisme vitalbata* (Hübner, [1799])** (Geometridae) Synonym(s): #vitalbata [Denis & Schiffermüller], 1775; nebulata De Villiers, 1789 nec Thunb., 1784; vitalbata Hübner, [1799]; vitalbaria Boisduval, 1840; deterrenta Püngeler, 1900; repedata L.B. Prout, 1938 Range (in code):

- PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY MN UI Ku Kön KK
Ik UZ Fe Sb Am Prj Us JP
- 271. Hydriomena coerulea (Fabricius, 1777)** (Geometridae) Synonym(s): #impluviata [Denis & Schiffermüller], 1775; coerulea Fabricius, 1777; autumnalis Ström, 1783; trifasciata Borkhausen, 1794; bicommatina Schrank, 1802; literata Donovan, 1810; relicata Zetterstedt, 1839; impluviaria Boisduval, 1840; insulicola Schawerda, 1933 Range (in code): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR Cc IR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Mgd Am Us Kmt Sh Krl MD UA BY KG KP KR UI Tlk JP CA
- 272. Hydriomena furcata (Thunberg, 1784)** (Geometridae) Synonym(s): furcata Thunberg, 1784; sordidata Fabricius, 1794; elutata Hübner, [1799]; fusoundata Donovan, 1806; elutaria Boisduval, 1840; shibuyae Matsumura, 1925. Range (in code): PT ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU Kol K-R Ur Sb Am Us Kmt Sh Krl MD UA BY MN KP KR GG Bjo AM KG T-S KK UI Ju JP CA
- 273. Idaea aureolaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): trilineata Scopoli, 1772 nec Hufn., 1767; aureolaria [Denis & Schiffermüller], 1775; bicincta Fourcroy, 1785; trilinearia Hübner, [1787]. Range (in code): ES FR IT LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng AZ AM LT RU Sb Ya MD UA Cm MN UI Ku
- 274. Idaea descitaria (Christoph, 1893)** (Geometridae) Synonym(s): descitaria Christoph, 1893; velitchkovskiyi Rebel, 1907; favillata L.B. Prout, 1935. Range (in code): RU Ur Sr Ro Tgn TM Kp KG UK UI Ku UA Cm
- 275. Idaea elongaria (Rambur, 1833)** (Geometridae) Synonym(s): elongaria Rambur, 1833; aridata Zeller, 1847; aridaria Heydenreich, 1851; monadaria Guenée, [1858]; confusaria Lederer, 1863; infermata Staudinger, 1871; zephyrata Millière, 1872; marialudovicata Lucas, 1942. Range (in code): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT SK HU RO HV YU AL BG GR Sms Cr CY TR Cc AZ GG LB Bsa AZ Nv IQ Akr RU UZ UI Ii Ku Khr KG Tk
- 276. Idaea pallidata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): pallidata [Denis & Schiffermüller], 1775; pallidaria Treitschke, 1825; byssinata Treitschke, 1828; byssinaria Boisduval, 1840 Range (in code): FR Co Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Bjo Mng Smt DK NO SE FI EE LV LT RU Sb MD UA BY UI Kun MN KK Am
- 277. Idaea sericeata (Hübner, [1813])** (Geometridae) Synonym(s): sericeata Hübner, [1813]; altivolaria Bubacek, 1923; Range (in code): MA PT ES Mu FR Co Sa IT LU CH AT SK HU TR Cc GG Smt Bjo Da Der AM RU MD UA BY UI Ku
- 278. Idaea straminata (Borkhausen, 1794)** (Geometridae) Synonym(s): straminata Borkhausen, 1794; inornata Haworth, 1809; suffusata Treitschke, 1828; suffusaria Boisduval, 1840; inornaria Doubleday, 1849; agrostemmatina Guenée, [1858]; minuta Heydemann, 1934 Range (in code): MA DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Len AZ DK NO SE FI EE LV LT RU Sb At MD UA BY LB Bsa IR AF MN CN UI Kön KP KR Sh Krl
- 279. Isturgia arenacearia ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): arenacearia [Denis & Schiffermüller], 1775; flavidaria Eversmann, 1852; discriminaria Walker, 1862; irradiata Walker, 1862; impreviata Walker, 1863; stena Wehrli, 1940 Range (in code): Co Sa IT MT CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Nv Kir Lag AZ AM Nv IR LT RU MD UA BY KG Tks UI Ku Kgs MN
- 280. Isturgia murinaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): murinaria [Denis & Schiffermüller], 1775; nubecularia Villers, 1789; myosaria Esper, [1806]; cineraria Duponchel, 1829; buffonaria Millière, 1855; uralica Wehrli, 1937 Range (in code): PT ES FR Si IT BE DE CH AT PL CZ SK HU RO BG TR AZ AM Cc GG Lag Tbl Bjo RU Ur MD UA BY KK Ik IR Ab Oru UI Tlk Kun
- 281. Jodis lactearia (Linnaeus, 1758)** (Geometridae) Synonym(s): lactearia Linnaeus, 1758; vernaria Linnaeus, 1761; aeruginaria [Denis & Schiffermüller], 1775; semipectinata Retzius, 1783; syrene Fourcroy, 1785; sirene De Villers, 1789; syrene Geoffroy, 1799 Range (in code): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Mng DK NO SE FI EE LV LT RU MD UA BY UI Ii
- 282. Kuldscha albescens Warnecke, 1934** (Geometridae) Synonym(s): albescens Warnecke, 1934 Range (in code): UI Au
- 283. Kuldscha bioerraria Püngeler, 1925** (Geometridae) Synonym(s): bioerraria Püngeler, 1925 Range (in code): UI KI Alt
- 284. Kuldscha staudingeri Alpheraky, 1883** (Geometridae) Synonym(s): staudingeri Alpheraky, 1883; brunneofasciata Warnecke, 1934. Range (in code): UI Ku Kun KK Ik KG UZ Fe
- 285. Kyrtilitha obstinata Staudinger, 1892** (Geometridae) Synonym(s): obstinata Staudinger, 1892; cinerata Staudinger, 1892. Range (in code): KG Tar Tk Dsa TrA Mn Ssn UZ Fe KK Ik CN UI Ga
- 286. Ligdia coctata Guenée, [1858]** (Geometridae) Synonym(s): coctata Guenée, [1858]; efferata Walker, 1862; restitutata Walker, 1862; restituta Butler, 1886 Range (in code): IN PK K-P Haz Mre Cp Pj Swa Sgl Kkar UI Kön
- 287. Lithostege chaotica (Alpheraky, 1897)** (Geometridae) Synonym(s): chaotica Alpheraky, 1897 Range (in code): UI
- 288. Lithostege coassata (Hübner, [1825])** (Geometridae) Synonym(s): duplicata Hübner, [1817] (junior homonym); coassata Hübner, [1825]; assinata Freyer, 1830; coassaria Boisduval, 1840 Range (in code): RU Ur Or MD UA Ode BY UI Ku MN Cc GG AZ AM TM Kp Rpt TR IR Gor Mz Elb Ak Ab Mak Mrd KG
- 289. Lithostege farinata (Hufnagel, 1767)** (Geometridae) Synonym(s): farinata Hufnagel, 1767; illibata [Denis & Schiffermüller], 1775; nivearia Hübner, [1799]; albaria Turton, 1802; bachmutensis L.B. Prout, 1938 Range (in code): DZ Ght Lbs Bsk TN Gf ES FR IT DE AT PL CZ SK HU RO YU BG GR TR Cc GG AZ Nv DK SE LV LT RU Sb At T-S MD UA Cm BY UI Ku
- 290. Lithostege flavicornata (Zeller, 1847)** (Geometridae) Synonym(s): flavicornata Zeller, 1847 Range (in code): TR AM Cc IR Th AZ UI Ku
- 291. Lithostege mesoleucata Püngeler, 1899** (Geometridae) Synonym(s): mesoleucata Püngeler, 1899 Range (in code): UI Ii
- 292. Lithostege staudingeri Erschoff, 1872** (Geometridae) Synonym(s): staudingeri Erschoff, 1872 Range (in code): UZ Fe TJ UI Ku
- 293. Lycia flavantennata (Wehrli, 1933)** (Geometridae) Synonym(s): flavantennata Wehrli, 1933 Range (in code): Ch UI
- 294. Lythria cruentaria (Hufnagel, 1767)** (Geometridae) Synonym(s): purpurata Linnaeus, 1761 nec Linn., 1758; cruentaria Hufnagel, 1767; rotaria Fabricius, 1798; sordidaria Zetterstedt, 1839. Range (in code): PT ES FR Sa IT BE NL DE AT PL CZ SK RO YU AL BG TR DK NO SE FI LV RU Ur UR MD UA Cm BY IR Ak Shf KG UI Ii Ku
- 295. Lythria purpuraria (Linnaeus, 1758)** (Geometridae) Synonym(s): purpuraria Linnaeus, 1758; cruentata Hufnagel, 1767 nec Sc., 1763; sanguinolenta Fourcroy, 1785 nec Linn., 1767 Range (in code): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IQ IR GlS Kh EE LV RU Ur Sb MD UA BY KG KK TJ TM UZ UI Ii Ku
- 296. Macaria alternata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): alternata [Denis & Schiffermüller], 1775; alternaria Hübner, [1805]; praenotata Haworth, 1809 Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR DK NO SE FI EE LV LT RU MD UA BY Am KK Ik UI Ii KG Tk
- 297. Megaspilates mundataria (Stoll, 1782)** (Geometridae) Synonym(s): mundataria Stoll, 1782 Range (in code): RO RU At Cc AZ Kir AM Eri GG UI Ii KG Lps Ssn KK Ik
- 298. Menophra grummi (Alpheraky, 1888)** (Geometridae) Synonym(s): grummi Alpheraky, 1888 Range (in code): KK Ax UI
- 299. Microbiston lanaria (Eversmann, 1852)** (Geometridae) Synonym(s): lanaria Eversmann, 1852; tataricus Staudinger, 1882 Range (in code): RU Ur KG Ssn Lps UI KI

- 300. *Microloxia herbaria* (Hübner,[1813])** (Geometridae) **Synonym(s):** herbaria Hübner,[1813]; advolata Eversmann,1837; graminaria Zeller,1849; bruandaria Millièrè,1860. **Range (in code):** DZ Ges PT ES FR Co Sa Si IT HU RO YU AL BG GR Cr TR GG Lag Kir Ord Len Da Der Cc AZ Nv CY IQ Kbl RU MD UA BY Ui Ku IR Fa Com Kz OM IL Pa Hf
- 301. *Minoa murinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** murinata Scopoli,1763; sordiatia Linnaeus,1767; fuscata Hufnagel,1767; euphorbiata [Denis & Schiffermüller],1775; unicolorata Hübner,1787; euphorbiaria Hübner,1799 **Range (in code):** DZ Cst PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ GG AM RU Kr Tua MD UA BY Ui Kun
- 302. *Narraga fasciolaria* (Hufnagel,1767)** (Geometridae) **Synonym(s):** fasciolaria Hufnagel,1767; cebraria Hübner,[1799]; zebraria Duponchel,1829. **Range (in code):** DE AT PL CZ SK HU RO BG TR DK FI EE LV LT RU Mo At Am MD UA BY KG Tk Aa Ui Um Ii
- 303. *Narraga tessularia* (Metzner,1845)** (Geometridae) **Synonym(s):** tessularia Metzner,1845; baltearia Freyer,1845; atronacularia Herrich-Schäffer,1848. **Range (in code):** AT SK HU RO BG TR RU Or Ur Sb At Tv UA Cm KK KG Tk Lps Ui Ku
- 304. *Nebula fortificaria* A.Bang-Haas,1910** (Geometridae) **Synonym(s):** fortificaria A.Bang-Haas,1910 **Range (in code):** Ui Ju
- 305. *Nebula neogamata* (Püngeler,1909)** (Geometridae) **Synonym(s):** neogamata Püngeler,1909 **Range (in code):** UZ Fe Ui Ii KK
- 306. *Nebula rejectaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** rejectaria Staudinger,1892; interrogata Alpheraky,1897. **Range (in code):** Ui KK Ik
- 307. *Nebula viduata* (Staudinger,1892)** (Geometridae) **Synonym(s):** viduata Staudinger,1892 **Range (in code):** KK Ik Ui Ii
- 308. *Nychiodes (Eunychiodes) antiquaria* Staudinger,1892** (Geometridae) **Synonym(s):** antiquaria Staudinger,1892. **Range (in code):** IR AF TJ Pm UZ Fe Ch PK Nwf Ci KK Ax Ik Ui
- 309. *Ochodontia adustaria* Fischer de Waldheim,1840** (Geometridae) **Synonym(s):** adustaria Fischer de Waldheim,1840; sareptanaria Freyer,1841; #sareptaria Eversmann,1844 **Range (in code):** RU Sr TR IR Ab Elb Ak Shf AM Cc AZ Nv Ord Kir AF MN CN Ui Ki KK Ik
- 310. *Odontopera alienata* Staudinger,1892** (Geometridae) **Synonym(s):** alienata Staudinger,1892 **Range (in code):** UZ Fe Man Smk Ui Ga Ii Ts Kno KK Osh
- 311. *Odontopera muscularia* Staudinger,1892** (Geometridae) **Synonym(s):** muscularia Staudinger,1892 **Range (in code):** UZ Fe Man Smk KK Osh Ik Ui Ii Ki Ts Kno
- 312. *Opisthograptis luteolata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931. **Range (in code):** DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY LB Bsa Ui Ku Kön KK Ik KG Ssn PK Swa Sgl
- 313. *Ourapteryx persica* Ménétériès,1832** (Geometridae) **Synonym(s):** persica Ménétériès,1832 **Range (in code):** TR IR Cc AM AZ Len CN Ui Um Adu
- 314. *Ourapteryx purissima* Thierry-Mieg,1905** (Geometridae) **Synonym(s):** purissima Thierry-Mieg,1905 **Range (in code):** RU Am Prj Us UZ Fe KK Ax Ik KG Tk Ui
- 315. *Pareulype consanguinea* (Butler,1878)** (Geometridae) **Synonym(s):** consanguinea Butler,1878; directaria Graeser,1890 **Range (in code):** RU Am KR KG At CN Jn Ui Kun Kön
- 316. *Pelurga comitata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** comitata Linnaeus,1758 **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc AZ Kir DK NO SE FI EE LV LT RU K-R Ur Am Us Sh Sb MD UA Cm BY Cc AZ Ui Ku MN KP KR JP
- 317. *Peribatodes marcentarius* (Püngeler,1902)** (Geometridae) **Synonym(s):** marcentaria Püngeler,1902 **Range (in code):** Ui
- 318. *Phaiogramma etruscaria* (Zeller,1849)** (Geometridae) **Synonym(s):** etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis Fuchs,1903 **Range (in code):** DZ Clo Anna Bsk TN Gf PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR IQ RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Smt Bjo Lag Kir Nv Ord Da Der Cc LB Bsa IL Pa Jf Mtl Ui Ii
- 319. *Phaselia naryna* Oberthür,1913** (Geometridae) **Synonym(s):** naryna Oberthür,1913 **Range (in code):** KG Tk CN Ui Ii Ts Kno KK Ik
- 320. *Phigalia declinata* (Staudinger,1882)** (Geometridae) **Synonym(s):** declinata Staudinger,1882; suidunaria Alpheraky,1883; #suidanaria Scoble,1999. **Range (in code):** KG Ssn CN Ui Ku Sjd
- 321. *Philereme instabilis* (Alpheraky,1883)** (Geometridae) **Synonym(s):** instabilis Alpheraky,1883 **Range (in code):** Ui Khr Tlk Kun
- 322. *Photoscotosia palaeartica* (Staudinger,1882)** (Geometridae) **Synonym(s):** palaeartica Staudinger,1882; fusca Staudinger,1901 **Range (in code):** KG Tar Ssn Lps UZ Man Fe Ui Ki Ga KK T-S TJ Pm
- 323. *Phyllometra teneraria* (Staudinger,1892)** (Geometridae) **Synonym(s):** teneraria Staudinger,1892; coelestinaria Alpheraky,1892. **Range (in code):** Ui Ku
- 324. *Plesioscotosia pulchrata* (Alpheraky,1883)** (Geometridae) **Synonym(s):** pulchrata Alpheraky,1883; cometifera W.Warren,1901. **Range (in code):** Ui Arc Ku Ki Ga RU Am KK Ik KG T-S
- 325. *Povilasia kashghara* (Moore,1878)** (Geometridae) **Synonym(s):** kashghara Moore,1878 **Range (in code):** Ui Ga Yk
- 326. *Pseudoterpna simplex* Alpheraky,1892** (Geometridae) **Synonym(s):** simplex Alpheraky,1892 **Range (in code):** UZ Smk Fe Ui
- 327. *Rhodostrophia (Apostates) jacularia* (Hübner,[1813])** (Geometridae) **Synonym(s):** jacularia Hübner,[1813]; minor Alpheraky,1892; tyugui Vasilenko,1998 **Range (in code):** TR? RU Sr Ur At Tv UA Cm KG T-S Ui Kml MN
- 328. *Rhodostrophia (Pellonia) vibicaria* (Linnaeus,1761)** (Geometridae) **Synonym(s):** #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artiosa Fourcroy,1785; cruentaria De Villers,1789. **Range (in code):** MA DZ ES Mu FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc AM GG Bjo Mng Smt Ord Nv AZ DK NO SE FI EE LV LT RU MD UA BY IR Ui Ku KG Sj At
- 329. *Rhodostrophia adauctata* (Staudinger,1892)** (Geometridae) **Synonym(s):** adauctata Staudinger,1892 **Range (in code):** UZ Smk Fe KK Osh Ax Ik KG Tk CN Ui Ii
- 330. *Rhodostrophia staudingeri* (Alpheraky,1883)** (Geometridae) **Synonym(s):** staudingeri Alpheraky,1883 **Range (in code):** Ui Ku UZ Fe
- 331. *Scopula ansulata* (Lederer,1871)** (Geometridae) **Synonym(s):** ansulata Lederer,1871 **Range (in code):** Ui Tlk Ku UZ TM IR Elb Gor AF Srb KG TJ
- 332. *Scopula beckeraria* (Lederer,1853)** (Geometridae) **Synonym(s):** beckeraria Lederer,1853; pseudoafghana Ebert,1965 **Range (in code):** IT RO SS MK BG GR TR AZ Nv Kir RU Da Sj AZ Nv Ord Der Da Kur GG Cc IL Pa He LB Bsa UZ Fe Ui Ku MN IR Fa Sse Com Kz Shr Ahz Ke AF Bm KG MN
- 333. *Scopula cumulata* (Alpheraky,1883)** (Geometridae) **Synonym(s):** cumulata Alpheraky,1883; cretaria Staudinger,1892. **Range (in code):** Ui Ku Arc KK Ax TJ KG MN

- 334. *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]; *armeniaca* Thierry-Mieg,1916
Range (in code): MA DZ Ges TN PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Kir Ord Kur Cc AZ Arr Ksp IR Elb Mz DK SE FI EE LV LT RU Sj MD UA BY CN Stg Ui MN KK KG
- 335. *Scopula flaccidiaria* (Zeller,1852)** (Geometridae) **Synonym(s):** *flaccidiaria* Zeller,1852 **Range (in code):** AT CZ SK HU RO YU AL BG GR Cr TR GG Bjo Kir Lag Cc AZ AM IQ RU MD UA BY Ui Ku IR IL Pa CY TM
- 336. *Scopula halimodendrata* Erschoff,1874** (Geometridae) **Synonym(s):** *halimodendrata* Erschoff,1874 **Range (in code):** KG Ui Ii TM UZ TJ KK
- 337. *Scopula marginepunctata* (Goeze,1781)** (Geometridae) **Synonym(s):** *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* Joannis,1891; *#marginipunctata* Rothschild,1914; *britonaria* Oberthür,1917; *subatrata* Wagner,1919; *#insubrica* Vorbrodtt,1930 **Range (in code):** MA Rf DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM GG Tbl Bjo Kir Ber Ord Nv AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY CN Ui Ku Ju Kön LB Bsa IL Pa Jf MN
- 338. *Scopula ornata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottentburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785; *ornataria* Hübner,[1799]; *paludalis* Schrank,1802 **Range (in code):** MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY Ui Kun Kön AF Ca PK Bl Qu Haz Mre
- 339. *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* De Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839 **Range (in code):** MA PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Lag Bjo Mng Smt Kir Cc AZ AM DK SE FI EE LV LT RU Sb MD UA BY CN Ui Ku Tek Kty Imn IR Ab MN
- 340. *Scopula subrubellata* Sterneck,1941** (Geometridae) **Synonym(s):** *subrubellata* Sterneck,1941 **Range (in code):** Ui
- 341. *Scopula tessellaria* (Boisduval,1840)** (Geometridae) **Synonym(s):** *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955 [ssp.]; *guillaumei* Leraut,2005 **Range (in code):** ES FR Si IT BE LU RO YU AL BG GR TR Cc GG AM RU MD UA BY Ui Kun IR Elb KG Tk
- 342. *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829 **Range (in code):** PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Ur Sb At Ya Am Us Prj Sh Ir Krl Mgd KG Ui Kön MN Kti MD UA Cm BY
- 343. *Scotopteryx junctata* (Staudinger,1882)** (Geometridae) **Synonym(s):** *junctata* Staudinger,1882 **Range (in code):** KK Ik KG DsA Ui Ju Ga KI AF TJ Pm Drw Ch
- 344. *Scotopteryx kashgara* (Moore,1878)** (Geometridae) **Synonym(s):** *kashgara* Moore,1878 **Range (in code):** Ui Ga Kml UZ Fe KK Ik
- 345. *Scotopteryx sartata* (Alpheraky,1883)** (Geometridae) **Synonym(s):** *sartata* Alpheraky,1883 **Range (in code):** CN Ui Arc T-S KG KK TJ Pm
- 346. *Scotopteryx sinensis* (Alpheraky,1883)** (Geometridae) **Synonym(s):** *sinensis* Alpheraky,1883 **Range (in code):** Ui Arc KI KK Ik UZ Fe KG TJ Drw
- 347. *Selenia lunularia* (Hübner,1788)** (Geometridae) **Synonym(s):** *lunaria* [Denis & Schiffermüller],1775 *nec* Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831 **Range (in code):** MA Ifr TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Mng Smt IR GlS Ui Ku
- 348. *Siona lineata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 *nec* Fabr.,1775; *dealbaria* Hübner,[1799] **Range (in code):** ES AD FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO SS YU B-H MK AL BG GR TR Cc GG Tbl Bjo AM Dar AZ DK NO SE FI EE LV LT RU Sb Am Us MD UA BY KG TrA Aa Ui Ii Ku
- 349. *Spartopteryx kindermannaria* (Staudinger,1871)** (Geometridae) **Synonym(s):** *kindermannaria* Staudinger,1871 **Range (in code):** RU At KG Tar Ssn KK Ik MN CN Ui Um Ts Kno
- 350. *Stamnodes danilovi* Erschoff,1877** (Geometridae) **Synonym(s):** *danilovi* Erschoff,1877 **Range (in code):** RU Sb At Sj KK Ik CN Ui Ts KG T-S MN KP KR
- 351. *Stamnodes pauperaria* (Eversmann,1848)** (Geometridae) **Synonym(s):** *pauperaria* Eversmann,1848 **Range (in code):** RU At KG Tar Ssn KK Ik Ui Kml T-S UZ Fe TJ Pm IN PK Thu
- 352. *Stegania dalmataria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *dalmataria* Guenée,[1858] **Range (in code):** TR YU HV Cc GG Tbl AZ KK Ik Ui Khr Ku KG Tk RU At
- 353. *Stegania dilectaria* (Hübner,1790)** (Geometridae) **Synonym(s):** *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832] **Range (in code):** DE AT CZ SK HU RO YU BG GR TR Cc AZ RU MD UA BY Ui Ju
- 354. *Stigma kuldschaensis* Alpheraky,1883** (Geometridae) **Synonym(s):** *kuldschaensis* Alpheraky,1883 **Range (in code):** Ui Ku KK Ik Ax
- 355. *Synopsia sociaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 **Range (in code):** PT ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag AZ Len AM Eri IR GlS RU Ur At MD UA BY Ui Ku
- 356. *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) **Synonym(s):** *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903; *obsoleta* Skala,1913; *major* Warnecke,1930; *ochracea* Kolossow,1936; *approximata* Lempke,1949; *tangens* Lempke,1949; *fasciata* Hartweg,1951 **Range (in code):** PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Lag Kir Hkd Cc DK NO SE FI EE LV LT RU MD UA BY KK Ik Ax Ui Kun Au IR Elb Th Fa Com Kz
- 357. *Thera* (s.str.) *dilectaria* (A.Bang-Haas,1910)** (Geometridae) **Synonym(s):** *dilectaria* A.Bang-Haas,1910 **Range (in code):** Ui Ju
- 358. *Thera* (s.str.) *variata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *variata* [Denis & Schiffermüller],1775; *adumbrata* De Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932; *balcanicola* de Lattin,1951 **Range (in code):** ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU MD UA BY Ui Ku KI LB
- 359. *Thetidia correspondens* (Alpheraky,1883)** (Geometridae) **Synonym(s):** *correspondens* Alpheraky,1883 **Range (in code):** Ui Ku
- 360. *Thetidia prasinaria* (Eversmann,1837)** (Geometridae) **Synonym(s):** *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897 **Range (in code):** RU Or Cc GG Bjo Smt Lag Bku AZ Kir Nv Ord AM Da Der Kus TR IQ IR Fa Com Se MN Ui Ku Tlk
- 361. *Thetidia smaragdaria* (Fabricius,1787)** (Geometridae) **Synonym(s):** *smaragdaria* Fabricius,1787 **Range (in code):** ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc IR NO FI EE LV LT RU MD UA BY KK Ax Ik Ui Ku Ju Tlk

- 362. *Trichopteryx carpinata* (Borkhausen,1794)** (Geometridae) Synonym(s): carpinata Borkhausen,1794; costaestrigata Haworth,1809; dentistrigata Haworth,1809; lobulata Hübner,[1813] Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY TR? CN Ui Tlk
- 363. *Triphosa incertata* Staudinger,1882** (Geometridae) Synonym(s): incertata Staudinger,1882 Range (in code): KG Tar Ssn Ui Arc
- 364. *Xanthorhoe (Odontorhoe) tauaria* (Staudinger,1882)** (Geometridae) Synonym(s): tauaria Staudinger,1882 Range (in code): KG DsA KK T-S Ui
- 365. *Xanthorhoe (Odontorhoe) tianschanica* (Alpheraky,1883)** (Geometridae) Synonym(s): tianschanica Alpheraky,1883 Range (in code): Ui Au Arc Ju T-S KG KK TJ Pm UZ Fe
- 366. *Xanthorhoe (Parodontorhoe) altitudinum* (Staudinger,1882)** (Geometridae) Synonym(s): altitudinum Staudinger,1882 Range (in code): T-S CN Ui Arc
- 367. *Xanthorhoe asiatica* (Staudinger,1882)** (Geometridae) Synonym(s): asiatica Staudinger,1882 Range (in code): KG Tar Ssn Lps KK Ui Arc
- 368. *Xanthorhoe fidonaria* (Staudinger,1892)** (Geometridae) Synonym(s): fidonaria Staudinger,1892; icterica Djakonov,1908. Range (in code): Ui Ku Ii Tek KK Ik KG Tar TrA Aa DsA Tk
- 369. *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): fluctuata Linnaeus,1758; fibulata Hufnagel,1767; cinerata Fourcroy,1785 nec Fabr.,1781; costovata Haworth,1809; fluctuaria Boisduval,1840; multistriga Oberthür,1910 Range (in code): MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG Ui Kön KP KR JP
- 370. *Xanthorhoe mollicula* (Eversmann,1848)** (Geometridae) Synonym(s): mollicula Eversmann,1848 Range (in code): KG Ui
- 371. *Xanthorhoe stupida* (Alpheraky,1897)** (Geometridae) Synonym(s): stupida Alpheraky,1897 Range (in code): RU Us KK CN Ti Ui KP KR

Glyphipterygidae

- 372. *Glyphipterix magnatella* Erschoff,1877** (Glyphipterygidae) Synonym(s): magnatella Erschoff,1877 Range (in code): RU Sb UZ Fe Man Ui Ku KG DsA Ket At TrA

Gracillariidae

- 373. *Phyllonorycter pumilae* (Ermolaev,1981)** (Gracillariidae) Synonym(s): pumilae Ermolaev,1981 Range (in code): Ui

Hepialidae

- 374. *Stenopsis regius* (Staudinger,[1896])** (Hepialidae) Synonym(s): regius Staudinger,[1896]; rubellus O.Bang-Haas,1939 Range (in code): CN Ui Ts Kno Amd Ln Ti
- 375. *Thitarodes varians* (Staudinger,[1896])** (Hepialidae) Synonym(s): varians Staudinger,[1896] Range (in code): CN Ui Ts Ln Kno

Lasiocampidae

- 376. *Malacosoma paralellum* Staudinger,1887** (Lasiocampidae) Synonym(s): paralellum Staudinger,1887 Range (in code): TR IR Elb Mz TM Kp UZ TJ KK Ik T-S CN Ui Kml TeA KuA KG Aa TrA DsA Tk Ssn Tar AF Nu GG Tbl Bjo AZ AM Cc
- 377. *Phylodesma (Epichnaptera) albofasciata* (O.Bang-Haas,1927)** (Lasiocampidae) Synonym(s): albofasciata O.Bang-Haas,1927 Range (in code): CN Ui Ku
- 378. *Phylodesma (s.str.) tremulifolium* (Hübner,[1810])** (Lasiocampidae) Synonym(s): betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; danieli De Lajonquière,1963; #tremulifolium De Freina,1999 Range (in code): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag EE RU MD UA BY KK Ik Ui Ii

Lymantriidae

- 379. *Dicallomera nivalis* (Staudinger,1887)** (Lymantriidae) Synonym(s): nivalis Staudinger,1887 Range (in code): UZ Fe TJ KK Ik Ui Kml
- 380. *Euproctis kargalika* Moore,1878** (Lymantriidae) Synonym(s): kargalika Moore,1878; flavosulphurea Groum-Grshimailo,1886; #karghalika Strand,1910; #deornata Ebert,1968 Range (in code): Ui Yk Kkg Kml AF Sfk Bd Shv Slg KK Ik RU Am At Om TJ Pm IR PK Bt Skd
- 381. *Euproctis lactea* Moore,1878** (Lymantriidae) Synonym(s): lactea Moore,1878 Range (in code): Ui Yk
- 382. *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoquisti Bryk,1942; variabilis Bryk,1949 Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA Lvv BY At T-S Sb KK Ik CN Ui Kml Yu Lik MN U-B Am KP KR JP
- 383. *Leucoma sartus* (Erschoff,1874)** (Lymantriidae) Synonym(s): sartus Erschoff,1874 Range (in code): UZ Tas Fe KK Ik Ui T-S
- 384. *Leucoma surtur* (A.Bang-Haas,1912)** (Lymantriidae) Synonym(s): surtur A.Bang-Haas,1912 Range (in code): Ui Ju
- 385. *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926 Range (in code): MA DZ Sbd Btina TN DhM PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk LB IR Mz Elb Sari Ha Ab Oru CN Lng Pkn Ui Kön Sz Mc SY CY AF JP MN KP KR TM Hkk TJ UZ IN TW CA On BCo US Col Ut Cf Fi Io Mai Ny Oh Org Krl GlS Lvv

- 386.** *Orgyia aurolimbata* Guenée, 1835 (Lymantriidae) Synonym(s): aurolimbata Guenée, 1835 Range (in code): PT ES FR Ui KK Ik
- 387.** *Orgyia flavolimbata* Staudinger, 1881 (Lymantriidae) Synonym(s): flavolimbata Staudinger, 1881; tristis Groum-Grshimailo, 1891 Range (in code): KG Ssn UZ Fe TJ Pm RU At T-S Ui Ku

Noctuidae

- 388.** *Acantholipes regularis* (Hübner, [1813]) (Noctuidae) Synonym(s): regularis Hübner, [1813] Range (in code): Cr RU Ro St Ich Da MD UA BY TR GG Smt Akh Cc AZ Kir Der IQ Agh Dk Bgd Dia Ry Rvw Brs TM Ui Ku Ga IR Fa Bk Elb Mz Gls Km Kd Snj Sse Ss Kuh Kh AF Srb SY IL Pa SA KG Tks Tk Dj Aa UZ N-A
- 389.** *Acontia (Emmelia) trabealis* (Scopoli, 1763) (Noctuidae) Synonym(s): trabealis Scopoli, 1763; arabica Hufnagel, 1766; sulphuralis Linnaeus, 1767; sulphurea [Denis & Schiffermüller], 1775; lugubris Fabricius, 1777; histriionella Goeze, 1783; arlequinetta Fourcroy, 1785; trabeata Borkhausen, 1790; pardalina Walker, 1865; deleta Staudinger, 1877; flavonitens Austaut, 1880; algira Oberthür, 1881 Range (in code): MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK Bl Qu Ui Ku SA SA63 Us MN MU KK Ik Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da Oru Bne Mrv Bjr Zj Gls Bsk Abe Sbd Rbt Anna
- 390.** *Acontia (s.str.) lucida* (Hufnagel, 1766) (Noctuidae) Synonym(s): lucida Hufnagel, 1766; solaris [Denis & Schiffermüller], 1775; albicollis Fabricius, 1781; rupicola Borkhausen, 1792; insolatrix Hübner, [1822]; triradiata Walker, [1858]; lugens Alpheraky, 1889; heliodora Schawerda, 1923 Range (in code): Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji Sa FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN Ui Ku Ii Txl Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz Mz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN PJ C-P Kba Cp Smt Tbl Bjo Mng Der Btma Bsk Ktr Hmk Khh Ahr Ktr Perr Hrh Berr Saia Ges Lgt Ndr Abe Sbd Agi Orn Rbt Phv Tgr Hrh Hes Onc
- 391.** *Acronicta (Subacronicta) centralis* Erschoff, 1874 (Noctuidae) Synonym(s): centralis Erschoff, 1874 Range (in code): Ui Ku KK UZ N-A
- 392.** *Acronicta (Subacronicta) megacephala* (Fabricius, 1787) (Noctuidae) Synonym(s): megacephala Fabricius, 1787; ankarensis Hering, 1933. Range (in code): MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Mz Elb Kd Snj SY DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag AZ Kir Ro Kr St Kc Kb Nt Ich Da Sb MD UA Lvv BY KG Uk Ui KP KR JP
- 393.** *Acronicta (Triaena) aceris* (Linnaeus, 1758) (Noctuidae) Synonym(s): aceris Linnaeus, 1758; infusata Haworth, 1809; paradoxa Boisduval, 1829 Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc GG Smt Bjo Mng Lag AZ Len Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh Gls Kh Sb AF Kab TM Ui Ku
- 394.** *Acronicta (Triaena) elaeagni* Alpheraky, 1887 (Noctuidae) Synonym(s): elaeagni Alpheraky, 1887 Range (in code): Ui
- 395.** *Acronicta (Triaena) tridens* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): tridens [Denis & Schiffermüller], 1775; karghalika Moore, 1878 Range (in code): DZ TN Hrh Hmk DhM Bsa Btma Sét Gue PT ES Mu FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Ro Kr St Nt Kyi Da Der MD UA Lvv BY Ui Yk
- 396.** *Acronicta (Viminia) euphorbiae* (Denis, 1785) (Noctuidae) Synonym(s): euphorbiae [Denis & Schiffermüller], 1775; euphorbiae Denis, 1785; montivaga Guenée, 1852; ottomana Draudt, 1931; garbowskii Wojtusiak & Niesiolowski, 1946. Range (in code): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da At Sb MD UA BY Ui Kl TR GG Smt Bjo Mng AM AZ Cc IR LB Bei Bsa
- 397.** *Acronicta (Viminia) rumicis* (Linnaeus, 1758) (Noctuidae) Synonym(s): rumicis Linnaeus, 1758; litterata Panzer, 1804; salicis Curtis, 1826; diffusa Walker, 1857 Range (in code): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Lvv Tk Dj KK Skm Ik Ui KP KR Sh Sb UZ Fe JP Tbl Da Der Len Nv Ord Abe Hrh Sét Btma Tgr Clo DhM Sbd Anna TN
- 398.** *Actebia (Perissandria) argillacea* (Alpheraky, 1892) (Noctuidae) Synonym(s): argillacea Alpheraky, 1892; decolor Staudinger, [1896] nec Morr., 1852 Range (in code): CN Ui Ts Ti Btn Yu Lik Ln Kno
- 399.** *Actebia (s.str.) fennica* (Tauscher, 1837) (Noctuidae) Synonym(s): fennica Tauscher, 1837; intracta Walker, 1857; eversmanni Krulikovski, 1893; unicolor Kozhanchikov, 1925 Range (in code): GB BE DE PL DK NO SE FI EE LV LT RU MD UA BY Ui Kml Chk KK TrA
- 400.** *Actinotia polyodon* (Clerck, 1759) (Noctuidae) Synonym(s): polyodon Clerck, 1759; perspicillaris Linnaeus, 1761. Range (in code): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT Cc AM RU Ro Kr St Sb At MD UA Lvv BY Ch Ui KK TeA Ax Na T-A JP
- 401.** *Agrochola (Rufachola) helvola* (Linnaeus, 1758) (Noctuidae) Synonym(s): helvola Linnaeus, 1758; rufina Linnaeus, 1758; #fulvago Clerck, 1759; sibirica Staudinger, 1882; #pallascens W. Warren, 1911; pallascens Osthelder, 1933; vulpina De Lattin, 1951 Range (in code): DZ Btma PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da At Sb TM MD UA BY Ui Kun KG Ssn LB IL Pa IQ
- 402.** *Agrotis (s.str.) characteristic* Alpheraky, 1892 (Noctuidae) Synonym(s): characteristic Alpheraky, 1892; mirifica Wagner, 1913; robustana Poole, 1988. Range (in code): RU Ur Ui Cho KG Tk Dj Ii KP KR
- 403.** *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): cinerea [Denis & Schiffermüller], 1775; obscura Hübner, [1803]; dentimaculatus Haworth, 1803; fusca Boisduval, [1837]; murina Eversmann, 1848; livonica Teich, 1886; alpigena Calberla, 1888; tephрина Staudinger, 1901; eximia Culot, 1910. Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AZ AM GG Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da MD UA BY TM IR Lo Ui Au
- 404.** *Agrotis (s.str.) exclamantis* (Linnaeus, 1758) (Noctuidae) Synonym(s): exclamantis Linnaeus, 1758; clavus Hufnagel, 1766; murina Goeze, 1781 nec Hufnagel, 1766; bimaculata Geoffroy, 1785; picea Haworth, 1809; plaga Stephens, 1835; haruspex Le Cerf, 1924; nigriorbis Zerny, 1934. Range (in code): MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Ke Kh Fa Bk MN UZ KK KG Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Lvv Pa Oru
- 405.** *Agrotis (s.str.) ripae* (Hübner, [1823]) (Noctuidae) Synonym(s): ripae Hübner, [1823]; nebulosa Stephens, 1829; desillii Pierret, 1839; weissenbornii Freyer, 1845; obotritica Schmidt, 1858; farinosa Stgr., 1888; alexandriensis Bethune-Baker, 1894; psammodes Staudinger, 1895; punica Pinker, 1979. Range (in code): PT ES FR IE GB BE NL DE CZ DK NO SE LV LT RU Cc Ro St Kyi MD UA BY Ui Ii Ku
- 406.** *Agrotis (s.str.) segetum* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): segetum [Denis & Schiffermüller], 1775; sordida [Denis & Schiffermüller], 1775; undulatus Goeze, 1781 (praeocc.); nigricornis De Villers, 1789; segetis Fabricius, 1794; catenatus Haworth, 1803; monileus Haworth, 1803; pectinatus Haworth, 1803; connexus Haworth, 1803; subatratus Haworth, 1803; nigricornutus Haworth, 1803; praecox Hübner, [1808]; fervida Hübner, [1824]; affinis Stephens, 1829; sicula Boisduval, 1840; dimidia Zeller, 1847; sicania Guenée, 1852; marginalis Walker, 1857; aversa Walker, 1857; correctus Walker, 1857; obliviosus Walker, 1857; denticulosus Wallengren, 1860; certificata Walker, 1865; conspurcatus Walker, 1865; repulsus Walker, 1865; ingratus Butler, 1878; pallidus Staudinger, 1881; lassa Swinhoe, 1886. Range (in code): Cn MA DZ TN LY EG PT ES FR Co Sa

Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha
Mz IQ MN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY JO
Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Oru Kz Hz Gls UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24 Mre Cp
Thu Rw LK Pdy Smt Tbl Bjo Kir Kus IN Hp Sml Haz Cte Mh Nsk Ges Afl BSA Khh Ktr BtNa DhM Abe Lbs Agi Bsk Bdj Lgt Ah Shd Ess
Mzg Hrh Dzc Clo Ah Ajj Idl Lvv

- 407. *Ala pretiosa* Alpheraky, 1892** (Noctuidae) **Synonym(s):** *pretiosa* Alpheraky, 1892 **Range (in code):** Ui
- 408. *Amphipoea asiatica* (Burrows, 1911)** (Noctuidae) **Synonym(s):** *asiatica* Burrows, 1911 **Range (in code):** RU Prj Us KK Na Ik
Ax Ui T-S Ii JP
- 409. *Amphipoea ochreola* (Staudinger, 1882)** (Noctuidae) **Synonym(s):** *ochreola* Staudinger, 1882; *renalis* Alpheraky, 1887. **Range (in code):** KG Lps Ssn Ui
- 410. *Amphipoea ocullea* (Linnaeus, 1761)** (Noctuidae) **Synonym(s):** *oculea* Linnaeus, 1761; *nictitans* Linnaeus, 1767; *chrysographa* [Denis & Schiffermüller], 1775; *splendens* Borkhausen, 1792; *myopa* Fabricius, 1794; *cinerago* Fabricius, 1798; *auricula* Donovan, 1807; *erythrostigma* Haworth, 1809; *struvei* Oberthür, 1918. **Range (in code):** DZ PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo DK
NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da Ir Irk MD UA Lvv BY Ui Ku Kml
- 411. *Amphipyra* (s.str.) *alpherakii* (Staudinger, 1888)** (Noctuidae) **Synonym(s):** *alpherakii* Staudinger, 1888; *alpheraci* Hampson, 1908 **Range (in code):** TM Ui Ku
- 412. *Amphipyra* (s.str.) *sergei* (Staudinger, 1888)** (Noctuidae) **Synonym(s):** *sergei* Staudinger, 1888 **Range (in code):** Ui Ku
- 413. *Amphipyra* (s.str.) *tetra* (Fabricius, 1787)** (Noctuidae) **Synonym(s):** *tetra* Fabricius, 1787 **Range (in code):** MR MA DZ Sfr
Ges TN EG ES Mu FR Si IT CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc RU Ro St Kyi Ur Sb Sj At IR Fa Ss Kd Mrv Lo Gls IL Pa AF
TM Ui Ku KK LB EG Sn
- 414. *Amphipyra* (s.str.) *tragopoginis* (Clerck, 1759)** (Noctuidae) **Synonym(s):** *#tragopoginis* Clerck, 1759; *luciola* Hufnagel, 1766; *repressus* Grote, 1871 **Range (in code):** MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR
GG Smt Bjo Mng AZ Kir AM Cc LB IR Maz Gls Fa Lo By Yas Ke Mia Kz Kd Mrv DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da
Sb At MD UA BY Ch IN Hp Kul Ui Kön CA US Pns Mss Ny Lvv
- 415. *Anaplectoides prasina* (Goeze, 1781)** (Noctuidae) **Synonym(s):** *#prasina* [Denis & Schiffermüller], 1775; *#hebrida* [Denis & Schiffermüller], 1775; *prasina* Goeze, 1781; *egregia* Esper, [1787]; *jaspidea* Borkhausen, 1792 nec De Vill., 1789; *mixta* Haworth, 1809 nec Fabr., 1787; *herbacea* Guenée, 1852; *albimacula* Hormuzaki, 1894 **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI
EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY Cc GG Smt Bku Tbl AM AZ IR Mz Elb Sb KK TrA Ax MN CN Ui Kön Ti KP KR
JP CA US
- 416. *Anumeta cestis* (Ménétriés, 1848)** (Noctuidae) **Synonym(s):** *cestis* Ménétriés, 1848; *punctata* Ménétriés, 1848; *parvimacula* Rothschild, 1920 **Range (in code):** MR MA DZ Ah Ajj Onç Ogl Gle Agi Gha BSA TN MT SA JO RU UZ Br MN KG Ui Ku IR Hz B-A YE AF
- 417. *Anumeta ciliaria* (Ménétriés, 1847)** (Noctuidae) **Synonym(s):** *ciliaria* Ménétriés, 1847; *dentistrigata* Alpheraky, 1883. **Range (in code):** UZ Ui Ku
- 418. *Anumeta dentistrigata* (Staudinger, 1877)** (Noctuidae) **Synonym(s):** *dentistrigata* Staudinger, 1877 **Range (in code):** SA
TM Krn KK Ik Ui Khr KG Tk Dj UZ
- 419. *Anumeta fractistrigata* (Alpheraky, 1882)** (Noctuidae) **Synonym(s):** *fractistrigata* Alpheraky, 1882 **Range (in code):** IR Mz
Ui Ku Kl Khr KG Tk Dj UZ N-A
- 420. *Androphila simiola* (Püngeler, 1900)** (Noctuidae) **Synonym(s):** *simiola* Püngeler, 1900 **Range (in code):** KG Tk CN Ui Ku
TM
- 421. *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *anceps* [Denis & Schiffermüller], 1775; *sordida* Borkhausen, 1792; *infesta* Ochsenheimer, 1816; *renardii* Boisduval, 1829; *engelhardtii* Duurloo, 1889; *pyxina* A. Bang-Haas, 1910; *siegeli* Berio, 1985; *mazeli* Lutrán, 1993 [ssp.] **Range (in code):** MA DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR TR Lo
Es Elb Th Dam Kh DK NO SE FI EE LV LT RU AZ Kir Cc Ro Kyi Sb MD UA Lvv BY TM MN Ui LB Bsa IL Pa KG Uk
- 422. *Apamea* (s.str.) *ferrago* (Eversmann, 1837)** (Noctuidae) **Synonym(s):** *ferrago* Eversmann, 1837 **Range (in code):** LV RU
St Kb Kc Nt Ich Da Ur MD UA BY TR AM Cc GG Smt Bjo Bku Kus IR Kdv Elb Th Dam Mz AF Ui KG Tk KK Ik Ax TrA
- 423. *Apamea* (s.str.) *furva* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *#furva* [Denis & Schiffermüller], 1775
Range (in code): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Zj Mz Elb Th Dam DK NO SE FI EE LV
LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY Ui Ju KK Ax Skm TrA Ik AZ AM GG Lag Da Kus Cc
- 424. *Apamea* (s.str.) *lateritia* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *lateritia* Hufnagel, 1766; *molochina* Hübner, [1803].
Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Da Kus Cc IR Mz Elb Th
Kdv Dam DK NO SE FI EE LV LT RU St Kb Kc Nt Ich Ing Da MD UA BY UZ Ui Arc Kml KG Tk Dj KK TeA TrA Skm Ik Kmt Krl KP KR JP
CA Yuk US Col Nje Lvv NP CN Ti Sz Yu IN SI PK Ch Hk Bt Deo Kag Nar Sai Sha AF Kot Kab Ld Snn IM
- 425. *Apamea* (s.str.) *leucodon* (Eversmann, 1837)** (Noctuidae) **Synonym(s):** *leucodon* Eversmann, 1837; *bidens* Eversmann, 1852; *anatolica* Rebel, 1933 **Range (in code):** TR Cc RU Da IL Pa IR Fa Sse AF TM KK Ik Na T-A Sb At MN Ui
- 426. *Apamea* (s.str.) *oblonga* (Haworth, [1809])** (Noctuidae) **Synonym(s):** *oblonga* Haworth, [1809]; *abjecta* Hübner, [1813].
Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Ss Kuh DK NO SE FI EE LV LT RU Ro St Ich Da MD
UA BY AZ AM GG Akh Cc Ui Chk KK TeA Ik PK JP
- 427. *Apamea* (s.str.) *remissa* (Hübner, [1809])** (Noctuidae) **Synonym(s):** *remissa* Hübner, [1809]; *obscura* Haworth, 1809 (preocc.); *gemina* Hübner, [1813]; *submissa* Treitschke, 1825; *divitis* Bryk, 1942 **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO
YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Ich Da MD UA Lvv BY Ui Chk KK Na Ax TrA
- 428. *Apamea vicaria* (Püngeler, 1902)** (Noctuidae) **Synonym(s):** *vicaria* Püngeler, 1902 **Range (in code):** Ui Au
- 429. *Apoestes phantasma* (Eversmann, 1843)** (Noctuidae) **Synonym(s):** *phantasma* Eversmann, 1843; *centralasiae* W. Warren, 1913
Range (in code): RU At TR GG Smt Bjo Lag AZ Kir Cc Ch KK Ik AF Srb Kab Ca IR UA Cm TM Ui Ku Kön Kml
- 430. *Argyrospila succinea* (Esper, [1798])** (Noctuidae) **Synonym(s):** *succinea* Esper, [1798]; *maculata* Eversmann, 1842; *olivacea* A. Bang-Haas, 1910 **Range (in code):** RU Ro St Ur Cc AM TR KK Ik Ui Arc IR Elb Th Cm
- 431. *Armada panaceorum* (Ménétriés, 1849)** (Noctuidae) **Synonym(s):** *panaceorum* Ménétriés, 1849; *distincta* Rothschild, 1915.
Range (in code): Cn MR MA DZ Ah BSA Sfr Ear Onç TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd
Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da
- 432. *Athaumasta cortex* (Alpheraky, 1887)** (Noctuidae) **Synonym(s):** *cortex* Alpheraky, 1887; *corticula* Püngeler, 1901. **Range (in code):** Ui KK Skm Ax KG Tk Dj
- 433. *Athaumasta expressa* (Lederer, 1855)** (Noctuidae) **Synonym(s):** *expressa* Lederer, 1855; *ochracea* Staudinger, 1881 **Range (in code):** RU At KG Ssn Ui Kml MN
- 434. *Athaumasta golomto* Volynkin & Gyulai, 2018** (Noctuidae) **Synonym(s):** *golomto* Volynkin & Gyulai, 2018 **Range (in code):** MN Ui At
- 435. *Athetis correpta* (Püngeler, 1907)** (Noctuidae) **Synonym(s):** *correpta* Püngeler, 1907 **Range (in code):** Ui Um

- 436. *Athetis furvula* (Hübner,[1808])** (Noctuidae) Synonym(s): furvula Hübner,[1808]; dasychira Hübner,[1817]; lenta Treitschke,1825. Range (in code): IT CH? AT PL CZ SK HU RO YU BG TR RU Ro St Kb Ich Da Cc GG Tbl Lag AZ Kir Nv Ord AM Ui Ku KG Tk Dj JP
- 437. *Athetis lepigone* (Möschler,1860)** (Noctuidae) Synonym(s): lepigone Möschler,1860; nigrosignata Graeser,1889; banghaasi F.Wagner,1913; sounkeana Matsumura,1927; exquisita Bryk,1942 Range (in code): FR IT? AT CZ SK HU RO YU TR GG Smt Akh Lag Cc RU SR Ro Kr St Ich Kyi Da Krl SE FI IR KG Tk Dj MN CN Mc Lng Hph Shs Stg Hnn Ahw Kig Ui Kön JP Hkk
- 438. *Auchmis* (s.str.) *curva* (Staudinger,1889)** (Noctuidae) Synonym(s): curva Staudinger,1889; inquieta Püngeler,1914 Range (in code): KK Ik Ui Ga Au
- 439. *Auchmis* (s.str.) *detersina* (Staudinger,1897)** (Noctuidae) Synonym(s): detersina Staudinger,1897 Range (in code): Fe UZ Ui Ga Um AF Bd IN Ch Ld KK Ik Skm Ax TrA TeA Na KG Tk Dj TJ Pm Chr
- 440. *Auchmis* (s.str.) *incognita* L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): incognita L.Ronkay & Varga,1990 Range (in code): Ui Au PK Haz Kag
- 441. *Auchmis* (s.str.) *peterseni* (Christoph,1887)** (Noctuidae) Synonym(s): peterseni Christoph,1887 Range (in code): TM Kp IR Fa Mz Elb Dam Plr Gh Kdj Lo Sse Mia Gls Kh TR Cc KK Ik RU Sb At Ui Ku KG Tk Dj
- 442. *Autographa bractea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): bractea [Denis & Schiffermüller],1775; securis De Villiers,1789 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Kr St Kb Kc Nt Ing Ich Da MD UA BY GG Smt Bjo Bku Akh AZ Ui Arc Kg Tk Dj KK TeA TrA Ax T-A
- 443. *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): gamma Linnaeus,1758; messmeri Schadowald,1992; voelkeri Schadowald,1992. Range (in code): PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik Lvv TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24 SY Hal Ak Shf Ab Ar Gh Gls Kh Se Qz Zj Kd Km Lo By Bk Es Bu Ss MA DZ Blid Bsk Tlm Btina Orn Lbs Agi Hrh Abe Khh Ahr Hmk Ges Perr Bdj Ndr DhM TN BSA Sbd Tgr Hes Clo Ajj
- 444. *Autophila* (Cheiropheanes) *eremocharis* Boursin,1940** (Noctuidae) Synonym(s): eremocharis Boursin,1940 Range (in code): Ui Au Um
- 445. *Autophila* (Cheiropheanes) *gracilis* (Staudinger,1874)** (Noctuidae) Synonym(s): gracilis Staudinger,1874; coruscantis Swinhoe,1885 Range (in code): TM Krn AF Gbh Srb Pli IR Ss Men PK Bl Chm Ui Ga Au Ln Ga KG Tk Dj UZ Br
- 446. *Autophila* (Cheiropheanes) *maculifera* (Staudinger,1888)** (Noctuidae) Synonym(s): #maculifera Staudinger,1882 (in litt.); maculifera Staudinger,1888. Range (in code): Fe UZ Man Smk Al KG Tk Ui Khr
- 447. *Autophila* (Cheiropheanes) *myriospea* Boursin,1940** (Noctuidae) Synonym(s): myriospea Boursin,1940 Range (in code): CN Gn Ui Ti
- 448. *Autophila* (Cheiropheanes) *tancrei* Boursin,1940** (Noctuidae) Synonym(s): tancrei Boursin,1940 Range (in code): CN Ui Ln Au Ga Ts Kno T-S MN
- 449. *Autophila* (s.str.) *asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): asiatica Staudinger,1888; amseli Draudt,1936 Range (in code): GR AM TR RU Cc Ro St Nt Da IR Lo Hz Ss Fa Kz Yas Skh Gls Kh Fe IQ EG UZ KK Skm KG CN Ui Ku Au Shs
- 450. *Autophila* (s.str.) *dilucida* (Hübner,[1808])** (Noctuidae) Synonym(s): dilucida Hübner,[1808]; praeclara Schawerda,1918; argentea Caradja,1930; tronickei Reisser,1958. Range (in code): DZ Lbs BSA PT ES An Mlg Mu FR Co Sa Si IT MT CH AT RO YU B-H AL BG GR Cr CY TR Cc AZ Kir Nv Ord RU MD UA BY Ui Ku
- 451. *Autophila* (s.str.) *glebicolor* (Erschoff,1874)** (Noctuidae) Synonym(s): glebicolor Erschoff,1874 Range (in code): TM UZ Ui RU Am MN KK Ik
- 452. *Autophila* (s.str.) *hirsutula* (Alpheraky,[1894])** (Noctuidae) Synonym(s): hirsutula Alpheraky,[1894] Range (in code): Ui Ga
- 453. *Autophila* (s.str.) *lia* (Püngeler,1906)** (Noctuidae) Synonym(s): lia Püngeler,1906 Range (in code): CN Ui Au Kl KK TeA
- 454. *Autophila* (s.str.) *simplex* (Staudinger,1888)** (Noctuidae) Synonym(s): simplex Staudinger,1888 Range (in code): Ui Ga Kl Ku
- 455. *Autophila* (s.str.) *vespertalis* (Staudinger,1896)** (Noctuidae) Synonym(s): vespertalis Staudinger,1896 Range (in code): UZ Fe IR Elb MN Uli Ui Au
- 456. *Axylia putris* (Linnaeus,1761)** (Noctuidae) Synonym(s): putris Linnaeus,1761; subcorticalis Hufnagel,1766; pallium De Villiers,1789; lignosa Hübner,[1803]; mundipennis W.Warren,1912 Range (in code): MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Gh Mz Enz DK NO SE FI EE LV LT RU Cc GG Lag AZ Kir Ro Kr St Kc Kb Nt Ing Da Sb Am Us MD UA BY KG Tk CN Mc Ui Hun KP KR IN Hp Drm Kgr Up Nnt Mhh TH Cma CDo PK Haz Cte Swa Lvv Sgl Alp Kkar JP ID Sum Ja TW
- 457. *Brachylomia viminalis* (Fabricius,1777)** (Noctuidae) Synonym(s): viminalis Fabricius,1777; stricta Esper,[1789]; saliceti Borkhausen,1792; scripta Hübner,[1803]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo AM DK NO SE FI EE LV LT RU Ro Kb Kc Nt Ich Ing Da MD UA Lvv BY CN Ui
- 458. *Bryopolia chamaeleon* (Alpheraky,1887)** (Noctuidae) Synonym(s): chamaeleon Alpheraky,1887 Range (in code): Ui AF Adr KK
- 459. *Bryoxena centralasiae* (Staudinger,1882)** (Noctuidae) Synonym(s): centralasiae Staudinger,1882 Range (in code): MN KG Ssn KK TeA TrA Ax Ik T-A TJ Pm UZ Fe Ui Ju Kml Ch PK Thu Haz Kag Hu Nar Man
- 460. *Bryoxena tenuicornis* (Alpheraky,1887)** (Noctuidae) Synonym(s): tenuicornis Alpheraky,1887; extrita Hampson,1906; inextrita Püngeler,1914; #fuscior Strand,1915. Range (in code): Ui Ku Au UZ FeKK TeA Ax TrA Na
- 461. *Calamia tridens* (Hufnagel,1766)** (Noctuidae) Synonym(s): tridens Hufnagel,1766; virens Linnaeus,1767; immaculata Staudinger,1871. Range (in code): PT ES FR IT IE BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG Smt Akh Cc AM DK NO SE FI EE LV LT RU Ro Nt Ich Da At MD UA BY Ui Chk KK Ax
- 462. *Callistege mi* (Clerck,1759)** (Noctuidae) Synonym(s): #mi Clerck,1759; graminis Hufnagel,1766; albolineata Goeze,1781; litterata Cyrrilli,1787 nec Sc.,1763 Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da AZ AM GG Cc MD UA Lvv BY Ui Tlk IR Ab Oru
- 463. *Calophasia opalina* (Esper,[1796])** (Noctuidae) Synonym(s): casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stauder,1923. Range (in code): MA DZ Clo PT ES FR IT CH AT SK RO YU AL BG GR TR GG Lag Cc AM RU Ro Kr Ich Da MD UA BY IQ LB Bsa SA IR Fa Kh Elb Th Ui UZ Fe AF Hk KK Ik Skm KG TJ Pm MN
- 464. *Calophasia hohenwarthi* (Hochenwarth,1785)** (Noctuidae) Synonym(s): hohenwarthi Hochenwarth,1785; divergens Fabricius,1787; insignata Reuter,1893; tibetana Staudinger,1895; alaica Galvagni,1906; cuprina W.Warren,1913; hohenwarthi Hampson,1913; lapponaris Schulte,1952 Range (in code): FR IT DE CH AT NO SE FI RU Cc Da Kus Kr Nt MD UA BY AF Bd Anj CN Ui Kml Ti TJ Pm
- 465. *Caradrina* (Eremodrina) *belucha* Swinhoe,1885** (Noctuidae) Synonym(s): belucha Swinhoe,1885; conditorana Pinker,1980 Range (in code): AF PK Bl Qu SY Dms Pmy IQ Brs Mos IR Ab Fa Shr Km Ksh TR Cc TJ TM Kp UZ Ui Kl
- 466. *Caradrina* (Eremodrina) *expansa* (Alpheraky,1887)** (Noctuidae) Synonym(s): expansa Alpheraky,1887 Range (in code): TM Kp UZ Tas RU Or Ur Ui T-S

- 467. *Caradrina (Eremodrina) gyulaii* Hacker, 2004** (Noctuidae) **Synonym(s):** gyulaii Hacker, 2004; vargai Hacker, 2004 **Range (in code):** TM Rpt KG Aa UZ Ui
- 468. *Caradrina (Eremodrina) merzbacheri* Boursin, 1960** (Noctuidae) **Synonym(s):** merzbacheri Boursin, 1960 **Range (in code):** Ui T-S KG Aa TrA
- 469. *Caradrina (Eremodrina) turatii* (Boursin, 1936)** (Noctuidae) **Synonym(s):** turatii Boursin, 1936 **Range (in code):** Ui KI KK Skm Ik KG MN TM Kp IQ
- 470. *Caradrina (Eremodrina) turbulenta* (W. Warren, 1911)** (Noctuidae) **Synonym(s):** turbulenta W. Warren, 1911; umbratilis Draudt, 1933 **Range (in code):** TM K-A Ui KI Au KG TrA Aa Tk Nrk Na KK Ik
- 471. *Caradrina (Eremodrina) vicina* (Staudinger, 1870)** (Noctuidae) **Synonym(s):** vicina Staudinger, 1870; perspicua W. Warren, 1911 **Range (in code):** IT MT BG CY TR RU Sr Cc Da Der AM GG Lag TM Kp AF PK Bbu Hu TJ Pm IR Fa Kh KuB Elb Th Plr LB IL Pa Ui KG KK
- 472. *Caradrina (Paradrina) clavipalpis* (Scopoli, 1763)** (Noctuidae) **Synonym(s):** clavipalpis Scopoli, 1763; grisea Hufnagel, 1766; quadripunctata Fabricius, 1775; cubicularis [Denis & Schiffermüller], 1775; leucoptera Thunberg, 1791; milleri Schultz, 1862; avicula Krulikovsky, 1909; teidovolans Pinker, 1974; pinkeri Kobes, 1975 **Range (in code):** MA MR DZ TN EG PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG Uk SD SA IQ Agh Ry R wz Dia Brs Kum IR Fa Es Plr Dam Kdj AF Hk Hr Nu Bsg MN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa Lvv SY JO TJ UZ N-A Th Kd Bne Kz Yas Mia Mz Gls Kh GG Tbl Lag Da Der AZ Kir Nv Ord PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch Bsk Dja Blid Tlm Clo Agi Ges Abe Perr Sfr Bt na Dh m BSA Khh Sbd Ktr Hrh Mzg Hmk Onç Omy
- 473. *Caradrina (Paradrina) wulschlegeli* (Püngeler, 1903)** (Noctuidae) **Synonym(s):** wulschlegeli Püngeler, 1903 **Range (in code):** ES IT CH MK AL BG GR Cr TR Cc Ui IR Gls Kh RU At KG KK
- 474. *Caradrina (Platyperigea) albina* (Eversmann, 1848)** (Noctuidae) **Synonym(s):** albina Eversmann, 1848; congesta Lederer, 1853; tenera A. Bang-Haas, 1912 **Range (in code):** RO RU Kr St Kyi Sb Ro Ua Cm GR Cc AM TR IR Fa Kh KuB Mz Ha Dam Elb Km Th Gls Ui Ku Yk M-A MN PK Hu Gg AF Kab KK TeA TrA Ax T-A TJ Pm Chr UZ N-A TM Kp KG DsA Tk Sp
- 475. *Caradrina (Platyperigea) montana* (Bremer, 1861)** (Noctuidae) **Synonym(s):** montana Bremer, 1861; apatetica Püngeler, 1914; sachalinensis Matsumura, 1925; melancholica Draudt, 1934; kaolina Bryk, 1949 **Range (in code):** FR IT CH AT CZ SK GR DK TR Elb Th Maz Kdv Dam Kd Zj Kh TM Kp NO SE FI EE Cc GG AM AZ RU Kb Nt Ich Ing Da Am Us Vv Sh Sb Tv Ya Sj CN Ts Ui Alt KG Aa MN PK Ch Ld Gg Hu IN KK TJ Pm Chr CA US
- 476. *Caradrina (Platyperigea) terrea* (Freyer, [1840])** (Noctuidae) **Synonym(s):** terrea Freyer, [1840]; ustirena Boisduval, 1840 **Range (in code):** MA FR Sa Si IT CH AT CZ HU RO YU BG GR TR Cc AM Eri RU Sr Ro Kr St Nt Ing SY AF Kab Bd PK Kjb Bbu Hu Ti IR Kh KuB TJ Pm Chr TM Kp KG Tk Dj Ii Ui Um KK Ik Na Ax UZ
- 477. *Caradrina (Platyperigea) warneckei* (Boursin, 1936)** (Noctuidae) **Synonym(s):** warneckei Boursin, 1936 **Range (in code):** KG DsA Tk Dj Ii T-S KK Ik UZ TJ Pm Ui Au Ju TM Kp AF IR Elb Th Gls Kh
- 478. *Caradrina (s.str.) morpheus* (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** morpheus Hufnagel, 1766; pulla Beckwith, 1794 nec Esp., [1785]; sepii Hübner, [1803]; dresnawi D. Lucas, 1933; alpina Hartig, [1938] **Range (in code):** PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag AM Dar AZ Kir DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Da Kyi MD UA Lvv BY Ui Chk KI KG KK Na CA BCo
- 479. *Cardepiia helix* (Boursin, 1962)** (Noctuidae) **Synonym(s):** helix Boursin, 1962 **Range (in code):** RU Cc Kyi KG Aa Tk Ui IR Gls TM UZ KK UA TJ
- 480. *Cardepiia irrisor* (Erschoff, 1874)** (Noctuidae) **Synonym(s):** irrisor Erschoff, 1874; irrisoria Erschoff, 1874; albipicta Christoph, 1884 **Range (in code):** IQ Agh Bgd TM Kp Krn KG Tks Aa Tk RU Tv UA Ui Ku Au Bc UZ Fe Br TJ KK Ik Skm PK Nwf IR Ss Mz Gls MN
- 481. *Cardepiia rothei* Gyulai & Saldaitis, 2014** (Noctuidae) **Synonym(s):** rothei Gyulai & Saldaitis, 2014 **Range (in code):** Ui Ga Yk
- 482. *Catocala (s.str.) aestimabilis* Staudinger, 1892** (Noctuidae) **Synonym(s):** aestimabilis Staudinger, 1892 **Range (in code):** TM Ui Ga
- 483. *Catocala (s.str.) artobolevskiji* Sheljuzhko, 1943** (Noctuidae) **Synonym(s):** artobolevskiji Sheljuzhko, 1943 **Range (in code):** UZ KG Ui
- 484. *Catocala (s.str.) contemnenda* Staudinger, 1891** (Noctuidae) **Synonym(s):** contemnenda Staudinger, 1891 **Range (in code):** Ui Ga
- 485. *Catocala (s.str.) desiderata* Staudinger, 1888** (Noctuidae) **Synonym(s):** desiderata Staudinger, 1888 **Range (in code):** UZ Fe TJ Ui Ku
- 486. *Catocala (s.str.) elocata* (Esper, [1787])** (Noctuidae) **Synonym(s):** elocata Esper, [1787]; marita Hübner, [1813]; nurus Hübner, [1822]; gitana Mabilie, 1885 **Range (in code):** MA DZ TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Tbl Smt Bjo Az Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL HV SY IQ Bgd JHa JO Ui Ku Chk UZ Fe PK Swa Mdy Bt na Bdj Dh m Sfr Abe Clo Anna Orn
- 487. *Catocala (s.str.) fraxini* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** fraxini Linnaeus, 1758 **Range (in code):** ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr St Kc Ich MD UA Lvv BY Ui Chk Kun
- 488. *Catocala (s.str.) juncta* Staudinger, 1889** (Noctuidae) **Synonym(s):** juncta Staudinger, 1889 **Range (in code):** Ui Ku
- 489. *Catocala (s.str.) kusnezovi* Püngeler, 1914** (Noctuidae) **Synonym(s):** kusnezovi Püngeler, 1914 **Range (in code):** KG Bai Ui Ku
- 490. *Catocala (s.str.) neglecta* Staudinger, 1888** (Noctuidae) **Synonym(s):** neglecta Staudinger, 1888 **Range (in code):** KK Ik UZ Ui
- 491. *Catocala (s.str.) neonympha* (Esper, [1805])** (Noctuidae) **Synonym(s):** neonympha Esper, [1805] **Range (in code):** TR AZ Kir AM GG Cc RU Ro St Ich Da Der At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe Ui Ku Kön Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ab Oru Ha Km Kd Bne Mrv Snj Kaz Mia Fa Bk Qz IQ JHa Mos Sbn Mq Bsr kut Dy TH SY
- 492. *Catocala (s.str.) nupta* (Linnaeus, 1767)** (Noctuidae) **Synonym(s):** nupta Linnaeus, 1767; concubina Hübner, [1803] **Range (in code):** PT ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA Lvv BY CN Ui Ku Chk Gn Rth Sz Yu Ti RU Cc Ro Kr St Ich Ing Kyi At Am Vv Ask KG DsA KK Ik Ii JP
- 493. *Catocala (s.str.) optima* Staudinger, 1888** (Noctuidae) **Synonym(s):** optima Staudinger, 1888 **Range (in code):** KG Bai Tk Ui Ku IQ Bgd IR TR
- 494. *Catocala (s.str.) puerpera* (Giorna, 1791)** (Noctuidae) **Synonym(s):** puerpera Giorna, 1791; amasia Esper, [1804] nec Sm., 1797; pellex Hübner, [1809]; orientalis Staudinger, 1877; pudica Moore, 1879; rosea Austaut, 1884; pallida Alpheraky, 1887; romana Schultz, 1909; syriaca Schultz, 1909; tarbagata Schultz, 1909; centralasiae Sheljuzhko, 1943 nec Kuzn., 1903 **Range (in code):** MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR GG Smt Bjo Lag AZ Hkd Cc LB Bei RU MD BY Ld IN Tar Br TM Kp IL Pa SY JO EG Sn IQ IR Ab Qba Fa Km Elb Th Kd Snj Lo Kh Msh Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm Sfr Sbd KG Uk RU Or Ro Kr St Sr Dds Ur Cc UA UZ TJ Abe
- 495. *Catocala (s.str.) remissa* Staudinger, 1892** (Noctuidae) **Synonym(s):** remissa Staudinger, 1892 **Range (in code):** TM Kp Ui Ga KG Tk Dj KK Skm

- 496. *Catocala (s.str.) repudiata* Staudinger,1888** (Noctuidae) Synonym(s): repudiata Staudinger,1888 Range (in code): Ui Ku KK Ik KG Tk
- 497. *Catocala (s.str.) timur* A.Bang-Haas,1907** (Noctuidae) Synonym(s): timur A.Bang-Haas,1907 Range (in code): IR Ss TM Mrw CN Ui Ga
- 498. *Cerapteryx megala* (Alpheraky,1882)** (Noctuidae) Synonym(s): megala Alpheraky,1882. Range (in code): RU Cc Ich Ce8 Da Kus GG TR Ui Ku Arc Ju KK TrA
- 499. *Chazaria feildi* (Erschoff,1874)** (Noctuidae) Synonym(s): feildi Erschoff,1874 Range (in code): Ui H
- 500. *Chersotis (s.str.) andereggii* (Boisduval,[1837])** (Noctuidae) Synonym(s): andereggii Boisduval,[1837] Range (in code): FR IT CH GR FI EE RU TR IN Ld Ce AZ IR KK Ik T-S At Sj MN Ui Kml
- 501. *Chersotis (s.str.) capnistis* (Lederer,[1870])** (Noctuidae) Synonym(s): capnistis Lederer,[1870]; neara Püngeler,1902. Range (in code): GR RU Ur Or Gub TR Cc IR Zj Fa Ss Elb Th AF TM Mrw Ui IL Pa He
- 502. *Chersotis (s.str.) cuprea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): cuprea [Denis & Schiffermüller],1775; haematitidea Esper,[1794]; palustris Osthelder,1927; jordanovi Toulèschkov,1951. Range (in code): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FI EE LV LT RU Ro Kr Kb Ur Sr MD UA Cm BY CN Ui Kn? Ti Je Ch? JP
- 503. *Chersotis (s.str.) stridula* (Hampson,1903)** (Noctuidae) Synonym(s): stridula Hampson,1903 Range (in code): KG Tk Dj Ii DsA KK Ax Al Ik Osh T-S CN Ui Au Ku Ju Ts Kno UZ Fe Man MN U-B
- 504. *Chersotis (s.str.) transiens* (Staudinger,1897)** (Noctuidae) Synonym(s): transiens Staudinger,1897; altajensis Rezbanyai-Reser,1997; uralica Rezbanyai-Reser,1997 Range (in code): RU Ur Sb At Sr T-S Ir Irk No MN Uli U-B TM KG Tar Tk Dj Ii KK Ik TeA TrA Na UZ Fe CN Ui Ii T-S Ti Amd
- 505. *Chilodes megastigma* (Püngeler,1907)** (Noctuidae) Synonym(s): megastigma Püngeler,1907 Range (in code): Ui Ln
- 506. *Clytie (s.str.) delunaris* (Staudinger,1889)** (Noctuidae) Synonym(s): delunaris Staudinger,1889; luteonigra W.Warren,1913. Range (in code): AF IL Pa Dds IR Ahz Ma Qm Th Ss Fa TM Kp Ui Ku UZ Br TJ KG Aa Tk Dj KK Skm RU Cc Kr St Da
- 507. *Cornutiplusia circumflexa* (Linnaeus,1767)** (Noctuidae) Synonym(s): circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,1858; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005 Range (in code): Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMa Php MM GG AM AZ Cc Skh Sdt Ak Ar Gh GlS Kh Se Ha Kd Km By Bk Es Bu Ke Hz Ss Snj Lo Kaz Mia Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44 Smt Bjo Lag Dar Nv Ord Hal
- 508. *Cryphia (Bryoleuca) orthogramma* Boursin,1954** (Noctuidae) Synonym(s): orthogramma Boursin,1954; #radiata Boursin,1954 Range (in code): PL YU RU Or Ur Sb Prj Us MD UA BY TR CN Ui Ku Au Kml Stg KK TrA Feg TJ Pm Chr
- 509. *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; divisa Esper,1791; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; felina Eversmann,1852; oxybiensis Millière,1875; #striata Staudinger,1879; eretina Calberla,1888; raptriculoides Turati,1912; bryophiloides Rothschild,1914; #persica Strand,1915; cretica Reisser,1962 Range (in code): MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY Hal JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da Kir Bak Nv Ord Bne Mrv Kh Ges Agi Sfr Abe Sbd Blid Hrh
- 510. *Cryphia (Bryoleuca) rueckbeili* Boursin,1953** (Noctuidae) Synonym(s): rueckbeili Boursin,1953 Range (in code): KG Tk Ui Ku Au Kón AF Pag
- 511. *Ctenoceratoda graeseri* (Püngeler,1898)** (Noctuidae) Synonym(s): graeseri Püngeler,1898 Range (in code): Ui Ii Kml KK Skm
- 512. *Ctenoceratoda korghossi* (Alpheraky,1882)** (Noctuidae) Synonym(s): korghossi Alpheraky,1882 Range (in code): Ui Ku Khr KG Tk Dj
- 513. *Ctenoceratoda longicornis* Graeser,1892** (Noctuidae) Synonym(s): longicornis Graeser,1892 Range (in code): Ui Ga
- 514. *Ctenoceratoda lupa* (Christoph,1893)** (Noctuidae) Synonym(s): lupa Christoph,1893 Range (in code): Ui Au Alt KK Ax TJ Pm Chr
- 515. *Ctenoceratoda optima* (Alpheraky,1897)** (Noctuidae) Synonym(s): optima Alpheraky,1897 Range (in code): Ui Nsh Alt
- 516. *Ctenoceratoda stenocera* Varga & Gyulai,2002** (Noctuidae) Synonym(s): stenocera Varga & Gyulai,2002 Range (in code): Ui Cho Sdh
- 517. *Ctenoceratoda tancrei* (Graeser,1892)** (Noctuidae) Synonym(s): tancrei Graeser,1892 Range (in code): KG Tk Dj KK Ax Ik Skm Ui Ku
- 518. *Ctenoceratoda zetina* (Staudinger,1900)** (Noctuidae) Synonym(s): zetina Staudinger,1900; impia Püngeler,1905; desquamata Filipjev,1931 Range (in code): CN Ui T-S Au Ga Alt M-A Pm TJ Chr AF BdA KK TeA
- 519. *Cucullia (s.str.) aksuana* Boursin,1941** (Noctuidae) Synonym(s): #aksuana Draudt,1934; aksuana Boursin,1941 Range (in code): IN Ld CN Ui Au
- 520. *Cucullia (s.str.) amota* Alpheraky,1887** (Noctuidae) Synonym(s): amota Alpheraky,1887 Range (in code): KK Ik Ui Ii UZ Fe KG Uk Tk
- 521. *Cucullia (s.str.) argentina* (Fabricius,1787)** (Noctuidae) Synonym(s): argentina Fabricius,1787; grisescens F.Wagner,1931 nec Lch.,1900; anatoliensis Koçak,1980. Range (in code): DZ Sfr Btina Bsa Khk SK BG RU Ro St Kyi Da MD UA BY TR Cc IR Elb Th Dam Ab Oru Mak Fa Ss Kh Ui Khr Ku KG Tk Dj
- 522. *Cucullia (s.str.) asteris* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #asteris [Denis & Schiffermüller],1775 Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK TR Cc IR GlS NO SE FI EE LV LT RU Ro St Nt Ich Ing At Prj Us MD UA BY Ui KI MN U-B KG Tk Dj KK Ik TeA TrA Ax JP
- 523. *Cucullia (s.str.) biornata* Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): biornata Fischer v. Waldheim,1840; #lobnorica Draudt,1934 Range (in code): RO BG RU Cc Ro Kyi Da At Ui Ln Ii MN UZ Fe KK Ik KG Uk
- 524. *Cucullia (s.str.) boryphora* Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): boryphora Fischer & Waldheim,1840; lignata Guenée,1841; rimula Freyer,1842 Range (in code): DE SE FI RU Sr MD UA BY TR Cc IQ Kbl IR Ss Kh Ui AF Hr Srb TM KK Ik PK Cls IN Ld Ch LB
- 525. *Cucullia (s.str.) cineracea* Freyer,1841** (Noctuidae) Synonym(s): cineracea Freyer,1841 Range (in code): FR IT RU Ur Sb Ro Kb St Nt Ich Ing Da Tr Cc AF Slg PK Ch Gg Bbu Nar Haz Kjb TJ Pm Chr MN Uli Ui Ii KK TeA TrA Ax Ik IN Ld
- 526. *Cucullia (s.str.) defecta* Staudinger,1897** (Noctuidae) Synonym(s): defecta Staudinger,1897 Range (in code): RU Ui Ku
- 527. *Cucullia (s.str.) distinguenda* Staudinger,1892** (Noctuidae) Synonym(s): distinguenda Staudinger,1892 Range (in code): Ui Ii Tz Kno KK Ik TeA RU Am

- 528. *Cucullia* (s.str.) *dracunculi* (Hübner,[1813])** (Noctuidae) **Synonym(s):** dracunculi Hübner,[1813]; incana Eversmann,1842; anthemidis Guenée,1852; linoxyridis Fuchs,1903. **Range (in code):** ES FR Si IT DE AT SK HU RU Ro St Cc MD UA BY TR Ui Ku IR Kh Drg KG T-S Tk Dj KK TeA Ik
- 529. *Cucullia* (s.str.) *duplicata* Staudinger,1882** (Noctuidae) **Synonym(s):** duplicata Staudinger,1882 **Range (in code):** KK TeA KG DsA Lps Tk Dj MN CN Ts Kno Ui Ga Au IN Ld Ch PK Nar Haz Bbu Hu Gg
- 530. *Cucullia* (s.str.) *formosa* Rogenhofer,1860** (Noctuidae) **Synonym(s):** formosa Rogenhofer,1860 **Range (in code):** FR IT HU YU BG GR CN Ui Ts Kno
- 531. *Cucullia* (s.str.) *fraudatrix* Eversmann,1837** (Noctuidae) **Synonym(s):** fraudatrix Eversmann,1837; pontica Boisduval,1840. **Range (in code):** DE AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Kis Cc Ro St Kr Tt Or At Am Us MD UA Lvv BY Ui Ku KK Ik JP
- 532. *Cucullia* (s.str.) *generosa* Staudinger,1899** (Noctuidae) **Synonym(s):** generosa Staudinger,1899 **Range (in code):** KK Ik TeA Ui Ga
- 533. *Cucullia* (s.str.) *graeseri* Püngeler,1901** (Noctuidae) **Synonym(s):** graeseri Püngeler,1901 **Range (in code):** Ui Au
- 534. *Cucullia* (s.str.) *lampira* (Püngeler,1909)** (Noctuidae) **Synonym(s):** lampira Püngeler,1909 **Range (in code):** Ui Au
- 535. *Cucullia* (s.str.) *mixta* Freyer,1841** (Noctuidae) **Synonym(s):** mixta Freyer,1841; consors Eversmann,1846 **Range (in code):** HU BG RU Cc Ro Da Ur Sr TR IR AF KG Uk Tk Dj Ii KK Ik Ui
- 536. *Cucullia* (s.str.) *naruenensis* Staudinger,1879** (Noctuidae) **Synonym(s):** naruenensis Staudinger,1879; eumorpha Alpheraky,[1894]. **Range (in code):** RU Ao Ui Ga Au MN KK Ik KG Uk Tk Dj UZ
- 537. *Cucullia* (s.str.) *notodontina* Boursin,1934** (Noctuidae) **Synonym(s):** notodontina Boursin,1934 **Range (in code):** Ui Ku
- 538. *Cucullia* (s.str.) *retracta* Püngeler,1901** (Noctuidae) **Synonym(s):** retracta Püngeler,1901 **Range (in code):** CN Ui Au Ku Ts Kno Yu Sz Ch
- 539. *Cucullia* (s.str.) *splendida* (Stoll,1782)** (Noctuidae) **Synonym(s):** splendida Stoll,1782 **Range (in code):** RU Sr Ur Cc Ro At KG Uk CN Ui Ts Kno UZ N-A Fe MN Uli KK Ik TeA TrA Ax T-A PK Bbu Ch LN Ld
- 540. *Cucullia* (s.str.) *stigmatophora* Hampson,1894** (Noctuidae) **Synonym(s):** stigmatophora Hampson,1894 **Range (in code):** PK Haz Mre Ui Ku
- 541. *Cucullia* (s.str.) *sublutea* Graeser,1892** (Noctuidae) **Synonym(s):** sublutea Graeser,1892 **Range (in code):** Ui Ga MN
- 542. *Cucullia* (s.str.) *tanaceti* (Goeze,1781)** (Noctuidae) **Synonym(s):** tanaceti Goeze,1781; beata Rothschild,1920 **Range (in code):** MA DZ Sbd PT ES Mu FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Cc GG Tbl Smt Bjo Lag DK SE LV LT RU Ro Kr Da MD UA BY KG Ui KK Ik Ax UZ Fe IR Enz Elb Gl
- 543. *Cucullia* (s.str.) *tescorum* Püngeler,1909** (Noctuidae) **Synonym(s):** tescorum Püngeler,1909 **Range (in code):** Ui Alt
- 544. *Cucullia* (s.str.) *tristis* Boursin,1934** (Noctuidae) **Synonym(s):** tristis Boursin,1934; amoena Staudinger,1900. **Range (in code):** Ui Kl
- 545. *Cucullia* (s.str.) *turkestana* G.Ronkay & L.Ronkay,1987** (Noctuidae) **Synonym(s):** turkestana G.Ronkay & L.Ronkay,1987 **Range (in code):** Ui Au KK Ik AF Bd
- 546. *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** umbratica Linnaeus,1758; sonchi Heinemann,1859. **Range (in code):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Bku AZ AM Cc IR Elb Mz Clu Th Diz Dam DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da At MD UA Lvv BY Ui Ii Ga MN Uli KK Ik TeA KG Tk Dj
- 547. *Cucullia* (s.str.) *umbristriga* Alpheraky,1892** (Noctuidae) **Synonym(s):** umbristriga Alpheraky,1892 **Range (in code):** Ui Ga Au AF
- 548. *Cucullia* (s.str.) *vicina* A.Bang-Haas,1912** (Noctuidae) **Synonym(s):** vicina A.Bang-Haas,1912 **Range (in code):** Ui Ju KK TeA Ik Al
- 549. *Cucullia* (s.str.) *virgaureae* Boisduval,1840** (Noctuidae) **Synonym(s):** virgaureae Boisduval,1840 **Range (in code):** RU Cc Ro Kr Ui KK TeA
- 550. *Dasytopia* (Dasythorax) *anartina* (Püngeler,1901)** (Noctuidae) **Synonym(s):** anartinus Püngeler,1901 **Range (in code):** Ui Au
- 551. *Dasytopia* (Sinipolia) *acrophila* (Hampson,1906)** (Noctuidae) **Synonym(s):** acrophila Hampson,1906 **Range (in code):** IN Hp Roh Ld Kdg PK Hu Ch Ui Krm
- 552. *Dasytopia* (s.str.) *fani* Staudinger,1892** (Noctuidae) **Synonym(s):** fani Staudinger,1892; lama Staudinger,1896; asiatica Alpheraky,1897; ogasawarae Matsumura,931. **Range (in code):** RU Am Sb MN Ui Ti JP
- 553. *Dasytopia* (s.str.) *marijana* Benedek, Saldaitis & Babics,2014** (Noctuidae) **Synonym(s):** marijana Benedek, Saldaitis & Babics,2014 **Range (in code):** KG T-S Aa TrA Ui Ga
- 554. *Dasytopia* (s.str.) *templi* (Thunberg,1792)** (Noctuidae) **Synonym(s):** templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909. **Range (in code):** MA Ouk PT ES FR Si IT IE GB NL DE CH AT PL CZ SK RO YU BG GR TR GG Tbl AZ Kir Cc DK NO SE FI EE LV RU Ro Kb MD UA BY Ui TJ Pm Chr IR Elb Th Kdv Kld TM Kp Du
- 555. *Dasytopia* *glaux* Draudt,1934** (Noctuidae) **Synonym(s):** glaux Draudt,1934 **Range (in code):** Ui Au Ln
- 556. *Dasytopia* *tibetanum* (Staudinger,[1896])** (Noctuidae) **Synonym(s):** tibetanum Staudinger,[1896] **Range (in code):** CN Ui Ln Ts Kno
- 557. *Deltote* *bankiana* (Fabricius,1775)** (Noctuidae) **Synonym(s):** bankiana Fabricius,1775; olivana [Denis & Schiffermüller],1775; olivea Hübner,[1813]; amurula Staudinger,1892; albescens Draudt,1935; uniformis Draudt,1935. **Range (in code):** ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ro Kr Ich Da Sb Am Prj Us MD UA Lvv BY Ui Alt Au Ga Kl IR Elb Mz GG AZ AM Cc
- 558. *Diachrysa* *chrysis* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** chrysis Linnaeus,1758; aerifera Sowerby,1805; disjunctaurea Spuler,1907 **Range (in code):** DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb Am Us MD UA Lvv BY TM Ui Cc KK Ax
- 559. *Diarsia* *obuncula* (Hampson,1903)** (Noctuidae) **Synonym(s):** obuncula Hampson,1903; orphnina Püngeler,1906; mutila Corti & Draudt,1933. **Range (in code):** Ui Kl Au KG Tk TJ Pm Chr PK Kjb Ch Sri
- 560. *Dichagyris* (Albocosta) *flammatra* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** flammatra [Denis & Schiffermüller],1775; bimaculata Milliere,1885. **Range (in code):** MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL Pa SY JO Sn EG IQ Mos TIH DK RU At Sb MD UA BY Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rw Ti SI UZ N-A KK TrA Ro St Nt Kb Ich Ing Kyi Da Tbl Bjo Kir Lag Nv Ord Bak Len Gl Kh DZ Sfr Sbd Ges Psu Gg Sai
- 561. *Dichagyris* (Albocosta) *juldussi* (Alpheraky,1882)** (Noctuidae) **Synonym(s):** juldussi Alpheraky,1882 **Range (in code):** Ui Ju Ku UZ Fe KK Ik TeA TrA
- 562. *Dichagyris* (Albocosta) *musiva* (Hübner,[1803])** (Noctuidae) **Synonym(s):** musiva Hübner,[1803] **Range (in code):** ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc RU Kr Ich Ing Da MD UA BY Ui Chk MN KK TrA

- 563. *Dichagyris (Albocosta) musivula* (Staudinger,[1896])** (Noctuidae) Synonym(s): *musivula* Staudinger,[1896] Range (in code): CN Ui Ts Kno Ln
- 564. *Dichagyris (Albocosta) stentzi* (Lederer,1853)** (Noctuidae) Synonym(s): *stentzi* Lederer,1853; *triangularis* Moore,1867; *stentsi* Hampson,1903; *albicosta* W.Warren,1912; *rufata* W.Warren,1912 Range (in code): RU Sb Am Us JP KK Ax KG Tk CN Ui Ii Ti Amd UZ Fe Ch IN Hp Kul Sml Drm Dlh JP PK Haz Mre Thu Si Djl Up Bhi Mhh Nnt Kil MN
- 565. *Dichagyris (Yigoga) exacta* (Staudinger,1888)** (Noctuidae) Synonym(s): *exacta* Staudinger,1888 Range (in code): KK Ik Ui Ii
- 566. *Dichagyris (Yigoga) glaucescens* (Christoph,1887)** (Noctuidae) Synonym(s): *glaucescens* Christoph,1887 Range (in code): TM Kp Ui Ii
- 567. *Dichagyris (Yigoga) orientis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. Range (in code): RO YU RU Ro Kyi TR Cc GG Tbl Da Der Nv Ord AZ AM Eri IQ Agh Ui Ku Ii UZ TM IR Elb Th Kdj Es Ha Kh KG Tk KK Skm
- 568. *Dichagyris (Yigoga) perturbans* (Boursin,1948)** (Noctuidae) Synonym(s): *perturbans* Boursin,1948 Range (in code): KG Ui Au KK Ik TrA TJ AF
- 569. *Dichagyris (Yigoga) truculenta* (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853 Range (in code): RU KG At TJ Pm Chr TR SY IL Pa He LB Bsa IR Fa Ss Kh Bl Elb Dam Kdj Th Kz Yas Lo KuB Ui
- 570. *Dichagyris (s.str.) clara* (Staudinger,1888)** (Noctuidae) Synonym(s): *clara* Staudinger,1888 Range (in code): KG Tk KK Ik Ui Um MN
- 571. *Dichagyris (s.str.) despecta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *despecta* Corti & Draudt,1933 Range (in code): AF Adr TJ Pm Chr KK Ui Au
- 572. *Dichagyris (s.str.) multicuspis* (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issykula* Hampson,1903 Range (in code): RU Ur KG IR Kh TM Krn Cc AM TR KK Ik Ui Kl MN AF Hr Arh UZ N-A
- 573. *Dichagyris (s.str.) pudica* (Staudinger,1896)** (Noctuidae) Synonym(s): *pudica* Staudinger,1896 Range (in code): Ui Ii MN Uli KK Ik Skm TJ Pm Chr AF Hk
- 574. *Dichagyris (s.str.) stellans* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *stellans* Corti & Draudt,1933; *eremopsis* Boursin,1948 Range (in code): Ui Au Kl KK Ik KG Tk
- 575. *Dichagyris (s.str.) umbrifera* (Alpheraky,1882)** (Noctuidae) Synonym(s): *umbrifera* Alpheraky,1882 Range (in code): UZ Fe N-A KG Tk Dj KK Ax Ik Skm Ui Ku Tek Kl Ga MN Uli
- 576. *Dichagyris (s.str.) verecunda* (Püngeler,1898)** (Noctuidae) Synonym(s): *verecunda* Püngeler,1898 Range (in code): KG Tk KK Ik TeA Ui Au Kl AF Bd TJ Pm MN
- 577. *Drasteria aberrans* (Staudinger,1888)** (Noctuidae) Synonym(s): *aberrans* Staudinger,1888; *#arerrans* Lehmann, Hacker et al.,1998 Range (in code): Ui Ku Ga KK Ik KG Tk Dj Aa
- 578. *Drasteria altivaga* (Alpheraky,[1894])** (Noctuidae) Synonym(s): *altivaga* Alpheraky,[1894] Range (in code): Ui Ga
- 579. *Drasteria antiqua* (Staudinger,1889)** (Noctuidae) Synonym(s): *antiqua* Staudinger,1889 Range (in code): MN KK Ik Ui Kml Ga Ln KG Aa Tk Dj
- 580. *Drasteria axuana* (Püngeler,1907)** (Noctuidae) Synonym(s): *axuana* Püngeler,1907; *fumiluna* Wiltshire,1969. Range (in code): MN Ui Au Ln
- 581. *Drasteria cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857 Range (in code): MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rwx Brs RU Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dam Kz Skh Yas Sqk Kd Snj Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE Ab Sdt Kd Snj Bjr Zj Bne Mrv DZ BSA Ktr Orn Bsk Onç TN Gf
- 582. *Drasteria catocalis* (Staudinger,1882)** (Noctuidae) Synonym(s): *catocalis* Staudinger,1882; *grumi* Alpheraky,1889; *reducta* Fernandez,1932 Range (in code): KG Ssn Lps UZ Fe Smk Ui Ii Kl KK Na Ik TeA TJ Pm
- 583. *Drasteria caucasica* (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903. Range (in code): RO AZ Kir Hkd Nv Ord Bak GG Smt Akh AM Cc RU To Ro Kr Ich Kyi Da TR IR Fa Ha Elb Th Kdj UZ Fe Man Nmg Ui Khr Ku Au KK Ik Osh Skm KG DsA Uk Tk Dj Aa AF Hr Srb Blh Pli Bd Bark TJ Pm Chr
- 584. *Drasteria chinensis* (Alpheraky,1892)** (Noctuidae) Synonym(s): *chinensis* Alpheraky,1892 Range (in code): CN Gn Ui Ga MN KG Tk Dj Aa
- 585. *Drasteria flexuosa* (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881. Range (in code): RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Kh Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Sdt Mrd Kd Snj Ariz Bjr Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Dj Aa KK Ik Ui Ku Kl Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br
- 586. *Drasteria herzi* (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895 Range (in code): TR Cc RU Da AM AZ Kir Nv Ord IL Pa JO EG Sn IR Kh TM Kp KK Ax Skm Ui KG Tk Dj
- 587. *Drasteria hyblaeoides* (Moore,1878)** (Noctuidae) Synonym(s): *hyblaeoides* Moore,1878 Range (in code): Ui Ga Yk Au KK Ax TJ Pm PK Gg Hu Sst
- 588. *Drasteria obscurata* (Staudinger,1882)** (Noctuidae) Synonym(s): *obscurata* Staudinger,1882 Range (in code): KG Tar Ssn Lps Tk Dj KK Ik TeA TrA Ax Na T-A UZ Fe Ax Man Ui Ii Pm
- 589. *Drasteria picta* (Christoph,1877)** (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901. Range (in code): RU Cc Da TR TM Kp Krn Ui Khr Ku Ln AZ Kir Nv Ord UZ Fe Nmg Smk Br IR Men KG Tk Dj
- 590. *Drasteria rada* (Boisduval,1848)** (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851. Range (in code): RU TR UA Ui Ku Tlk Kl KK Skm Ik KG Uk Tu Tk Dj AZ Nv Ord Kir Hkd Cc IR Ab Ak Shf Mrd Khy AM
- 591. *Drasteria saisani* (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910. Range (in code): RU Da KG Tar Ssn Tk Dk TR IR Kh KuB Elb Th Diz Dam Plr KK Ik T-A Feg Skm Ui Ii AF Nu Bsg AZ Kir Nv Ord Cc TM Kp UZ N-A
- 592. *Drasteria scolopax* (Alpheraky,1892)** (Noctuidae) Synonym(s): *scolopax* Alpheraky,1892 Range (in code): CN Gn Alt Ui
- 593. *Drasteria sesquilina* (Staudinger,1888)** (Noctuidae) Synonym(s): *sesquilina* Staudinger,1888; *sequax* Staudinger,1901. Range (in code): TR TM UZ Fe Smk Nmg N-A Al KK TeA Ax TrA T-S Ui Au Kml
- 594. *Drasteria sesquistria* (Eversmann,1854)** (Noctuidae) Synonym(s): *sesquistria* Eversmann,1854 Range (in code): RU TR KG Tk Dj UZ Br TM Kp AF TJ Pm MN Ui Au Cc AZ Nv Ord
- 595. *Dysmilichia bicyclica* (Staudinger,1888)** (Noctuidae) Synonym(s): *bicyclica* Staudinger,1888 Range (in code): IR Fa Ss Ke Elb Th Kdj IQ Dy Ui Ku KG Tk Dj Aa TrA KK Skm Na
- 596. *Egira conspicillaris* (Linnaeus,1758)** (Noctuidae) Synonym(s): *conspicillaris* Linnaeus,1758 Range (in code): MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU De Bw CH AT PL CZ SK HU RO YU TR GR EE RU GG Tbl Smt Bjo Cc Ro Kr Da Sb MD UA Lvv BY Ui Ku

- 597. *Enargia staudingeri* (Alpheraky, 1882)** (Noctuidae) **Synonym(s):** *staudingeri* Alpheraky, 1882 **Range (in code):** Ui Kun KK Ik
- 598. *Eremobia decipiens* (Alpheraky, 1895)** (Noctuidae) **Synonym(s):** *decipiens* Alpheraky, 1895 **Range (in code):** MN RU Sj Sb Ui Kl
- 599. *Eremohadena (Iberihadena) immunis* (Staudinger, 1889)** (Noctuidae) **Synonym(s):** *immunis* Staudinger, 1889 **Range (in code):** KK Ik RU Sck Da Ce Ui Ga T-S Kml IR Gls Kh
- 600. *Eremohadena (s.str.) adscripta* (Püngeler, 1914)** (Noctuidae) **Synonym(s):** *adscripta* Püngeler, 1914 **Range (in code):** Ui Au Kml Ga
- 601. *Eremohadena (s.str.) chenopodiphaga* (Rambur, 1832)** (Noctuidae) **Synonym(s):** *chenopodiphaga* Rambur, 1832; *erubescens* Staudinger, 1901; *roseotincta* Turati, 1929 **Range (in code):** MA DZ Hes Ges Tou Sfr BSa Khh Gle Bsk TN LY PT ES FR Co Si IT TR CY Ce GG Tbl Mng AM LB Bsa SY IR Th Fa IQ TM UZ Ui
- 602. *Eremohadena (s.str.) coluteae* (Bienert, 1869)** (Noctuidae) **Synonym(s):** *coluteae* Bienert, 1869; *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937 **Range (in code):** TM Kp IR Th Kdj Elb Ma Hz B-A Cc Gls Kh AZ Nv SY Dms Ui Kl
- 603. *Eremohadena (s.str.) oxybela* (Boursin, 1963)** (Noctuidae) **Synonym(s):** *oxybela* Boursin, 1963 **Range (in code):** Ui Ku
- 604. *Eremohadena (s.str.) pexa* (Staudinger, 1889)** (Noctuidae) **Synonym(s):** *pexa* Staudinger, 1889 **Range (in code):** KK Ik Ui Ga
- 605. *Eremohadena catalampra* L. Ronkay, Varga & Gyulai, 2002** (Noctuidae) **Synonym(s):** *catalampra* L. Ronkay, Varga & Gyulai, 2002 **Range (in code):** Ui
- 606. *Erythrophaea eudoxia* Staudinger, 1892** (Noctuidae) **Synonym(s):** *eudoxia* Staudinger, 1892 **Range (in code):** Ui Ga Kun
- 607. *Erythrophaea suavis* (Staudinger, 1888)** (Noctuidae) **Synonym(s):** *suavis* Staudinger, 1888 **Range (in code):** Ui Ku KG Tk Dj Aa UZ Fe Man
- 608. *Eublemma (Glossodice) ephimerum* Hampson, 1910** (Noctuidae) **Synonym(s):** *ephimera* Hampson, 1910 **Range (in code):** Ui
- 609. *Eublemma (Glossodice) gratiosum* (Eversmann, 1854)** (Noctuidae) **Synonym(s):** *gratiosa* Eversmann, 1854; *epigramma* Staudinger, 1889. **Range (in code):** RU KG KK Ik Ui Ku
- 610. *Eublemma (debilis-gr.) chamilum* (Draudt, 1936)** (Noctuidae) **Synonym(s):** *chamila* Draudt, 1936 **Range (in code):** Ui
- 611. *Eublemma (pallidula-gr.) leucanides* (Staudinger, 1889)** (Noctuidae) **Synonym(s):** *leucanides* Staudinger, 1889 **Range (in code):** KK Ik Ui Ga
- 612. *Eublemma (pallidula-gr.) pallidulum* (Herrich-Schäffer, 1856)** (Noctuidae) **Synonym(s):** *pallidula* Herrich-Schäffer, 1856 **Range (in code):** DZ Ath Gle Omy RU Ro TR Ce AZ Nv Ord BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na Ui Ii LB Bsa SA AF PK Gg Jug NG
- 613. *Eublemma (rosina-gr.) purpurinum* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *purpurina* [Denis & Schiffermüller], 1775; *secunda* Staudinger, 1901. **Range (in code):** DZ DhM Lbs TN Khh PT ES Mu FR Si IT CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Mz Th FI RU GG Smt Bjo Lag AZ Kir Nv Ord Ce Ro Kr St Ich Da Kyi MD UA BY Ui Ku
- 614. *Euchalcia herrichi* Staudinger, 1861** (Noctuidae) **Synonym(s):** *herrichi* Staudinger, 1861 **Range (in code):** Ce GG KG Ssn Lps Tk Aa Ui Ku T-S KK Ik Ax TeA
- 615. *Euclidia glyphica* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** *glyphica* Linnaeus, 1758; *pratensis* Müller, 1764 **Range (in code):** PT ES FR Co Si IT IE GB BENL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR TR AZ Len AM GG Lag Smt Bjo Ce IR Gls DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA Lvv BY Ui Ku
- 616. *Eugnorisma (s.str.) eminens* (Lederer, 1855)** (Noctuidae) **Synonym(s):** *eminens* Lederer, 1855; *excellens* Staudinger, 1867 **Range (in code):** Ce GG AM TR IR Elb Th Kh KuB Dam Mz KG At AF RU Sb Ssn KK Ik Ui Ii UZ TJ Pm Chr PK Psu IN
- 617. *Eugnorisma (s.str.) trigonica* (Alpheraky, 1882)** (Noctuidae) **Synonym(s):** *trigonica* Alpheraky, 1882; *capnoptera* Püngeler, 1898 **Range (in code):** Ui Ku Tek Chk Kön KK Ik Skm Ax TrA TJ Pm Chr
- 618. *Eugraphe suavis* (Staudinger, [1896])** (Noctuidae) **Synonym(s):** *suavis* Staudinger, [1896] **Range (in code):** Ui Kl MN Uli KK TeA TrA Na
- 619. *Euxoa (Chorisagrotis) adumbrata* (Eversmann, 1842)** (Noctuidae) **Synonym(s):** *adumbrata* Eversmann, 1842; *norwegica* Staudinger, 1861; *polygonides* Staudinger, 1874; *inexpectata* Alpheraky, 1897; *variegata* Wagner, 1913; *melania* Nagano, 1918; *arenacea* Kozhantshikov, 1923; *expugnata* Corti, 1932; *pamiricola* Kozhantshikov, 1937; *friedeli* Pinker, 1980 **Range (in code):** RU Ur Da Ce KG Tk Dj Ui Alt Au Pm Chr TJ TR MN IR Elb Th KK TeA TrA PK Bbu Gg Psu
- 620. *Euxoa (Chorisagrotis) flavogrisea* Corti, 1932** (Noctuidae) **Synonym(s):** *flavogrisea* Corti, 1932 **Range (in code):** Ui Cho Au
- 621. *Euxoa (Orosagrotis) minimoides* Corti, 1932** (Noctuidae) **Synonym(s):** *minimoides* Corti, 1932 **Range (in code):** Ui
- 622. *Euxoa (Orosagrotis) opportuna* Corti, 1932** (Noctuidae) **Synonym(s):** *opportuna* Corti, 1932 **Range (in code):** Ui Krk Cho
- 623. *Euxoa (Orosagrotis) rasilis* Corti, 1932** (Noctuidae) **Synonym(s):** *rasilis* Corti, 1932 **Range (in code):** Ui Au
- 624. *Euxoa (Orosagrotis) subconspicua* (Staudinger, 1888)** (Noctuidae) **Synonym(s):** *subconspicua* Staudinger, 1888; *divulsa* Corti, 1932; *subvaria* Corti, 1932. **Range (in code):** MN Uli KK Ik Ui Alt Au
- 625. *Euxoa (Orosagrotis) tristis* (Staudinger, 1898)** (Noctuidae) **Synonym(s):** *varia* Alpheraky, 1889 *nec* Walk., 1865; *tristis* Staudinger, 1898; *deficiens* Wagner, 1913; *distracta* Corti, 1932; *opportuna* Corti, 1932. **Range (in code):** RU Sr Sb TM MN KK KG Tk Dj CN Ui Kl Ii Ga Cho Ti Ts
- 626. *Euxoa (s.str.) basigramma* (Staudinger, 1870)** (Noctuidae) **Synonym(s):** *basigramma* Staudinger, 1870 **Range (in code):** RU Ce Da Sr Ku Ui Ii Kml IR Elb Th Fa AF TR MN
- 627. *Euxoa (s.str.) birivia* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *birivia* [Denis & Schiffermüller], 1775; *honnoratina* Donzel, 1837; *cuprina* Staudinger, 1900; *sudeticola* Skala, 1929; *caucasica* Spuler, 1908; *flavisignata* Corti, 1932. **Range (in code):** FR IT DE CH AT PL CZ SK HU RO YU TR IR Ce AM GG Smt Bjo RU St Kb Nt Ich Ing Da MD UA BY Ui Ii Kl Au KK Na Ik
- 628. *Euxoa (s.str.) catervaria* Corti, 1929** (Noctuidae) **Synonym(s):** *catervaria* Corti, 1929 **Range (in code):** CN Ui Kl Ts Kno KK Ax
- 629. *Euxoa (s.str.) conspicua* (Hübner, [1824])** (Noctuidae) **Synonym(s):** *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *lycarum* Herrich-Schäffer, 1846; *abditata* De Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931. **Range (in code):** PT ES FR Co IT RO YU BG GR TR Arr GG Akh Smt Bjo Tbl Lag Ce AZ Kir Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Tks Ssn Na Tk Dj KK TrA UZ IR Ab Ak Mz Th Kd Ha Fa Ss Kh Ke Ha Mz Enz Ui Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sb SY CY Nv Ord Da Der Kus Oru Khy Mar Gls Bbu Sai Nar
- 630. *Euxoa (s.str.) cuprina* (Staudinger, 1900)** (Noctuidae) **Synonym(s):** *cuprina* Staudinger, 1900 **Range (in code):** Ui Kl KK
- 631. *Euxoa (s.str.) fissa* (Staudinger, 1895)** (Noctuidae) **Synonym(s):** *fissa* Staudinger, 1895 **Range (in code):** MN Ui
- 632. *Euxoa (s.str.) flavisignata* Corti, 1932** (Noctuidae) **Synonym(s):** *flavisignata* Corti, 1932 **Range (in code):** KK Ik Ui Au

- 633. Euxoa (s.str.) homicida (Staudinger, 1900)** (Noctuidae) Synonym(s): homicida Staudinger, 1900; #homicia Hacker & Kautt, 1999. Range (in code): IT SI RO GR Cr TR Cc IR Kh Fa Ke Ha Ss Elb Kdv Dam Kdj Kd Lo Hz Th Mz GlS TM Kp AF Hr Gbh Arh Srb PK KK Ax CN Ui Kl Kno Ts KG Tk TrA TJ Pm
- 634. Euxoa (s.str.) inexpectata Alpheraky, 1897** (Noctuidae) Synonym(s): inexpectata Alpheraky, 1897; expugnata Corti, 1932. Range (in code): Ui Alt Au RU
- 635. Euxoa (s.str.) moechilla Püngeler, 1906** (Noctuidae) Synonym(s): moechilla Püngeler, 1906 Range (in code): Ui Au
- 636. Euxoa (s.str.) mustelina (Christoph, 1877)** (Noctuidae) Synonym(s): mustelina Christoph, 1877 Range (in code): AM Cc TR IR Shh Kh Qz Elb Th Dam TM RU At Sb KK Ik TeA TrA KG Ssn Mk Tk TJ Pm Ui Ii M-A MN PK Gg Psu Bbu Nar
- 637. Euxoa (s.str.) nigrofusca (Esper, [1788])** (Noctuidae) Synonym(s): tritici sensu auct. nec Linn., 1761; nigrofusca Esper, [1788]; praticola Borkhausen, 1792; domestica Fabricius, 1794; pupillata Haworth, 1803; venosus Haworth, 1803; pusillus Haworth, 1803; lineolata Haworth, 1809; sordida Haworth, 1809; albilinea Haworth, 1809; hortorum Stephens, 1829; cuneigera Stephens, 1829; nigrina Staudinger, 1867; pygmaea Hampson, 1903; privigna Püngeler, 1906; fumosoides Culot, 1909 Range (in code): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU At MD UA BY Ui Chk Alt
- 638. Euxoa (s.str.) ochrogaster (Guenée, 1852)** (Noctuidae) Synonym(s): ochrogaster Guenée, 1852 Range (in code): US IS SE FI EE LV LT RU BY UA MD AF IR TR RU Cc Ich Kr Da Ur Sb UZ Man KG Mn Ssn Ui Alt Au Yk Ax KK Ti TeA TrA MN Pm TJ Chr PK Kjb Nar Psu Gg Bbu
- 639. Euxoa (s.str.) plumbina (F. Wagner, 1913)** (Noctuidae) Synonym(s): plumbina F. Wagner, 1913 Range (in code): KG Tk Dj Ii Ui KK Ik TrA TJ Pm
- 640. Euxoa (s.str.) rebeli (Wagner, 1913)** (Noctuidae) Synonym(s): rebeli Wagner, 1913 Range (in code): Ui ti KG Tk Dj
- 641. Euxoa (s.str.) recussa (Hübner, [1817])** (Noctuidae) Synonym(s): recussa Hübner, [1817]; telifera Donzel, 1837; transsylvania Herrich-Schäffer, [1851]; florigera Eversmann, 1856; latebrosa Corti, 1931. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU TR Cc DK NO SE FI EE LV LT RU St Kb Ich Da At Sb Am MD UA BY KG DsA KK Ik Ax Ui Ii Ju
- 642. Euxoa (s.str.) sublata Corti, 1931** (Noctuidae) Synonym(s): sublata Corti, 1931 Range (in code): Ui Alt Au KK Ax
- 643. Euxoa (s.str.) tritici (Linnaeus, 1761)** (Noctuidae) Synonym(s): tritici Linnaeus, 1761 Range (in code): DZ Mii PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo AZ Kir Ro Kr St Ing Da MD UA BY KK TrA Ui Chk Alt Kml
- 644. Euxoa (s.str.) uigurica Gyulai, Ronkay & Varga, 2001** (Noctuidae) Synonym(s): uigurica Gyulai, Ronkay & Varga, 2001 Range (in code): Ui Kml
- 645. Euxoa (s.str.) viguraea (Hampson, 1903)** (Noctuidae) Synonym(s): viguraea Hampson, 1903 Range (in code): Ui Au
- 646. Euxoa (s.str.) waltharii (Corti, 1931)** (Noctuidae) Synonym(s): waltharii Corti, 1931 Range (in code): KK Ui Ku Tk KG IR
- 647. Fabula zollikoferi (Freyer, 1836)** (Noctuidae) Synonym(s): zollikoferi Freyer, 1836; internigrata W. Warren, 1911 Range (in code): IT IS GB NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Cc Ro St Ich Ur At MD UA BY TM KG Ui Ga Kl Sb
- 648. Gonospileia munita (Hübner, [1813])** (Noctuidae) Synonym(s): munita Hübner, [1813]; angulosa Eversmann, 1832. Range (in code): RU Or TR Cc Ui Ku KG Tk Dj Aa MN TM UZ Fe
- 649. Gortyna (Cervyna) cervago Eversmann, 1844** (Noctuidae) Synonym(s): cervago Eversmann, 1844; #argillago Draudt, 1936. Range (in code): RO RU Ro St Ich Da Ur UA TR Cc AM AZ TM Ui AF IR Elb Th Kdv UZ
- 650. Gyrohypsoma sterrha Staudinger, 1888** (Noctuidae) Synonym(s): sterrha Staudinger, 1888 Range (in code): UZ Fe Ui Ku
- 651. Hada plebeja (Linnaeus, 1761)** (Noctuidae) Synonym(s): plebeja Linnaeus, 1761; nana Hufnagel, 1766; dentina [Denis & Schiffermüller], 1775; leucostigma Haworth, 1809; odontites Boisduval, 1829; latenai Pierret, 1837; hilaris Zetterstedt, [1839]; reducta Rebel & Zerny, [1932]; littoralis Schawerda, 1938; gredensis Schawerda, 1938; nevadensis Schawerda, 1938; hawelkae Schawerda, 1938 Range (in code): PT ES FR Co Sa? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da Sb At MD UA Lvv BY UZ TJ Ui Ga MN Ti Kno U-B Ts Ch Gs KK Ik
- 652. Hadenia (Anepia) corrupta (Herz, 1898)** (Noctuidae) Synonym(s): corrupta Herz, 1898; subviolacea Matsumura, 1925; siculimima Bryk, 1949. Range (in code): RU At Prj Us TJ Pm KP KR CN Mc Gn Ui? Ii Ts Kno Yu MN
- 653. Hadenia (Anepia) eximia (Staudinger, 1896)** (Noctuidae) Synonym(s): eximia Staudinger, 1896 Range (in code): CN Ui Ln Ts Kno Gn Yu IN Pj Kul NP
- 654. Hadenia (Anepia) irregularis (Hufnagel, 1766)** (Noctuidae) Synonym(s): irregularis Hufnagel, 1766; echii Borkhausen, 1792; syngenesiae Borkhausen, 1793; brecciaeformis Esper, [1805]. Range (in code): ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG SE FI LV LT RU Cc Ro Kyi Da MD UA BY TR Ui Ku KG Tk KK Ik
- 655. Hadenia (Anepia) perplexa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): perplexa [Denis & Schiffermüller], 1775; lepida Esper, [1790] nec Cr., [1779]; carpophaga Brahm, 1791; ochracea Haworth, 1809; capsophila Boisduval, 1840; nisis Germar, [1842]; repanda Herrich-Schäffer, [1850]; atlas A.E. Prout, 1929; sicula Draudt, 1933 Range (in code): MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Tr DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb Kh Ui Ku TJ Pm Tk AF Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY Kir Lag Nv Ord Khy BSA Sbd Ahr Hrh Btina Khh Ges Abe
- 656. Hadenia (Anepia) strouhali Boursin, 1955** (Noctuidae) Synonym(s): strouhali Boursin, 1955 Range (in code): KK TrA Na KG Tk Nrk Ui Ku Kl Au MN TJ Pm Chr TM Mrw
- 657. Hadenia (Enterpia) picturata (Alpheraky, 1882)** (Noctuidae) Synonym(s): picturata Alpheraky, 1882 Range (in code): RU Da Kyi Cc IR By Ke Fa Yz Es Zj Ui Tek UZ KK Ik KG Uk Tk Aa AF Kbb Kab PK Asr
- 658. Hadenia (s.str.) aureomixta (Draudt, 1934)** (Noctuidae) Synonym(s): aureomixta Draudt, 1934 Range (in code): KK Ik UZ Fe KG Ui Au AF TJ Pm PK Bl Qu
- 659. Hadenia (s.str.) bactriana Hacker, 1996** (Noctuidae) Synonym(s): bactriana Hacker, 1996 Range (in code): TM AF UZ TJ KK Ui Au IR Kh Fa Yz
- 660. Hadenia (s.str.) cailinita (Draudt, 1934)** (Noctuidae) Synonym(s): cailinita Draudt, 1934 Range (in code): KK Ik KG Aa Ui Au
- 661. Hadenia (s.str.) confusa (Hufnagel, 1766)** (Noctuidae) Synonym(s): confusa Hufnagel, 1766; conspersa [Denis & Schiffermüller], 1775; nana Rottentburg, 1776 nec Hufnagel, 1766; annulata Fabricius, 1781; x-scriptum Sowerby, 1806; fasciata Tutt, 1902; suffusa Tutt, 1902; intermedia Tutt, 1902. Range (in code): MA DZ Agi Hmk Hrh Dze Ges Abe TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Sb At Prj Us MD UA Lvv BY Cc GG Lag AM AZ IR Mz KK Ik TrA Ax Na KG Tk Aa CN Ui Ju Ti MN Uli U-B
- 662. Hadenia (s.str.) filigrana (Esper, [1788])** (Noctuidae) Synonym(s): filigrana Esper, [1788]; filigrama auct.; polymita Hübner, [1803]; xanthocyanea Hübner, [1819]; flavivibica Hübner, [1821]. Range (in code): MA PT ES FR Co Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU St Nt Ur Sb At MD UA BY KG Ssn DsA KK Ik Cc AM GG Aba Smt Bjo Tbl UZ Fe Ui Ii
- 663. Hadenia (s.str.) intensa (Boursin, 1962)** (Noctuidae) Synonym(s): #intensa W. Warren, 1910; intensa Boursin, 1962 Range (in code): KK Ax TrA KG Ssn Ui Kml Au TJ Pm
- 664. Hadenia (s.str.) variolata (Smith, 1888)** (Noctuidae) Synonym(s): variolata Smith, 1888. Range (in code): US KP KR MN RU CN Ui Ts Kno Gn KK KG Tk JP

- 665. *Haderonia arshanica* (Alpheraky,1882)** (Noctuidae) **Synonym(s):** arshanica Alpheraky,1882 **Range (in code):** Ui Arc Ku Kl T-S KK TeA TrA Ax Na
- 666. *Haderonia khorgossi* (Alpheraky,1882)** (Noctuidae) **Synonym(s):** khorgossi Alpheraky,1882; corghossi Hampson,1905. **Range (in code):** Ui Khr Kml KG Tk
- 667. *Haderonia longicornis* (Graeser,1892)** (Noctuidae) **Synonym(s):** longicornis Graeser,1892 **Range (in code):** Ui Ga TJ Pm Kyz
- 668. *Haderonia lupa* (Christoph,1893)** (Noctuidae) **Synonym(s):** lupa Christoph,1893; contempta Püngeler,1914. **Range (in code):** IR Mz Shh MN AF Ui Au
- 669. *Haderonia miserabilis* (Alpheraky,1892)** (Noctuidae) **Synonym(s):** miserabilis Alpheraky,1892; subarschanica Staudinger,1896; nepalensis Boursin,1964 **Range (in code):** Ui Ln Ts Kno Sz NP
- 670. *Haderonia nefasta* (Püngeler,1907)** (Noctuidae) **Synonym(s):** nefasta Püngeler,1907 **Range (in code):** Ui Ln
- 671. *Haderonia praecipua* (Staudinger,1895)** (Noctuidae) **Synonym(s):** praecipua Staudinger,1895 **Range (in code):** Ui Ln Ts Kno
- 672. *Haderonia turpis* (Staudinger,[1900])** (Noctuidae) **Synonym(s):** turpis Staudinger,[1900] **Range (in code):** Ui Au Kml T-S
- 673. *Hadjina beata* (Staudinger,1895)** (Noctuidae) **Synonym(s):** beata Staudinger,1895; rufulus Shchetkin,1965 **Range (in code):** TM Kp CN Ui Ga KG Aa
- 674. *Hadula (Calocestra) armata* (Staudinger,1888)** (Noctuidae) **Synonym(s):** armata Staudinger,1888 **Range (in code):** KG Tk Dj Ui Ku UZ Smk MN KK Ik TJ
- 675. *Hadula (Calocestra) colletti* (Schneider,1876)** (Noctuidae) **Synonym(s):** colletti Schneider,1876 **Range (in code):** NO Cc AM TR IR Elb Mz MN RU Sb Ui Um KK T-A
- 676. *Hadula (Calocestra) dianthi* (Tauscher,1809)** (Noctuidae) **Synonym(s):** dianthi Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; furculoides F.Wagner,1930. **Range (in code):** MA DZ Ah ES IT AT SK HU RO YU BG TR RU Sr Cc GG Tbl Lag AZ Kir Ro St Kyi KG Tk Dj Aa KK Osh Ssn Mn DsA TM Kp CY Ui Ku MN TJ UZ IR Ak
- 677. *Hadula (Calocestra) diodonta* (Püngeler,1906)** (Noctuidae) **Synonym(s):** diodonta Püngeler,1906 **Range (in code):** Ui Ln
- 678. *Hadula (Calocestra) eversmanni* (Staudinger,1900)** (Noctuidae) **Synonym(s):** eversmanni Staudinger,1900 **Range (in code):** Ui Kl KG Tk KK T-A TJ Pm PK Sha
- 679. *Hadula (Calocestra) farnhami* (Grote,1873)** (Noctuidae) **Synonym(s):** farnhami Grote,1873 **Range (in code):** US Col CA BCo KG Tk KK Ax Tls TeA Dln TJ Pm UZ Ui Kl T-S Ii CN Ts Kno Gn MN RU FI PK Nwf Sha AF
- 680. *Hadula (Calocestra) furca* (Eversmann,1852)** (Noctuidae) **Synonym(s):** furca Eversmann,1852 **Range (in code):** NO RU Cc St Kb Nt Ich Ing Da Sb CN Ui Kl Ti Ts Kno KK Ik Ax Krk T-A MN Uli KG Ssn Mn
- 681. *Hadula (Calocestra) furcula* (Staudinger,1889)** (Noctuidae) **Synonym(s):** furcula Staudinger,1889 **Range (in code):** KK TeA Ik CN Ui Ii Gn Au Ti Ch
- 682. *Hadula (Calocestra) hoplites* (Staudinger,1901)** (Noctuidae) **Synonym(s):** hoplites Staudinger,1901 **Range (in code):** TM Kp TR Ui Ku KG RU Ur IR Fa Lo Es Elb Kdj Th Cc AM
- 683. *Hadula (Calocestra) odontites* (Boisduval,1829)** (Noctuidae) **Synonym(s):** odontites Boisduval,1829; microdon Guenée,1852; dalmatina Schwingenschuss,1926; asturica Agenjo,1941. **Range (in code):** PT ES FR Si BE LU DE PL YU AL AT CH FR IT GR BG HV TR Cc RU Kb Nt At PK IN AF TJ Pm Chr TeA TrA Na KK KG Tk Dj CN Ui Ga Gn M-A MN
- 684. *Hadula (Calocestra) perdentata* (Hampson,1894)** (Noctuidae) **Synonym(s):** perdentata Hampson,1894 **Range (in code):** Ch KK Ax CN Ti Ui Gn Ts Kno IN Kul
- 685. *Hadula (Calocestra) schneideri* (Staudinger,1900)** (Noctuidae) **Synonym(s):** schneideri Staudinger,1900 **Range (in code):** Ui Kl Ku KK Ik Ax TJ UZ Fe PK Ch Gg Kjb Asr Bt Deo IN Hp
- 686. *Hadula (Calocestra) stigmata* (Christoph,1887)** (Noctuidae) **Synonym(s):** stigmata Christoph,1887. **Range (in code):** FR Co Sa IT? RO AL BG GR TR Cc IR Elb Mz Gls IL Pa RU Ro Ich Kyi Da Sr MD UA TM Kp K-A MN KG Tk Dj Aa UZ KK Ui AF KP KR JP
- 687. *Hadula (Calocestra) trifolii* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921 **Range (in code):** CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az Cp Khy Snj Bne Mrv Gls Kh Bsa Lgt Ktr Sét Gha Ela Ceg Bsk Saia Btina Khh Hmk DhM Hrh Perr Afl Ges Abe Sfr Tlm Onç Mri Lvv Ear Nbr Psu Cls
- 688. *Hadula (Cardiastrea) eremistis* (Püngeler,1904)** (Noctuidae) **Synonym(s):** eremistis Püngeler,1904 **Range (in code):** TM Mrw Kp IR Ma Ahz Th UZ Br Ui Au
- 689. *Hadula (Cardiastrea) vaciva* (Püngeler,1906)** (Noctuidae) **Synonym(s):** vaciva Püngeler,1906; #vacina Rothschild,1913 **Range (in code):** DZ BSa Ceg Ui Ku Ii KG Tk Dj
- 690. *Hadula (Ptochicestra) ptochica* (Püngeler,1900)** (Noctuidae) **Synonym(s):** ptochica Püngeler,1900 **Range (in code):** Ui Kun Ii KG Aa Tk MN Aa T-S Tk TM Kp Rpt AZ Cc Drh Nv AF IR Kh Ke
- 691. *Hadula (s.str.) insolita* Staudinger,1889** (Noctuidae) **Synonym(s):** insolita Staudinger,1889 **Range (in code):** KK Ik KG Ui Au Kml Ga Sda T-S UZ Fe Tk MN At
- 692. *Hadula (s.str.) sabulorum* (Alpheraky,1882)** (Noctuidae) **Synonym(s):** sabulorum Alpheraky,1882 **Range (in code):** MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa T-S Tk Tu Aem Ii MN Ui Au Khr Ln KK Ik Nrk TeA
- 693. *Hadula (s.str.) ultramontana* Gyulai & Hacker,1998** (Noctuidae) **Synonym(s):** ultramontana Gyulai & Hacker,1998 **Range (in code):** Ui Alt
- 694. *Hadula chiklika* (Moore,1878)** (Noctuidae) **Synonym(s):** chiklika Moore,1878 **Range (in code):** Ui Yk
- 695. *Hadula ochrea* (W.Warren,1909)** (Noctuidae) **Synonym(s):** ochrea W.Warren,1909 **Range (in code):** Ui Ku
- 696. *Hadulipolia odiosa* (Staudinger,1895)** (Noctuidae) **Synonym(s):** odiosa Staudinger,1895; agrotiformis Draudt,1950; dasypolioides Boursin,1964. **Range (in code):** CN Ui Ln Ts Kno Yu Ats NP
- 697. *Hadulomorpha picteti* (Staudinger,1882)** (Noctuidae) **Synonym(s):** picteti Staudinger,1882 **Range (in code):** KK Ik TeA Ii Ui Kl Ku Srm KG DsA
- 698. *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) **Synonym(s):** #dysodea [Denis & Schiffermüller],1775; ornata De Villers,1789 nec Sc.,1763; spinaciae Vieweg,1790; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava W.Warren,1910; faroulti Rothschild,1914; antitypina Rothschild,1914; africana Oberthür,1918; khala Rungs,1972 **Range (in code):** PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb

- Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY GG AZ Tbl Bjo Mng Kir Lag Nv Ord Sdt Mrv Bne Zj DZ BSA Ges Agi Eba MA
- 699. *Helicoverpa armigera* (Hübner, [1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr., 1775; *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972. Range (in code): Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDO Cuo Cuo7 KK Osh Elb Lvv Th Dam Kd Snj Mz Gls Kh Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md Kndy Pdy Dek Smt Bjo Lag Kir Bku Der Abe Clo Lbs PH
- 700. *Heliothobus reticulata* (Goeze, 1781)** (Noctuidae) Synonym(s): *calcatrrippae* Vieweg, 1790; *saponariae* Borkhausen, 1792; *marginosa* Haworth, 1809; *hibernica* Cockayne, 1944. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Fa DK NO SE FI EE LV LT RU Voo Or Ur Cc Ro Kr St Kb Nt Ich Ing Da MD UA BY Ui Kun Kml KG MN Ch
- 701. *Heliothobus unicolor* (Alpheraky, 1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky, 1889 Range (in code): TR Arr Cc CN Ui Ku IR Elb Th Zj Mz Dam Elb KG Tk Ket DsA Dj KK Ik Osh UZ Fe TeA Na Ax RU At Ur MN TJ Pm
- 702. *Heliothis maritima* Graslin, 1855** (Noctuidae) Synonym(s): *maritima* Graslin, 1855 Range (in code): ES FR Si IT? GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK SE FI LT RU Ro Kr Ich Ing Kyi MD UA BY Ui Au KG Tk Dj KK TeA Skm TrA
- 703. *Heliothis ononis* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller], 1775; *ononis* Fabricius, 1787; *ononidis* Guenée, 1852. Range (in code): FR IT? DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bku EE RU Kb MD UA BY Ui Muz Arc Tlk
- 704. *Heliothis virescens* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *virescens* Hufnagel, 1766; *dipsacea* Linnaeus, 1767; *spargulariae* Lederer, 1857; *#dispaceus* Alpheraky, 1882; *salamantina* Fernald, 1928. Range (in code): Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag Ui Ku Yk MM Ch PK Hu IL Pa Lvv Tek Kty IN Dra JP JO Smt Bjo Lag Nv Ord Der Mrv Bne Sfr Bna Khh Lbs MA
- 705. *Hemiexarnis moechilla* (Püngeler, 1906)** (Noctuidae) Synonym(s): *moechilla* Püngeler, 1906; *epiphana* Boursin, 1940 Range (in code): CN Ui Au Gn
- 706. *Heptapotamia eustratii* Alpheraky, 1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky, 1882 Range (in code): KG Tk TM Kp TR Ui Ku
- 707. *Hermonassa ononensis* (Bremer, 1861)** (Noctuidae) Synonym(s): *ononensis* Bremer, 1861; *scaramangae* Alpheraky, 1882 Range (in code): RU Sb Am Us Kmt MN Uli CN Ti Amd Ui Ii Kl Arc KK TeA Skm TrA
- 708. *Hermonassa staudingeri* Koçak, 1981** (Noctuidae) Synonym(s): *modesta* Staudinger, [1896] nec Mre., [1881]; *staudingeri* Koçak, 1981; *modestoides* Poole, 1989. Range (in code): CN Ui Ln Kno Ts Amd
- 709. *Heterographa fabrilis* Püngeler, 1909** (Noctuidae) Synonym(s): *fabrilis* Püngeler, 1909 Range (in code): Ui Ku
- 710. *Heterographa zelleri* (Christoph, 1876)** (Noctuidae) Synonym(s): *zelleri* Christoph, 1876; *mira* Staudinger, 1877 Range (in code): IR TM Krn KK Ik Ui Ga KG Tk Dj UZ
- 711. *Himalistra eriophora* (Püngeler, 1901)** (Noctuidae) Synonym(s): *eriophora* Püngeler, 1901 Range (in code): Ui Au Kml KG Tk DsA
- 712. *Hoplodrina ambigua* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885 Range (in code): MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK Bl Qu Ir Fa By Yas Ke Gh Elb Mz Th Kdj Gls EG TM Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A Lvv KK T-S GG Smt Bjo AZ Kir Ges Bna Lbs Hmk Abe Sbd Prr Khh DhM Agi
- 713. *Hydraecia micacea* (Esper, 1789)** (Noctuidae) Synonym(s): *micacea* Esper, 1789; *cypriaca* Hübner, [1803]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Krl MD UA Lvv BY Ui Chk KK TrA CA Qb US Mai Msc
- 714. *Hydraecia songariae* (Alpheraky, 1882)** (Noctuidae) Synonym(s): *songariae* Alpheraky, 1882 Range (in code): CN Ui Chk Ti
- 715. *Hypena obesalis* Treitschke, 1829** (Noctuidae) Synonym(s): *obesalis* Treitschke, 1829; *crassalis* Hübner, 1796 Range (in code): ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI RU Cc St Kb Kc Nt Ich Da Sb MD UA BY IR Fa Kaz Mia AM IQ PK AF UZ MN Ui Kun
- 716. *Hypena rostralis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus, 1758; *radiatalis* Hübner, 1796; *rostratus* Haworth, 1809; *vittatus* Haworth, 1809 Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Kyi Da Sb At MD UA Lvv BY LB SY IR Elb Mz PK IN Ui Kun
- 717. *Hypsophila jugorum* (Erschoff, 1874)** (Noctuidae) Synonym(s): *jugorum* Erschoff, 1874; *pamira* Staudinger, 1888; *#postlimbalis* Strand, 1915; *#medialis* Strand, 1915 Range (in code): UZ Fe Ch TJ KK T-A Feg Ik TeA Ui Ga Kml
- 718. *Hypsophila tamerlana* Staudinger, 1901** (Noctuidae) Synonym(s): *tamerlana* Staudinger, 1901 Range (in code): Ui KI Ga T-S
- 719. *Hyssia cavernosa* (Eversmann, 1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann, 1852 Range (in code): IT CH AT PL CZ SK HU RO MD UA Lvv BY TR Cc KG Tk Dj RU St Ing Da At Ur Tt MN Ui Ku KK TeA
- 720. *Isochlora arctomys* (Alpheraky, 1892)** (Noctuidae) Synonym(s): *arctomys* Alpheraky, 1892; *idia* Staudinger, [1900] Range (in code): Ui KI Kml
- 721. *Isochlora atra* Hreblay & Gyulai, 1998** (Noctuidae) Synonym(s): *atra* Hreblay & Gyulai, 1998 Range (in code): Ui Alt
- 722. *Isochlora intricans* (Alpheraky, 1882)** (Noctuidae) Synonym(s): *intricans* Alpheraky, 1882 Range (in code): Ui Ju KI
- 723. *Isochlora leuconeura* Püngeler, 1904** (Noctuidae) Synonym(s): *leuconeura* Püngeler, 1904 Range (in code): Ui Alt
- 724. *Isochlora vecors* Püngeler, 1904** (Noctuidae) Synonym(s): *vecors* Püngeler, 1904 Range (in code): Ui Alt
- 725. *Isochlora viridis* Staudinger, 1882** (Noctuidae) Synonym(s): *viridis* Staudinger, 1882; *albivitta* Alpheraky, 1892; *fuscovirens* Hampson, 1894; *longivitta* Püngeler, 1901; *yarkenda* A. Bang-Haas, 1912. Range (in code): CN Ui Au Ga Yk Ts Kno Ch KG Ssn Lps KK TeA
- 726. *Isochlora viridissima* Staudinger, 1882** (Noctuidae) Synonym(s): *viridissima* Staudinger, 1882; *maxima* Staudinger, 1888; *maculata* A. Bang-Haas, 1910. Range (in code): KG DsA KK Ax TeA TrA Kun Ju KI Arc Muz Ui
- 727. *Isochlora xanthiana* Staudinger, 1895** (Noctuidae) Synonym(s): *xanthiana* Staudinger, 1895 Range (in code): CN Ui Ln Ts Kno
- 728. *Lacanobia* (Dianobia) *altynbaghi* Gyulai & L. Ronkay, 1998** (Noctuidae) Synonym(s): *altynbaghi* Gyulai & L. Ronkay, 1998 Range (in code): Ui Alt
- 729. *Lacanobia* (Dianobia) *dissimilis* (Knoch, 1781)** (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller], 1775; *dissimilis* Knoch, 1781; *leucographa* Esper, [1790]; *denscanis* Haworth, 1809; *permixta* Geyer, [1833]; *pavida* Boisduval, 1840; *confluens* Eversmann, 1844; *laeta*

- Reuter,1893. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kr Kb Kc Ich Nt Ing Kyi Da Ur Sb Am Prj Us MD UA Lvv BY Ui Ku KK Ik TrA Ax TeA UZ N-A KG Tk Dj MN AF Fz Kab
- 730. *Lacanobia (Dianobia) histrio* (Goeze,1781)** (Noctuidae) Synonym(s): #contigua [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ich Ing Da MD UA Lvv BY Ui Arc Ju Kg Tk Kk TrA Na JP
- 731. *Lacanobia (Dianobia) thalassina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813] Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da At MD UA Lvv BY MN Ur Cc AM Sb Am Prj Us Ui Ii Kön KK Ik IR Elb Th Kdj KG Pw
- 732. *Lacanobia (Diataraxia) aliena* (Hübner,[1809])** (Noctuidae) Synonym(s): *aliena* Hübner,[1809] Range (in code): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR AM GG AZ Kir Cc DK LT RU Ro Ing At Sb Am Prj Us CN Ui Ku Mc KK Ik Na MN MD UA Lvv BY JP
- 733. *Lacanobia (Diataraxia) blenna* (Hübner,[1824])** (Noctuidae) Synonym(s): *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850. Range (in code): DZ Téb TN EG ES FR Co Sa IT MT RO YU BG GR TR RU Cc Ro Kr Ich Kyi Da AZ Bak AM Ui KG Aa
- 734. *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; #*pallida* Bytinski-Salz & Brandt,1937 Range (in code): MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At Ui Ku KK Ik Na KG Tar Tk MD UA BY Lvv JP Nv Ord Lag Hrh Agi Sét DhM Abe Ahr Clo
- 735. *Lacanobia (Diataraxia) praedita* (Hübner,[1813])** (Noctuidae) Synonym(s): *praedita* Hübner,[1813] Range (in code): RO BG RU Ao Ro Kc Ich MD UA Cm BY TR AM GG Smt Akh Cc AZ Kir IQ AF Pli IR Mz Gls Elb TM Ch KG Tk Tj Pm Ui Ga Yk PK KK Ik Ax Skm UZ Fe
- 736. *Lacanobia (s.str.) w-latinum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. Range (in code): PT ES FR SI IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At Ui Ku KK Ik Na KG Tar Tk MD UA BY IR Mz Gls Ha Elb Th Kdj Dam Cc AM GG Smt Bjo Lag AZ Kir Nv Ord KG Tar Ui Ii KK Ik Na
- 737. *Lasionycta orientalis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896. Range (in code): UZ Fe MN Uli U-B Ui Ku Au KI T-S KK Ik Ax TeA Ax TrA Na KG Tk Dj AF Bd Adr TJ Pm
- 738. *Lasionycta proxima* (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Kus MD UA BY Ui Arc Au KI KK Ik Ax TrA KG Tk Dj Ur Sb At Am AM Cc Tar
- 739. *Leiometopon simyrides* Staudinger,1888** (Noctuidae) Synonym(s): *simyrides* Staudinger,1888 Range (in code): Ui Ku KG Tk Dj
- 740. *Leucania obsoleta* (Hübner,[1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926 Range (in code): DZ BtNa ES FR Co IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Kyi Da MD UA BY EG Sn CN Ui Ii Ts Kno KK Ik T-A KG Tk
- 741. *Leucania opaca* Staudinger,1900** (Noctuidae) Synonym(s): *opaca* Staudinger,1900 Range (in code): Ui KI
- 742. *Leucania phlebitis* Püngeler,1904** (Noctuidae) Synonym(s): *phlebitis* Püngeler,1904 Range (in code): Ui Au
- 743. *Leucania propensa* (Püngeler,1906)** (Noctuidae) Synonym(s): *propensa* Püngeler,1906 Range (in code): Ui Ii Ku KG Yk Dj
- 744. *Leucania zaeae* (Duponchel,1827)** (Noctuidae) Synonym(s): *zaeae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinearea* Lucas,1948 Range (in code): MA DZ Abe TN PT ES FR Co Sa Si IT YU AL GR Cr TR IQ Bsr Amr RU Cc Ro Ich Da IR Fa Th Elb Ui Kun TM Krn K-A UZ Fe Man KK Ik TM EG ZA IL Pa Hf KG Aa Tk
- 745. *Lophoterges (Variterges) aksuensis* A.Bang-Haas,1912.** (Noctuidae) Synonym(s): *aksuensis* A.Bang-Haas,1912 Range (in code): Ui Au KI
- 746. *Lophoterges (Variterges) centralasiae* (Staudinger,1901)** (Noctuidae) Synonym(s): *centralasiae* Staudinger,1901 Range (in code): UZ Fe N-A KK TeA T-A Ik Osh KG Aa TJ Ui
- 747. *Lygephila (s.str.) craccae* (Fabricius,1787)** (Noctuidae) Synonym(s): #*craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* De Villiers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerae* Yela,1990; #*craccae* Hacker & Kautt,1999. Range (in code): MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz Ui Chk Kön AF Pag KG Tk Dj Ii KK Ik PK Bbu Psu Gg Hu Nar Mlk T-A CY Smt Bjo Mng Lag Kir Bne Mrv
- 748. *Lygephila (s.str.) decolor* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *decolor* A.Bang-Haas,1912 Range (in code): Ui Yk M-A
- 749. *Lygephila (s.str.) ludicra* (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790 Range (in code): IT AT CZ SK HU BG TR RU Cc Ich Ing Da MD UA BY CN Ui Arc Kun Yu Ats KK Ik Na T-S
- 750. *Macdunnoughia (s.str.) confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852. Range (in code): PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Mng Smt Bjo Lag AZ Kir AM Cc IQ Agh Sbn IR Ha Gh Elb Mz Th LB Bei DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi MD UA BY Ui Ku KG Tk Dj KK Osh AF Nu Pli Srb Lvv PK Psu Gg Hu Ab Mak Ak Kdj Ar Gh Gls Qz Zj Es Kz Der
- 751. *Meganola impura* (Mann,1862)** (Noctuidae) Synonym(s): *impura* Mann,1862; *wiltshirei* Warnecke,1939 Range (in code): GR TR CY LB Bei IL Pa Hf SY T-S Ui Ku
- 752. *Melanchra persicariae* (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788]. Range (in code): DZ AfL Lbs BtNa PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR CY DK NO SE FI EE LV LT RU Cc Ro St Kr Kb Kc Nt Ich Ing Da Sb Prj Us GG Lag AM MD UA Lvv BY CN T-T Sz Ui Ii KK Ik IR Elb Gh JP
- 753. *Melanchra pisi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945. Range (in code): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Kb Nt Ich Da Sb Prj Us MD UA Lvv BY Ui Kun KK Ik MN V-B DsA TrA Ax Na
- 754. *Mesapamea (Resapamea) hedeni* (Graeser,1888)** (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896. Range (in code): TR RU Cc Ro Kb Mo VI MN KG At Am T-S KK TeA Skm TrA Ui
- 755. *Mesapamea (s.str.) moderata* (Eversmann,1843)** (Noctuidae) Synonym(s): *moderata* Eversmann,1843 Range (in code): RU Ur Ui Ch
- 756. *Mesoplus contrita* (Christoph,1884)** (Noctuidae) Synonym(s): *contrita* Christoph,1884 Range (in code): TM Kp Ui AF Hr Dwe Arh IR Ke Hz B-A Ana

- 757. *Mniotype adusta* (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vulturina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *juldussica* Draudt,1934 Range (in code): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag AZ Kir DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY Ui Arc Chk AF Adr Kk TeA Ax TrA PK Thu IN Hp Dlh
- 758. *Mniotype lama* (Staudinger,1900)** (Noctuidae) Synonym(s): *lama* Staudinger,1900 Range (in code): UZ Fe KG Aa T-S UI Kl Yk M-A KK TJ Pm Chr
- 759. *Mythimna (Aletia) albiradosa* (Eversmann,1852)** (Noctuidae) Synonym(s): *albiradosa* Eversmann,1852 Range (in code): RU Ur Sb At KK Ik Ui Ii
- 760. *Mythimna (Aletia) clarior* Hreblay,1992** (Noctuidae) Synonym(s): *clarior* Hreblay,1992 Range (in code): MN Ui Kml KG Tk Dj KK Ik
- 761. *Mythimna (Aletia) conigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. Range (in code): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ Am Cc IR Mz Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY Ui Arc KK TeA TrA Ax Na
- 762. *Mythimna (Aletia) impura* (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910 Range (in code): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kc St Ich Ing Ur Sb Am MD UA Lvv BY IR Elb Th CN Ui Ku Au Ga Ti Ts Kno KK Ik TrA Na TJ Pm AF JP
- 763. *Mythimna (Aletia) intolerabilis* Hreblay,1992** (Noctuidae) Synonym(s): *intolerabilis* Hreblay,1992 Range (in code): Ui Um
- 764. *Mythimna (Aletia) melania* (Staudinger,1889)** (Noctuidae) Synonym(s): *melania* Staudinger,1889 Range (in code): KK Ik Ax TeA Ui Au Kml AF Pag TJ Pm Chr
- 765. *Mythimna (Aletia) pallens* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829. Range (in code): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ Len Am Cc IQ Bgd DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Kyi Sb Am Prj Us MD UA Lvv BY CN Ti Ts Kno Ui Ii MN Uli UZ Fe Br KK Ik TrA TeA Na US Nh Ny Msc Cf CA
- 766. *Mythimna (Hyphilare) ferrago* (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 Range (in code): DZ MA PT ES FR Co Sa Si AD IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY Ui Kun Kön TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Lvv Bjo Mng Lag Kir Haz Abe Sbd Sét Dhm TN TJ Sha Bt Deo Hk
- 767. *Netrocerocora quadrangula* (Eversmann,1844)** (Noctuidae) Synonym(s): *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902 Range (in code): EE RU Nt Ich Da Ur TR UA Cm BY AM AZ GG Cc TM DsA KG Sb At MN Ui Kl KK Ik Ax
- 768. *Nola (s.str.) acutula* Püngeler,1902** (Noctuidae) Synonym(s): *acutula* Püngeler,1902 Range (in code): Ui Au TJ UZ TM
- 769. *Nola (s.str.) karelica* (Tengström,1869)** (Noctuidae) Synonym(s): *karelica* Tengström,1869; *inconspicua* Alpheraky,1882; *amuricola* Warnecke,1938 Range (in code): NO SE FI EE LV LT TR Cc RU Am Ui Ku
- 770. *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787. Range (in code): MA DZ TN LY EG PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA Lvv BY LB IL Pa IQ Bsr IR Ss AF Ui Ii
- 771. *Nycteola asiatica* (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. Range (in code): ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU B-H MK BG GR TR GG Smt Akh JO DK SE FI EE LV LT RU Ur At Sb Prj Us Am Cc Ro Kr St Nt Ich Da MD UA BY IQ IR Ke Kh Elb Th Gh Kd Bne Mrv Lo Mz TM Kp AF Pag PK NP Ui Ii T-S Mc KK Ax TeA Skm KG Tk Aa Dj KP KR JP
- 772. *Nycteola kuldzhana* Obraztsov,1954** (Noctuidae) Synonym(s): *kuldzhana* Obraztsov,1954 Range (in code): RU KG Uk Ui Au Ku KK Ax
- 773. *Ochropleura subplumbea* (Staudinger,[1896])** (Noctuidae) Synonym(s): *subplumbea* Staudinger,[1896] Range (in code): CN Ui Ts Ln Kno
- 774. *Omphalophana serratula* (Staudinger,1888)** (Noctuidae) Synonym(s): *serratula* Staudinger,1888 Range (in code): UZ Fe KK Ax Skm T-A Ui Ku
- 775. *Opigena albifurca* (Erschoff,1877)** (Noctuidae) Synonym(s): *albifurca* Erschoff,1877; *costata* Staudinger,1877 *nec* Grt.,1876 Range (in code): Ui Kml Kl T-S Ju KK Ik RU Sb At MN U-B Uli KG Sp Tar
- 776. *Orohadena (s.str.) presbytis* Hampson,1910** (Noctuidae) Synonym(s): *presbytis* Hampson,1910 Range (in code): Ui Kml
- 777. *Orohadena (s.str.) xanthophanes* (Boursin,1943)** (Noctuidae) Synonym(s): *xanthophanes* Boursin,1943 Range (in code): Cc AM Ui Alt KG Tk Dj PK Hu Gg
- 778. *Orthosia (s.str.) incerta* (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888 Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Nt Da Sb At MD UA Lvv BY Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th
- 779. *Orthosia gracilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT AM Cc GG Lag RU Ro Kr Nt Am Prj Us MD UA Lvv BY Ui Khr KG Tk Dj JP
- 780. *Papestra biren* (Goeze,1781)** (Noctuidae) Synonym(s): *biren* Goeze,1781; *glauca* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadripodita* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *pauperula* Püngeler,1902; *frustrata* McDunnough,1946. Range (in code): ES FR Sa? IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Kb Nt Am Ya Kmt MD UA BY Ch Ui Au Ii KK Ik Ax
- 781. *Parexarnis fugax* (Treitschke,1825)** (Noctuidae) Synonym(s): *fugax* Treitschke,1825. Range (in code): ES FR IT? AT PL CZ SK HU RO YU BG GR DK RU Cc St Nt Da Kyi TM Ui
- 782. *Parexarnis laetifica* (Staudinger,1889)** (Noctuidae) Synonym(s): *laetifica* Staudinger,1889 Range (in code): KK Ik Ui Kml
- 783. *Pericyma albidentaria* (Freyer,[1841])** (Noctuidae) Synonym(s): *albidentaria* Freyer,[1841] Range (in code): GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR Ui Ku Ga KG Tk Tks Dj Aa RU Cc GG Tbl Ro St Ich Da Der Sr AZ Nv Ord IR Mz Glis LY
- 784. *Perigrapha (s.str.) circumducta* (Lederer,1855)** (Noctuidae) Synonym(s): *circumducta* Lederer,1855 Range (in code): RU At MN KG Tk Uk Ui Au

- 785. *Phoebophilus amoenus* Staudinger, 1888** (Noctuidae) Synonym(s): amoenus Staudinger, 1888 Range (in code): UZ Fe KK Ik TeA TrA Ui Ku
- 786. *Photedes elymi* (Treitschke, 1825)** (Noctuidae) Synonym(s): elymi Treitschke, 1825 Range (in code): KK Ik TeA Ui Kml
- 787. *Photedes extrema* (Hübner, [1809])** (Noctuidae) Synonym(s): extrema Hübner, [1809]; concolor Guenée, 1852; calamoxantha Varga, 1982. Range (in code): FR GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc St Ui Ku KG Tk Dj KK TeA
- 788. *Photedes improba* (Staudinger, [1900])** (Noctuidae) Synonym(s): improba Staudinger, [1900] Range (in code): Ui T-S Kml
- 789. *Phyllophila oblitterata* (Rambur, 1833)** (Noctuidae) Synonym(s): oblitterata Rambur, 1833; wimmerii Treitschke, 1835; recta Eversmann, 1844; cretacea Butler, 1879; venerica Bryk, 1949. Range (in code): ES FR Co IT DE CH AT CZ SK HU RO YU AL GR TR IR Mz Elb Th Clu RU AZ Kir GG Lag Cc Ro St Ich Da MD UA BY Ui Ku KG Tk Dj Aa KP KR JP
- 790. *Phytometra viridaria* (Clerck, 1759)** (Noctuidae) Synonym(s): #viridaria Clerck, 1759; purpurata Linnaeus, 1761; lanceata Scopoli, 1763; aenea [Denis & Schiffermüller], 1775; olivacea Vieweg, 1790; latruncula Esper, [1791]; hoffmann, Stauder, 1915; lotalgira Schawerda, 1924 Range (in code): MA DZ Hrh Ahr PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Arr AM AZ GG Smt Bjo Lag Ro Kr Nt Ich MD UA Lvv BY Sb At KG Tar Ui Ii KK Ik UZ Fe
- 791. *Polia altaica* (Lederer, 1855)** (Noctuidae) Synonym(s): altaica Lederer, 1855 Range (in code): RU Ur Sb At UZ Fe KK Ik TeA Skm Ax Ui Ii MN
- 792. *Polia bombycina* (Hufnagel, 1766)** (Noctuidae) Synonym(s): bombycina Hufnagel, 1766; advena [Denis & Schiffermüller], 1775; tincta Brahm, 1791; nitens Haworth, 1809. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ Kir DK NO SE FI EE LV LT RU Ur Am Ui Ii Sb KK Ax KG TrA Aa UZ KuA TeA Ik Na MD UA Lvv BY JP RU Ro St Kr Kb Nt Ich Ing Da Us Vv Ask KP KR MN Sh Sj DsA Tk Dj Lps Ssn Ket
- 793. *Polia nebulosa* (Hufnagel, 1766)** (Noctuidae) Synonym(s): nebulosa Hufnagel, 1766; bimaculosa Esper, 1788; nec Linn., 1767; thapsi Brahm, 1791; grandis Donovan, 1801; plebeja Hübner, [1803]. Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU Kr St Ro Kr Kb Nt Ich Ing Da Sb At Prj Us MD UA Lvv BY CN Ti Ii Ui MN Uli JP KP KR KG Tar KK Ik TrA DsA GG Smt Akh Cc Bjo Lag AZ Kir
- 794. *Polia sagittigera* (Hufnagel, 1766)** (Noctuidae) Synonym(s): sagittigera Hufnagel, 1766; leucophaea [Denis & Schiffermüller], 1775; fulminea Fabricius, 1781; vestigialis Esper, [1785]; ravidia Esper, [1789]; pyrenaica Oberthür, 1884; incana Millière, 1885. Range (in code): DZ BtNa Lbs ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da Sb At MD UA BY Ur KG At Tab DsA Ui Ii
- 795. *Polymixis (Eremophysa) acharis* (Püngeler, 1901)** (Noctuidae) Synonym(s): acharis Püngeler, 1901; intermissa Boursin, 1944. Range (in code): AF Ui Au KG Tk KK TeA Ax TJ Pm Chr
- 796. *Polymixis viridula* (Staudinger, 1895)** (Noctuidae) Synonym(s): viridula Staudinger, 1895 Range (in code): CN Ui Ln Ts Kno
- 797. *Protarchanara abrupta* (Eversmann, 1854)** (Noctuidae) Synonym(s): abrupta Eversmann, 1854; contumax Püngeler, 1902; johnei Püngeler, 1914 Range (in code): RU KK Ui Alt KG Tk Dj MN
- 798. *Protexarnis confinis* (Staudinger, 1881)** (Noctuidae) Synonym(s): confinis Staudinger, 1881; aucta Alpheraky, 1892; barbara Corti & Draudt, 1933; suspicax Corti & Draudt, 1933; velifera Corti & Draudt, 1933; anthracina Boursin, 1964. Range (in code): KG DsA TR Cc CN Ts Kno Ui Kml
- 799. *Protexarnis confusa* (Alpheraky, 1882)** (Noctuidae) Synonym(s): confusa Alpheraky, 1882 Range (in code): Ui Ju Ii KI MN Uli UZ Fe KG Tk KK TeA TJ Pm Chr
- 800. *Protexarnis paralia* Corti & Draudt, 1933** (Noctuidae) Synonym(s): paralia Corti & Draudt, 1933 Range (in code): CN Ui Alt Ts Kno
- 801. *Protexarnis sollertina* Corti & Draudt, 1933** (Noctuidae) Synonym(s): sollertina Corti & Draudt, 1933 Range (in code): Ui Au
- 802. *Protexarnis subuniformis* (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): subuniformis Corti & Draudt, 1933; vacillans Corti & Draudt, 1933. Range (in code): Ui Alt Ti
- 803. *Protexarnis vestilina* Kozhantshikov, 1937** (Noctuidae) Synonym(s): vestilina Kozhantshikov, 1937 Range (in code): Ui Au
- 804. *Pseudohadena* (s.str.) *armata* (Alpheraky, 1887)** (Noctuidae) Synonym(s): armata Alpheraky, 1887 Range (in code): CN Ui
- 805. *Pulcheria catomelas* Alpheraky, 1887** (Noctuidae) Synonym(s): catomelas Alpheraky, 1887 Range (in code): CN Ui Ga
- 806. *Rhabinopteryx turanica* (Erschoff, 1874)** (Noctuidae) Synonym(s): turanica Erschoff, 1874 Range (in code): UZ KG Ui AF Hr
- 807. *Rhiza* (s.str.) *commoda* Staudinger, 1889** (Noctuidae) Synonym(s): indigna auct. nec Chr., 1887; commoda Staudinger, 1889; manifesta Christoph, 1893 Range (in code): ES TR KK Ik Cc AZ Nv Ord Ui Au Ga IL Pa JO IR Kh AF PK Hu Gg
- 808. *Rhiza* (s.str.) *schlumbergeri* (Püngeler, 1905)** (Noctuidae) Synonym(s): schlumbergeri Püngeler, 1905 Range (in code): IR Ss KG RU Ao TM TJ Ui Alt
- 809. *Rhiza* (s.str.) *sergia* (Püngeler, 1901)** (Noctuidae) Synonym(s): sergia Püngeler, 1901 Range (in code): UZ Fe Ui Au MN
- 810. *Rhizedra lutosa* (Hübner, [1803])** (Noctuidae) Synonym(s): lutosa Hübner, [1803]; crassicornis Haworth, 1809; pilicornis Haworth, 1812; vectis Curtis, 1833; bathyerga Boie, 1835; ?pallidipennis W. Warren, 1911 Range (in code): ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cc IQ TR DK NO SE FI EE LV LT RU Cc Ro Ich Da Sb MD UA Lvv BY KK Ik TM Kp Ui Kun MN KP KR JP
- 811. *Rhyacia (Anchorhyacia) nyctimerina* (Staudinger, 1888)** (Noctuidae) Synonym(s): nyctimerina Staudinger, 1888 Range (in code): KK Ik Ax Ui Ii
- 812. *Rhyacia (Anchorhyacia) psammia* (Püngeler, 1906)** (Noctuidae) Synonym(s): psammia Püngeler, 1906 Range (in code): GR TR AM Eri Cc RU Ich Ing Da TM Kp IR Zj Fa Mz Lo Elb Th Dam Ss LB Bsa IQ KK Ik Ui KI Au PK
- 813. *Rhyacia (Anchorhyacia) similis* (Staudinger, 1888)** (Noctuidae) Synonym(s): similis Staudinger, 1888; polita Alpheraky, 1882; astuta Corti, 1928. Range (in code): KK Ax Ik KG Ssn Ui Ku
- 814. *Rhyacia (Epipsilia) proterva* Püngeler, 1904** (Noctuidae) Synonym(s): proterva Püngeler, 1904 Range (in code): Ui Alt
- 815. *Rhyacia (Ororhyacia) hampsoni* (A. Bang-Haas, 1910)** (Noctuidae) Synonym(s): hampsoni A. Bang-Haas, 1910 Range (in code): Ui Ju
- 816. *Rhyacia (Standfussrhyacia) junonia* (Staudinger, 1881)** (Noctuidae) Synonym(s): junonia Staudinger, 1881; alaina Staudinger, 1888 Range (in code): KG Ssn AF BdUi Au KI UZ Fe KK Ik Ax TeA AI
- 817. *Rhyacia (Standfussrhyacia) oreas* (Püngeler, 1904)** (Noctuidae) Synonym(s): oreas Püngeler, 1904 Range (in code): Ui Alt Au

- 818. Rhyacia (Standfussrhyacia) unicornis Varga, 2011** (Noctuidae) Synonym(s): unicornis Varga, 2011 Range (in code): CN Ui Bc
- 819. Rhyacia (Stenorhyacia) electra (Staudinger, 1888)** (Noctuidae) Synonym(s): electra Staudinger, 1888; thianschanica Staudinger, [1900]; grisealba Kozhantshikov, 1937 Range (in code): UZ Man Tj Pm Chr Ui Ii Ku Kml KK TeA
- 820. Rhyacia (s.str.) arenacea (Hampson, 1907)** (Noctuidae) Synonym(s): arenacea Hampson, 1907; pseudosimulans Kozhantshikov, 1929. Range (in code): BG RU Ing Kyi Sb UA Cm AM GG Tbl UZ TM Kp CY TR PK Qu Bl IR Mz Fa Shr Ke Ss Elb Th Kdj Kh AF Hr Ghb Pag Bm Cc AZ Kir Kp TM UZ N-A KK TrA Ik Fe Ui Ii Ch LB Bsa IL Pa Hf JO
- 821. Rhyacia (s.str.) ledereri (Erschoff, 1870)** (Noctuidae) Synonym(s): ledereri Erschoff, 1870; mus Alpheraky, 1882; punctinotata W. Warren, 1914. Range (in code): RU Ur Sb Am Ir Irk CN Ui Ju Ku Ti Ii T-S KK Ik MN Uli IN Ld
- 822. Rhyacia (s.str.) simulans (Hufnagel, 1766)** (Noctuidae) Synonym(s): simulans Hufnagel, 1766; tristis Fabricius, 1775; pyrophila [Denis & Schiffermüller], 1775; radicea Esper, [1789]; obscurata Staudinger, 1901; augurides Rothschild, 1914 Range (in code): DZ Ges MA TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR GG Tbl AZ Kir AM Cc TR Arr LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da Sb At To MD UA BY UZ Fe KK Ik Ui Ii
- 823. Rivula sericealis (Scopoli, 1763)** (Noctuidae) Synonym(s): sericealis Scopoli, 1763; munda Hufnagel, 1767; lunatralis Denis & Schiffermüller, 1775; leeana Fabricius, 1777; ocellaris Thunberg, 1784; centralis De Villers, 1789; distincta Rothschild, 1920 Range (in code): DZ Clo Hmk Agi Abe Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo Lag Der Cc IQ Amr DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Da MD UA Lvv BY Ui Ku Kun IR Elb Mz Gh
- 824. Schinia scutosa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): #scutosa [Denis & Schiffermüller], 1775; nuchalis Grote, 1878 Range (in code): MA DZ TN EG ES FR IT MT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG AM AZ Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da Kyi Sb U Us MD UA BY KK TrA T-A KG Tk Aa UZ N-A CN Ui Ku Kgs Ch IN Gs Dra Kul Pj Rw KP KR US Mon Col Kan AF PK IR Lvv Mz Gls Elb Ab Mak IL Pa Sn JP Tbl Smt Bjo Kir Der BSA Ges
- 825. Scoliopteryx aksuana Sheljuzhko, 1955** (Noctuidae) Synonym(s): aksuana Sheljuzhko, 1955 Range (in code): Ui Au
- 826. Scotocampa crassipuncta (Püngeler, 1905)** (Noctuidae) Synonym(s): crassipuncta Püngeler, 1905 Range (in code): Ui Au
- 827. Scotocampa indigesta Staudinger, 1888** (Noctuidae) Synonym(s): indigesta Staudinger, 1888 Range (in code): Ui Ku KG Aa Tk Dj TrA
- 828. Scythocentropus scripturosa (Eversmann, 1854)** (Noctuidae) Synonym(s): scripturosa Eversmann, 1854 Range (in code): RU Cc Ich Ui Ku
- 829. Scythocentropus misella (Püngeler, 1907)** (Noctuidae) Synonym(s): misella Püngeler, 1907 Range (in code): TR Ui Ku RU Ur Cc AM Eri AZ Nv Dz Da Kap PK Gg
- 830. Shargacucullia (Stigmatocucullia) notodontina (Boursin, 1934)** (Noctuidae) Synonym(s): notodontina Boursin, 1934 Range (in code): Ui Au Kl Ku
- 831. Shargacucullia (s.str.) thapsiphaga (Treitschke, 1826)** (Noctuidae) Synonym(s): lanceolata De Villers, 1789; thapsiphaga Treitschke, 1826 Range (in code): DZ BtNa Hrh ES FR Co Sa Si IT MT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Da AZ AM GG Tbl Lag Cc St Kb Kc MD UA BY IR Ke Fa Ui CY LB Bsa Bei Zah TM Kp IQ
- 832. Shargacucullia (s.str.) xylophana (Boursin, 1934)** (Noctuidae) Synonym(s): xylophana Boursin, 1934 Range (in code): Ui Ku PK Nwf Gg AF KK TrA UZ N-A
- 833. Sideridis (s.str.) demotica (Püngeler, 1902)** (Noctuidae) Synonym(s): demotica Püngeler, 1902 Range (in code): TM Ui Au
- 834. Sideridis (s.str.) egena (Lederer, 1853)** (Noctuidae) Synonym(s): egena Lederer, 1853; ? stoliczkana Moore, 1878 Range (in code): TR KG Tk Dj KK Ik Skm TeA RU Sb UA RU Ro Nt Ing Kyi Da MN NP Ui Yk IR Elb Dam Th AZ Kir Cc
- 835. Sideridis (s.str.) simplex (Staudinger, 1889)** (Noctuidae) Synonym(s): simplex Staudinger, 1889; amydra Püngeler, 1901; roborowskii Filipjev, 1928; nepalensis Boursin, 1964 Range (in code): KK Ik Ui Ku Kl Au Pm Tj Ti Ch MN Uli U-B Ts Kno UZ Fe NP
- 836. Sideridis ? stoliczkana (Moore, 1878)** (Noctuidae) Synonym(s): stoliczkana Moore, 1878 Range (in code): Ui Yk
- 837. Simyra albovenosa (Goeze, 1781)** (Noctuidae) Synonym(s): albovenosa Goeze, 1781; venosa Borkhausen, 1792; atomina Haworth, 1809. Range (in code): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU Nsx BG GR TR DK SE FI EE LV LT RU Cc Ro St Kr Kyi MD UA Lvv BY Ui Khr IR Elb Gh
- 838. Simyra nervosa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): nervosa [Denis & Schiffermüller], 1775. Range (in code): FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR LT RU Cc Ro Ich Da MD UA BY IR Fa Th Es Ss AF Ui Ti MN KG Tk Dj KK TeA TrA TM Kp UZ
- 839. Spaelotis deplorata (Staudinger, 1897)** (Noctuidae) Synonym(s): deplorata Staudinger, 1897; defuncta Staudinger, 1897; spania Püngeler, 1906 Range (in code): RU Ur MN KG Tk TM Sb CN Ui AF PK KK Ax Na Tj Pm Chr UZ N-A IR Ke
- 840. Spaelotis ravidia ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): ravidia [Denis & Schiffermüller], 1775; austera Esper, [1789]; obducta Esper, [1789]; bigramma Esper, [1790]; obscura Brahm, 1791 nec Cramer, 1780; salva Corti & Draudt, 1933. Range (in code): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AM AZ Kir Lag GG Tbl Smt Bjo Mng Cc IR Lo Es Th Elb Dam Kh DK NO SE FI EE LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY Ui Chk Tek Ju Af Bark KG Tk Dj KK Ax UZ N-A
- 841. Stenodrina paupera (Christoph, 1885)** (Noctuidae) Synonym(s): paupera Christoph, 1885; nitida Püngeler, 1914 Range (in code): Cc AM Eri Ui Kml
- 842. Sympistis exacta (Christoph, 1887)** (Noctuidae) Synonym(s): exacta Christoph, 1887; iranica Schwingenschuss, 1937 Range (in code): TR Cc TM Kp Ui IR Kh Fa By Elb Th Dam Km Kd Snj Mrv Lo Fa Com Tj Pm Chr AF IN Ld MN
- 843. Sympistis strioligera (Lederer, 1853)** (Noctuidae) Synonym(s): strioligera Lederer, 1853 Range (in code): RU KG At KK TrA Ax Tj Pm Chr Ui IR Kh Lo TR Cc IL Pa He
- 844. Syngrapha diasema (Boisduval, 1829)** (Noctuidae) Synonym(s): diasema Boisduval, 1829 Range (in code): DK NO SE FI Ui T-S
- 845. Thargelia distincta (Christoph, 1884)** (Noctuidae) Synonym(s): distincta Christoph, 1884; megastigma W. Warren, 1909. Range (in code): TM Kp Ui
- 846. Thargelia fissilis (Christoph, 1884)** (Noctuidae) Synonym(s): fissilis Christoph, 1884 Range (in code): TM Kp Ui
- 847. Trachea leucochlora Boursin, 1970** (Noctuidae) Synonym(s): leucochlora Boursin, 1970 Range (in code): Ui
- 848. Trichanarta mausi (Püngeler, 1904)** (Noctuidae) Synonym(s): mausi Püngeler, 1904 Range (in code): Ui Alt
- 849. Trichoridia eristicum (Püngeler, 1906)** (Noctuidae) Synonym(s): eristicum Püngeler, 1906 Range (in code): Ui Au
- 850. Trichosilia plumbea (Alpheraky, 1887)** (Noctuidae) Synonym(s): plumbea Alpheraky, 1887; arschanica Corti & Draudt, 1933. Range (in code): RU Cc Nt Kb Ui Arc UZ Fe MN Uli KK TeA Ax TrA PK Ch Kjb
- 851. Turanica haeretica (Püngeler, 1902)** (Noctuidae) Synonym(s): haeretica Püngeler, 1902 Range (in code): TM Kp Ui
- 852. Tyta luctuosa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): luctuosa [Denis & Schiffermüller], 1775; italica Fabricius, 1781; atra Goeze, 1781 nec Linn., 1767; astroites Fourcroy, 1785; maculosa De Villers, 1789 Range (in code): MA DZ PT ES Mu FR Co Sa Si

- IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Ab Oru Jal Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ Ui Kun Ku Lvv AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da Sdt Bjr Zj Agi Btina Hmk Abe Hrh Perr Sét Tiz Dze DhM Rbt
- 853. *Tyroca dispar* (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar* Püngeler,1904 Range (in code): MA DZ Ah Ajj SD LY EG Sn IL Pa JO SA As OM SO SD TD IR Hz Ss B-A CN Ui
- 854. *Ulochlaena superba* Alpheraky,1892** (Noctuidae) Synonym(s): *superba* Alpheraky,1892 Range (in code): CN Ui Ti
- 855. *Victrix (Poliobrya) patula* (Püngeler,1907)** (Noctuidae) Synonym(s): *patula* Püngeler,1907 Range (in code): Ui Ki
- 856. *Xestia (Anomogyna) caelebs* (Staudinger,[1896])** (Noctuidae) Synonym(s): *caelebs* Staudinger,[1896] Range (in code): CN Ui Ts Kno Ln
- 857. *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *#pallida* Lempke,1962; *ignorata* Eitschberger,1972. Range (in code): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY IR Kh Gh Elb Mz Kdj KK Ax Ik UZ N-A CN Ui Ku Kön Ga Sz T-T IN Hp Drm Kul Nl SI Up Bhi Nnt Kil PK Pj Cp KP KR JP GG AZ CA Nsc US Ny Iln MX Ro Kr St Kb Kc Nt Ich Ing Da Kyi Smt Bjo Tbl Kir Lag Swa Sgl Yek DZ Blid Agi Abe DhM Hrh Dze TN Txl Psu Gg
- 858. *Xestia (Pachnobia) senescens* (Staudinger,1881)** (Noctuidae) Synonym(s): *senescens* Staudinger,1881; *kungessi* Alpheraky,1882; *senilis* Staudinger,1888; *cungessi* Hampson,1908 Range (in code): KG Ssn Fe KK TeA Ax UZ Man RU At Sb Am Ui Ku Kun
- 859. *Xestia (Radde) vittata* (Staudinger,1895)** (Noctuidae) Synonym(s): *vittata* Staudinger,1895; *agama* Staudinger,1895 Range (in code): CN Ui Ln Ts Kno
- 860. *Xestia (s.str.) baja* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775; *immaculata* Hoffmann,1910 Range (in code): PT ES Mu FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag DK SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY IR Gh Mz Elb Dam KK Skm Ax KG Lps Ui Kön
- 861. *Xestia (s.str.) costaestrigea* (Staudinger,[1896])** (Noctuidae) Synonym(s): *costaestrigea* Staudinger,[1896] Range (in code): CN Ui Ts Ln Kno
- 862. *Xestia infantilis* (Staudinger,[1896])** (Noctuidae) Synonym(s): *infantilis* Staudinger,[1896] Range (in code): CN Ui Ts Ln Kno
- 863. *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941 Range (in code): GR RU AZ Kir Cc Ich Da Der TR CY IL Pa Js LB Bei IQ Mos Dia Ry Rvw Brs Agh Amr KG KK PK Qu Sd IN Up Alh AF Hr Blh Gbh Srb Pli Bd Fz Pag Kab EG BH JO SY IR Ak Shf Fa Ss Kh Elb Gh Mz Kd Bjr Zj Ke Hz B-A TM Kp UZ Tas Fe Smk Ui Ga N-A ZA
- 864. *Zekelita (Rhynchodontodes) diagonalis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *diagonalis* Alpheraky,1882 Range (in code): Ui Ku Fe UZ N-A
- 865. *Zekelita (Rhynchodontodes) soricalis* (Püngeler,1909)** (Noctuidae) Synonym(s): *soricalis* Püngeler,1909 Range (in code): Ui Au

Notodontidae

- 866. *Cerura (s.str.) przewalskii* (Alpheraky,1882)** (Notodontidae) Synonym(s): *prezawalskii* Alpheraky,1882 Range (in code): Ui Khr Um Ga
- 867. *Cerura (s.str.) vinula* (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG Smt Bjo Mng Lag AM Az Kir Cc TR DK NO SE FI EE LV LT RU Kb Teb MD UA Lvv BY IQ Agh IR Ab Oru Ak Shf Kh AF Nu Bsg Kab Ui Khr Um
- 868. *Clostera anastomosis* (Linnaeus,1758)** (Notodontidae) Synonym(s): *anastomosis* Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *kononis* Matsumura,1929; *insignior* Kiriakoff,1963 Range (in code): ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Am Us Ask MD UA Lvv BY KG Ssn CN Ui Ku Au Fkn Yu Lik Sz Ats T-T Sz
- 869. *Clostera curtula* (Linnaeus,1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783 Range (in code): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Hsk GR TR Cc GG Smt Bjo Lag AZ Kir DK NO SE FI EE LV LT RU MD UA Lvv BY Ui Ku
- 870. *Clostera obscurior* (Staudinger,1887)** (Notodontidae) Synonym(s): *obscurior* Staudinger,1887 Range (in code): Ui Ku
- 871. *Clostera pigra* (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo AZ Kir AM Cc DK NO SE FI EE LV LT RU MD UA Lvv BY IQ Ui Ku
- 872. *Furcula aeruginosa* (Christoph,1873)** (Notodontidae) Synonym(s): *aeruginosa* Christoph,1873 Range (in code): KG Uk RU Sb Sj At Bn Tv Or Sr Ao Ro TrA Aa II Ui Ku Au T-S MN
- 873. *Furcula interrupta* (Christoph,1867)** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989. Range (in code): TR IR Ha Cc AZ Nv Ord Kir Elb Th Kdj Tbz IQ Shq Bgd IL Pa LB Bsa Bei SY Hms CY RU Sr UZ Fe Man Ui Ku
- 874. *Notodonta ziczac* (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956 Range (in code): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Am MD UA Lvv BY Ju KG Aa T-S TeA KK Ui Kön
- 875. *Pheosia jullieni* Oberthür,1911** (Notodontidae) Synonym(s): *jullieni* Oberthür,1911; *karategina* Stshetkin Range (in code): Ui
- 876. *Ptilophora kashgara* Moore,1878** (Notodontidae) Synonym(s): *kashgara* Moore,1878 Range (in code): Ui Ga

Oecophoridae

- 877. *Agonopterix iliensis* (Rebel,1936)** (Oecophoridae) Synonym(s): *iliensis* Rebel,1936 Range (in code): Sa IT Ui ii
- 878. *Depressaria hannemanniana* Lvovksy,1990** (Oecophoridae) Synonym(s): *hannemanniana* Lvovksy,1990 Range (in code): Cc RU Da TM UZ KG TR Ui Ku MN
- 879. *Exaeretia ledereri* (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854; *homochroella* Erschoff,1874; *xyleuta* Meyrick,1913; *leviella* Amsel,1935 Range (in code): YU MK RO TR Cc GG AM AZ CY IL Pa LB Bsa KG IR Fa Shr Mia Dlk Th IQ TM UZ TJ AF Pli Pic Pag Kab Ui Ku

- 880. *Exaeretia niviferella* (Christoph,1872)** (Oecophoridae) Synonym(s): niviferella Christoph,1872 Range (in code): RU Ce Da Or KG Uk Aa Ui Ku Cm UA AZ TR
- 881. *Pleurota (s.str.) obtusella* Rebel,1917** (Oecophoridae) Synonym(s): obtusella Rebel,1917 Range (in code): Ui Ku

Psychidae

- 882. *Acanthopsyche iliensis* Wehrli,1928** (Psychidae) Synonym(s): iliensis Wehrli,1928 Range (in code): Ui KG
- 883. *Bijugis proxima* (Lederer,1853)** (Psychidae) Synonym(s): proxima Lederer,1853; ledereriella Bruand,1853 Range (in code): RU At Sb KG CN Ui
- 884. *Oiketicoides orophila* (Wehrli,1928)** (Psychidae) Synonym(s): orophila Wehrli,1928 Range (in code): Ui Ku T-S
- 885. *Psychidopsis alpherakii* (Heylaerts,1881)** (Psychidae) Synonym(s): alpherakii Heylaerts,1881 Range (in code): Ui Ku KG Ssn
- 886. *Psychidopsis flavescens* (Heylaerts,1881)** (Psychidae) Synonym(s): flavescens Heylaerts,1881 Range (in code): Ui Ku KG Tk Dsa
- 887. *Typhonia kuldjaensis* (Caradja,1920)** (Psychidae) Synonym(s): kuldjaensis Caradja,1920 Range (in code): Ui Ku KK KuA Na

Pterophoridae

- 888. *Agdistis adactyla* (Hübner,[1819])** (Pterophoridae) Synonym(s): adactyla Hübner,[1819]; huebneri Curtis,1834; delphinensella Bruand,1858; shaanxisis Qin & Zheng,1997. Range (in code): AET MA DZ Phv TN Gf LY Cy ES FR Si IT DE CH AT PL CZ SK HU RO MK BG GR TR LV LT RU Ir Irk Tt Mnu Kj Cc AM Eri MD UA BY PK KG Uk TrA Aa TJ TM Bdz CN Ui Ku IMn Gn Pkn Hph She NHu LB Bsa IL Pa IR Elb Th Gor Gls Mz Amo Se Fa AF Ca Pli MN
- 889. *Agdistis flavissima* Caradja,1920** (Pterophoridae) Synonym(s): flavissima Caradja,1920 Range (in code): TM Ui Kml
- 890. *Agdistis ingens* Christoph,1887** (Pterophoridae) Synonym(s): ingens Christoph,1887. Range (in code): RU Ao Sr MN TJ KK T-S KG Uk UZ TM Kp Bdz CN Ui Kml Gn AF
- 891. *Agdistis tamaricis* (Zeller,1847)** (Pterophoridae) Synonym(s): tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997. Range (in code): Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Mz Elb Th Kz Sde Gls Ss Hz IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 HJ SA39 EG EG05 EG11 SD GH YE Mrw
- 892. *Cnaemidophorus rhododactylus* (Fabricius,1787)** (Pterophoridae) Synonym(s): #rhododactyla [Denis & Schiffermüller], 1775; rhododactylus Fabricius,1787; koreana Matsumura,1931; #rhododactyls Arenberger,1998 Range (in code): DZ Eba PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AM Eri IR Ab Mak Gls Kd Bne Es Kh Ha Zj LB Bsa DK NO SE FI EE LV LT RU Us TJ UZ MD UA BY Ld Ch Ui KP KR JP
- 893. *Crombrughia distans* (Zeller,1847)** (Pterophoridae) Synonym(s): distans Zeller,1847; distantidactyla Bruand,1858; geodactylus Fuchs,1903; lactucae Fletcher,1920; clarisignis Myerick,1924; buvati Bigot & Picard,1988; pravieli Bigot & Picard,1989; gibeauxi Bigot et al.,1990; supplementum Gibeaux,1997. Range (in code): Cn MA Azr Ouk Ifr DZ Lbs Hsb TN PT ES Grn FR Py Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO SS HV YU B-H MK AL BG GR TR DK NO SE FI RU Sb MD UA Cm GG Tbl AM Eri AZ IR Elb Kdj Th Mz Kz Gor Yas Nss BY AF Pag Kab Pli Sfk Kot Bkt Nu Hr PK Swa Mdy Ch KG UZ Smk TM Kp K-K Ui IN Up Hp NP SI BT Cm VI Ur At Ir Irk Bry Ik Smk Ass Khs N-A Swa Kma Snm Djl Cc KK KuA
- 894. *Emmelina monodactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): monodactyla Linnaeus,1758; sibiricus Caradja,1920. Range (in code): Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts SY Hal IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No VI Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo IR Elb Kdj Th Gor Gh Clu Kz Dzf Ha Lo Es Ke Jrf Ab Oru Khy Ak Tbz Zj Kh Msh Se Gls MA Ifr Ouk Anna Bsk Ski Cst Clo Sfx Tun
- 895. *Gillmeria macrornis* (Meyrick,1930)** (Pterophoridae) Synonym(s): macrornis Meyrick,1930; kerkzhneri Zagulyaev & Pentschukowskaja,1972. Range (in code): KG Tk Nrk CN She Sz Ui MN RU At
- 896. *Gillmeria tetradactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): tetradactyla Linnaeus,1761; ochrodactyla [Denis & Schiffermüller],1775; dichrodactylus Mühlh,1863; bosniaca Rebel,1904; pallida Dufrane,1949 Range (in code): FR IT GB BE NL LU DE CH? AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY TJ Cc AM Ui
- 897. *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): inulae Zeller,1852; coniodactylus Staudinger,1859; alpinus Gibeaux & Picard,1992. Range (in code): Cn MA Rbt Tgr DZ Bsk Anna TN Gf LY PT ES An Mu FR MT DE AT PL CZ SK HU YU HV MK BG GR Cr TR CY LB Bsa IL Jfjs Jt JO Zq Pa RU MD UA BY EG CN Stg Ui UZ Man
- 898. *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): microdactyla Zetterstedt,1839 nec Hübner,[1813]; osteodactylus Zeller,1841; trimmatodactylus Christoph,1872; cinerariae Millièr,1874; chrysocomaes Ragonot,1875; korbi Caradja,1920; turbidellus Caradja,1920; sophronistes Meyrick,1938. Range (in code): MA DZ PT ES FR Sa Si IT GB LU DE CH AT PL CZ SK HU RO YU SS HV B-H MK BG TR DK NO SE FI EE LV LT RU Sr Mo Pt VI Kb Teb No At Prj Us MD UA BY Cc GG Tbl Mng KG Uk CN Stg Shs NHu Mc Sz Yu Ui MN KP KR JP Hkk
- 899. *Marasmarcha asiatica* (Rebel,1902)** (Pterophoridae) Synonym(s): asiatica Rebel,1902; aibasovi Ustjuzhanin,2001 Range (in code): KG Ui Au IR Ar Bk By Fa Km Th Yz Kh Hz Ab Oru Kz Zj Es Ke Km Lo
- 900. *Marasmarsha colossa* Caradja,1920** (Pterophoridae) Synonym(s): colossa Caradja,1920 Range (in code): KK Na KG Tk RU Ui Kml UZ AF TJ
- 901. *Merrifieldia baliodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): baliodactyla Zeller,1841; tridactylus Stephens,1834; daliodactylus Bruand,1850 Range (in code): MA PT ES Grn FR IT GB BE NL LU DE CH AT PL CZ SK RO YU HV B-H MK AL BG GR Cr TR LB Bsa IL Pa DK NO SE FI EE LV LT RU Mo Kb Teb Cc MD UA BY Ui Ku KG TrA KK KuA
- 902. *Merrifieldia caspia* (Lederer,1870)** (Pterophoridae) Synonym(s): caspia Lederer,1870 Range (in code): TR IR Gls Kh Elb Gor Fa KuB Msh TM Kp UZ Fe Smk Nmg Man KK Osh Ik Ui Ku IN Ld Ik RU
- 903. *Oidaematophorus lithodactylus* (Treitschke,1833)** (Pterophoridae) Synonym(s): lithodactylus Treitschke,1833; septodactylus Treitschke,1833; similidactylus Dale,1834; lithoxylodactylus Duponchel,[1840]. Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H BG GR TR DK NO SE FI EE LV RU Or Tt St Ir Irk Kb Teb MD UA BY Ui JP Kyu Hkk IR Kd Mrv
- 904. *Paraplatyptilia metzneri* (Zeller,1841)** (Pterophoridae) Synonym(s): metzneri Zeller,1841; bolli Frey,1856; gaji Zagulyaev,1983 Range (in code): FR IT DE CH AL BG TR IR RU At MD UA BY KG Uk MN Sb Cc Ui KI

- 905. *Paraplatyptilia terminalis* (Erschoff, 1877)** (Pterophoridae) Synonym(s): *terminalis* Erschoff, 1877 Range (in code): RU Sb At Sj At Ui Ku
- 906. *Platyptilia gonodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller], 1775; *megalodactyla* [Denis & Schiffermüller], 1775; *diptera* Sulzer, 1776; *trigonodactyla* Haworth, 1811; *farfara* Gregson, 1885; *albidior* Caradja, 1920 Range (in code): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG UK CN Ui Mc MN PK IN
- 907. *Platyptilia nemoralis* (Zeller, 1841)** (Pterophoridae) Synonym(s): *nemoralis* Zeller, 1841; *nemoralidactyla* Bruand, 1859; *graaffi* Zeller, 1873; *sinuosa* Yano, 1960. Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU BG TR IR Th FI EE RU Sb MD UA BY Ui JP
- 908. *Procapperia kuldshaensis* (Rebel, 1914)** (Pterophoridae) Synonym(s): *kuldshaensis* Rebel, 1914; *asiatica* Zagulyaev, 1986. Range (in code): TR UA Cm RU At Tv Sj Sb AF Kab Pag Sfk Shah Kbb Pnj PK Kag Haz TM KK TeA Na Tls Ik UZ Smk KG TeA TrA Aa Ket MN Ui Ku Cc GG Im Kta
- 909. *Pterophorus pentadactylus* (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus, 1758; *tridactyla* Scopoli, 1763; *sulphurea* Staudinger, 1880. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR DK NO SE FI EE LV LT RU Da Kb Teb No St Us Prj Sr Tt MD UA Cm BY SY Hal Cc Kc Teb AM AZ Len GG IR Ab Oru Gor Gls Mz Gh Nos TM KG Tk Dj TrA Aa CN Ui Ku Yu Sz Mc Jn TW
- 910. *Pterophorus taklamakanus* Arenberger, 1995** (Pterophoridae) Synonym(s): *taklamakanus* Arenberger, 1995 Range (in code): Ui Ln
- 911. *Stenoptilia graphodactyla* (Treitschke, 1833)** (Pterophoridae) Synonym(s): *graphodactyla* Treitschke, 1833. Range (in code): PT ES IT DE CH AT PL CZ SK YU BG MK AL RU Cc MD UA BY CN Ui She
- 912. *Stenoptilia mannii* (Zeller, 1852)** (Pterophoridae) Synonym(s): *mannii* Zeller, 1852; *megalochra* Meyrick, 1927; *lucasi* Arenberger, 1990 Range (in code): MA FR MK BG GR TR IR Ab Mmş Ar Elb Th Fa Cc GG AM Eri UA Cm Ui Ku LB SY Hal IQ UZ KK
- 913. *Stenoptilia pelidnodactyla* (Stein, 1837)** (Pterophoridae) Synonym(s): *pelidnodactyla* Stein, 1837; *alpinalis* Burmann, 1954; *bigoti* Gibeaux, 1986; *gibeauxi* Nel, 1989; *cerdanica* Nel & Gibeaux, 1990; *cebennica* Nel & Gibeaux, 1990; *mercantourica* Nel & Gibeaux, 1990; *brigantiensis* Nel & Gibeaux, 1992; *buvati* Nel & Gibeaux, 1992 Range (in code): ES FR IT MT BE LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU Ya At MD UA BY Ui
- 914. *Stenoptilia pneumonanthus* (Büttner, 1880)** (Pterophoridae) Synonym(s): *pneumonanthus* Büttner, 1880; *nelorum* Gibeaux, 1989; *arenbergeri* Gibeaux, 1990. Range (in code): FR GB BE NL DE CH AT PL SK BG DK SE RU Cc At Ya Sb Ui Shs
- 915. *Stenoptilia pterodactyla* (Linnaeus, 1761)** (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus, 1761; *fuscus* Retzius, 1783; *fuscodactyla* Haworth, 1811; *ptilodactyla* Hübner, [1813]; *palludicola* Wallengren, 1862; *pallida* Tutt, 1906 Range (in code): ES FR Si IT MT IE GB BE NL LU DE Bv Bw CH AT PL CZ SK HU RO HV YU AL MK BG GR TR DK NO SE FI EE LV LT RU Mo Ti MD UA BY Cc GG Tbl IR Mz Elb AM KG Ur Or Sb To Ui T-S US
- 916. *Stenoptilia scoprodactyla* Zagulyaev, 1986** (Pterophoridae) Synonym(s): *scoprodactyla* Zagulyaev, 1986 Range (in code): CN Ui T-S

Pyalidae

- 917. *Achyra nudalis* (Hübner, 1796)** (Pyralidae) Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1832; *lacunalis* Zeller, 1852; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *fulvalis* W. Warren, 1892; *ochromorpha* Lower, 1901; *kronei* Schawerda, 1914; *brunnealis* Caradja, 1916; *serenalis* Schawerda, 1916; *xanthalis* Fawcett, 1916 Range (in code): MA TN DZ Clo PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc Ce Gro RU Ao AM Eri GG Tbl Len AZ Kir Nv Ord YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put Mz IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc Ui MN LK IN ZA SA NE ZR KE
- 918. *Anania luteorubralis* (Caradja, 1916)** (Pyralidae) Synonym(s): *luteorubralis* Caradja, 1916 Range (in code): Ui Ju
- 919. *Ancylosis albicosta* (Staudinger, 1870)** (Pyralidae) Synonym(s): *albicosta* Staudinger, 1870; *delimitella* Ragonot, 1887; *niveicostella* Ragonot, 1901. Range (in code): MA LY Cy RO RU Sr Or MD UA TR KG UK Ind TM Kp K-K AF Hr Kbb IR Elb Th Ui Ga
- 920. *Ancylosis albidella* Ragonot, 1888** (Pyralidae) Synonym(s): *albidella* Ragonot, 1888 Range (in code): HU SK ES Hv UZ Man Ui Ku MN
- 921. *Ancylosis cinnamomella* (Duponchel, 1836)** (Pyralidae) Synonym(s): *dilutella* Tr., 1832 [n.o.]; *cinnamomella* Dup., 1836; *labeomella* Staudinger, 1859; *lafauryella* Rag., 1887; *byzacaeniella* Rag., 1887; *roseopennella* Rag., 1901; *tunesella* Caradja, 1910; *fuliginosa* Rothschild, 1913; *picella* Tur., 1922; *ferrugineolineella* Tur., 1924. Range (in code): DZ TN Gf PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG UK Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb KJ Th Fa Ha Sa AF Kab Kbb Pag Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eba MA Ifr Ouk
- 922. *Ancylosis dryadella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *dryadella* Ragonot, 1887; *sefidella* Amsel, 1951. Range (in code): RU Ui Ku T-S KG Tar Ssn Uk UZ Man IR Elb KJ Th Fa AF Hr
- 923. *Ancylosis dumetella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *dumetella* Ragonot, 1887; *albinotella* Ragonot, 1887; *alvandella* Amsel, 1961. Range (in code): DZ Onç Ui Ku T-S TM Kp TR IR Ha Adv Th Elb Fa AF Kab Pag Ca Hr Bd KK RU Da Cc
- 924. *Ancylosis euclastella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *euclastella* Ragonot, 1887 Range (in code): Ui Ku
- 925. *Ancylosis fuscovenella* Ragonot, 1887** (Pyralidae) Synonym(s): *fuscovenella* Ragonot, 1887 Range (in code): Ui Ku
- 926. *Ancylosis gracilella* Ragonot, 1887** (Pyralidae) Synonym(s): *gracilella* Ragonot, 1887; *subcandidatella* Ragonot, 1887; *monostictella* Ragonot, 1887; *casella* Chrétien, 1910; *lybistinella* Turati, 1924; *dowsoniella* Richards & Thomson, 1932. Range (in code): MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man Ui Ku
- 927. *Ancylosis griseomixtella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *griseomixtella* Ragonot, 1887 Range (in code): TM Krn Ui Ku
- 928. *Ancylosis lacteicostella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *lacteicostella* Ragonot, 1887; *fulvobasella* Ragonot, 1887; *aegyptiacella* Ragonot, 1901; *spatzi* Rothschild, 1915. Range (in code): MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur Ui Ku AE
- 929. *Ancylosis leucocephala* (Staudinger, 1879)** (Pyralidae) Synonym(s): *leucocephala* Staudinger, 1879 Range (in code): DZ LY Cy EG IL Jf Hf Pa RO RU Ur Sr Or KG UK KK Na IR Elb Th AF Hr Kab Srb Ca UZ Br MN CN Stg Ui Ku
- 930. *Ancylosis maculifera* Staudinger, 1870** (Pyralidae) Synonym(s): *maculifera* Staudinger, 1870; *ifraneella* Lucas, 1954. Range (in code): MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG UK MN Ui Ku RU Ur Sr Or Am TW CN Yu
- 931. *Ancylosis morbosella* Staudinger, 1879** (Pyralidae) Synonym(s): *morbosella* Staudinger, 1879; *inderskyella* Caradja, 1910; *cinnamomella* Rothschild, 1915 Range (in code): DZ FR RU Ur TR Cc AF Kbb Ui Au KG Ind
- 932. *Ancylosis nigripunctella* (Staudinger, 1879)** (Pyralidae) Synonym(s): *nigripunctella* Staudinger, 1879; *wockeella* Ragonot, 1887; *carnibasalis* Hampson, 1896. Range (in code): DZ Gha TN IR EG EG11 MT RU TR KK KG Tk Ui Ku YE Ad IR Ss

- 933. *Ancylosis ochricostella* Ragonot, 1887** (Pyralidae) **Synonym(s):** ochricostella Ragonot, 1887 **Range (in code):** TM Kp TR AF Hr Ui Ku
- 934. *Ancylosis pallida* (Staudinger, 1870)** (Pyralidae) **Synonym(s):** pallida Staudinger, 1870 **Range (in code):** RO GR RU Sr Or UA SA SA63 IR Elb Th Kh TR Ui Ga KG Uk AF Hr Kab T-S KK Na MN
- 935. *Ancylosis partitella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** partitella Ragonot, 1887; adustella Ragonot, 1887; fractifasciella Ragonot, 1890; kebililla Lucas, 1909; combustella Chrétien, 1910. **Range (in code):** MA TN Gf DZ Ah Aj Bsk MT LY Cy SD EG SA SA63 IL SY Dms AE IQ Bgd Kbl IR Elb Th Ss Irs Sde Kz Ana Ke Ahz BH Ce AZ Nv Ord KG Uk AF Ca Hr Ui Ku Ga TM Kp UZ KW MN
- 936. *Ancylosis plumbatella* (Ragonot, 1888)** (Pyralidae) **Synonym(s):** plumbatella Ragonot, 1888 **Range (in code):** SA SA63 RU Ui TM Kp KG Uk AF Hr
- 937. *Ancylosis roscidella* (Eversmann, 1844)** (Pyralidae) **Synonym(s):** roscidella Eversmann, 1844; cinerella Stainton, 1859; ephedrella Herrich-Schäffer, 1860; neglectella Heinemann, 1864; blandella Ragonot, 1887; zohrella Oberthür, 1888; carnea W. Warren, 1888; bartella Caradja, 1910; benderella Amsel, 1961 **Range (in code):** MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th KJ Ss AF Hr Kbb Srb PK Ch Cp Ce AZ Nv Ord MN Sb TM Ui T-S
- 938. *Ancylosis samaritana* (Zeller, 1867)** (Pyralidae) **Synonym(s):** samaritana Zeller, 1867; urbicella Erschoff, 1874; biligulella Ragonot, 1887; flavescentella Chrétien, 1910; diminutella Chrétien, 1910; cinnamomeifascia Rothschild, 1915; lacroixella Lucas, 1939; brevialpella Amsel, 1954. **Range (in code):** Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK BI Qu Ce AZ Nv Ord Ui Ku
- 939. *Ancylosis syrteella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** syrteella Ragonot, 1887; costalbella Amsel, 1954 **Range (in code):** MA Ifr DZ Lbs Abe Bsk TN Gf Gab Sfx LY Cy IL Js Pa IR Elb Kdj Th Fa Ha Kh RU TR IQ Bsr AF Gbh Ui Ga KG Uk Ind
- 940. *Ancylosis xylina* (Staudinger, 1870)** (Pyralidae) **Synonym(s):** xylina Staudinger, 1870; sablonella Rothschild, 1915; molochinella Zerny, 1929. **Range (in code):** MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gb Sb
- 941. *Anoristia umbrifasciella* Ragonot, 1887** (Pyralidae) **Synonym(s):** umbrifasciella Ragonot, 1887; conchyliella Ragonot, 1887 **Range (in code):** UZ Fe Nmg Ui Ku Khr
- 942. *Aphomia sociella* (Linnaeus, 1758)** (Pyralidae) **Synonym(s):** sociella Linnaeus, 1758; colonella Linnaeus, 1758; tribunella [Denis & Schiffermüller], 1775; viridella Goeze, 1783; inaequalis De Villers, 1789; socia Fabricius, 1798; bipunctana Curtis, 1828; asiatica Caradja, 1916; pedemontana, eritrella Della Beffa, 1941. **Range (in code):** DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Elb Th Kdv Dam KG Tk Dj Ui Au Ku AU
- 943. *Aphyletes nigrisparsella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** nigrisparsella Ragonot, 1887; derbentella Caradja, 1910 **Range (in code):** Ce RU AM KK Ik Ui Ki Ku Ga
- 944. *Aporodes floralis* (Hübner, [1809])** (Pyralidae) **Synonym(s):** floralis Hübner, [1809]; stygialis Treitschke, 1829; siculalis Duponchel, 1833; conversalis Duponchel, 1834; meleagrisalis Walker, 1859; transversalis Moore, 1878; grisealis Caradja, 1916; #florealis Rebel, 1939 **Range (in code):** TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Ce IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Kh Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Ca Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm Ui Yk PK Pj Sd Krc Cp Hf Ce GG Bjo Tbl Kir Da Der AZ IN Mh Bba Kz Sde Irs PL KG Tks Mz DZ Clo Ajj MA
- 945. *Arsissa aksuella* (Caradja, 1910)** (Pyralidae) **Synonym(s):** aksuella Caradja, 1910 **Range (in code):** IR Fa Ui Au
- 946. *Asalebria* (s.str.) *venustella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** venustella Ragonot, 1887; hilarella Caradja, 1916; palella Caradja, 1916 **Range (in code):** PT ES Mu FR Sa RU Sr TR Ce AM Eri IR Ss TM Kp KG Tar Ssn Ui Au Ku MN
- 947. *Calamotropha aureliella* (Fischer v. Röslerstamm, [1841])** (Pyralidae) **Synonym(s):** aureliella Fischer v. Röslerstamm, [1841]; fulvilineata Okano, 1958. **Range (in code):** FR IT DE CH AT PL CZ SK HU RO YU BG GR DK UZ Br KG Dj Tk RU Am Us Ce Cc Gro Kr UA JP Ui Au
- 948. *Calamotropha paludella* (Hübner, [1824])** (Pyralidae) **Synonym(s):** paludella Hübner, [1824]; obtusellus Stainton, 1856; paramattellus Meyrick, 1879; carpherus Hampson, 1898; nivellus Rebel, 1914; calamosus Hampson, 1919; durandi Lucas, 1931; typhivorus Meyrick, 1932; #digitatus Osthelder, 1937; afghanistanica Bleszynski, 1959 **Range (in code):** PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Bsr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Rd Dj Tk IR Mz Gh Ra Kd Kz Dzf Enz Fa Shr Abn AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs Ui Yu IMn Mc Hun Fkn TW JP Kyu Hkk ID IN
- 949. *Catoptria lithargyrella* (Hübner, 1796)** (Pyralidae) **Synonym(s):** lithargyrella Hübner, 1796 **Range (in code):** ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IR DK NO SE FI EE LV LT RU Ur Tt IR Mnu KJ Ce GG AM KK UI
- 950. *Catoptria xerxes* (Sauber, 1904)** (Pyralidae) **Synonym(s):** xerxes Sauber, 1904 **Range (in code):** Ui Ki Ku Ju
- 951. *Chilo christophi* Bleszynski, 1965** (Pyralidae) **Synonym(s):** christophi Bleszynski, 1965 **Range (in code):** RU Ur Am Prj Us Ce AZ Nv Ord IR Mz RO Ui Ku KK Ik KG Tk Dj Ii JP
- 952. *Chilo luteellus* (Motschulsky, 1866)** (Pyralidae) **Synonym(s):** luteellus Motschulsky, 1866 nec [Denis & Schiff.], 1775; luteellus Motschulsky, 1866; concolorellus Christoph, 1885; gensamellus Leech, 1889; dubia Bethune-Baker, 1894; boxanus Hering, 1903; plumbosellus Chrétien, 1910; molydellus Zerny, 1935; molybdellus Zerny, 1941 **Range (in code):** DZ Bsk ES Sa IT HU BG GR Cr RO UA Cm TR RU TM Kp IR Mz Shh Gh Tgo Ar Enz Km Dzf Ak Ce AZ Len SY EG LB IQ Rwx AF Hr PK Cp CN Stg Ui Ku Kp KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH
- 953. *Chilo phragmitellus* (Hübner, [1810])** (Pyralidae) **Synonym(s):** phragmitellus Hübner, [1810]; rhombea Haworth, [1811]. **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK DK NO SE FI EE LV RU MD UA BY TR IQ IR Enz CN Ui Stg JP Hkk
- 954. *Cholius leucopeplalis* (Hampson, 1900)** (Pyralidae) **Synonym(s):** leucopeplalis Hampson, 1900 **Range (in code):** UZ Smk T-S Ui Ku
- 955. *Christophia baliella* (Ragonot, 1888)** (Pyralidae) **Synonym(s):** baliella Ragonot, 1888 **Range (in code):** TM Kp Ui Brç
- 956. *Christophia granulella* (Zerny, 1914)** (Pyralidae) **Synonym(s):** granulella Zerny, 1914 **Range (in code):** Ui Ln
- 957. *Christophia venosella* (Moore, 1878)** (Pyralidae) **Synonym(s):** venosella Moore, 1878 **Range (in code):** Ui Yk Ga
- 958. *Chrysocrambus linetellus* (Fabricius, 1781)** (Pyralidae) **Synonym(s):** linetellus Fabricius, 1781; cassentiniellus Herrich-Schäffer, [1848]; distinctus Müller-Rutz, 1920; chrysocrossis Meyrick, 1936; #marioni Dufrane, 1960. **Range (in code):** ES FR Co Sa Si IT GB CH AT SK HU RO SS YU B-H ME MK AL BG GR Cr TR SY JO IR Gh Tgo Alb Kdj Th Dam Clu Ab Oru Es Kh Bjn Ar Kd Mrv Bne Snj Ha Se Fa Shr Sse LB IQ CY Rd UZ Br Ui Ce AZ Len
- 959. *Chrysoteuchia pyraustoides* (Erschoff, 1877)** (Pyralidae) **Synonym(s):** pyraustoides Erschoff, 1877 **Range (in code):** RU Ir Irk Am Us Prj Ask Mnu KJ CN Tz Kno Sz T-T Ui Ln
- 960. *Coenochroa nitidicostella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** nitidicostella Ragonot, 1887 **Range (in code):** DZ Orn TN Gf GR? RU Sr IL Pa Ui Au
- 961. *Crambus pascuellus* (Linnaeus, 1758)** (Pyralidae) **Synonym(s):** pascuella Linnaeus, 1758; scirpellus Laharpe, 1864; fumipallus Mann, 1871; acutulellus Chrétien, 1896. **Range (in code):** PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu KJ Ir Irk Am Sh MD UA BY GG Ce AZ AM CN Ui Ku Gn Sz T-T KG Uk JP Hkk Kyu
- 962. *Crambus perlellus* (Scopoli, 1763)** (Pyralidae) **Synonym(s):** perlellus Scopoli, 1763; dealbellus Thunberg, 1788; warringtonellus Stainton, 1849. **Range (in code):** MA Ifr PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT

- RU Mo MD UA BY TR GG AM Cc AZ KG UK IR Qm Gh Ha Ke Jrf Msh Mz Kh Gor Nss Shh Plr Dam KK TJ Pm AF Ch Ui Kun Kml CN Mc Jn US Cf Col CA BCo Abt Als Mai Iln Mrl SDK Vr Mch Mns Mnt Nbw Nfl On Qb
- 963. *Cremnophila pyraustella* Zerny, 1914** (Pyralidae) **Synonym(s):** *pyraustella* Zerny, 1914 **Range (in code):** Ui Ju
- 964. *Cybalomia fulvomixtalis* Zerny, 1914** (Pyralidae) **Synonym(s):** *fulvomixtalis* Zerny, 1914 **Range (in code):** UZ Fe Man Ui Ku
- 965. *Cynaeda* (s.str.) *dentalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) **Synonym(s):** *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959 **Range (in code):** DZ Clo Lbs Ges TN Gf PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL EG KG UK Tk Dj Ii Ui Ku TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor Cc GG Bjo Lag Kir AZ Mng Nv Ord
- 966. *Dentitegumia classica* Roesler, 1989** (Pyralidae) **Synonym(s):** *classica* Roesler, 1989 **Range (in code):** Ui Au
- 967. *Dioryctria resiniphila* Segerer & Pröse, 1997** (Pyralidae) **Synonym(s):** *resiniphila* Segerer & Pröse, 1997 **Range (in code):** GT TR Ui
- 968. *Endotricha ragonoti* Christoph, 1893** (Pyralidae) **Synonym(s):** *ragonoti* Christoph, 1893; *albicinctalis* Hampson, 1903 **Range (in code):** T-S Ui IN
- 969. *Epischia adultella* Zeller, 1848** (Pyralidae) **Synonym(s):** *adultella* Zeller, 1848; *gregariella* Erschoff, 1877; *zophodiella* Ragonot, 1887; *mongolica* Amsel, 1954 **Range (in code):** TR Ui Ku MN U-B TM Kp Cc AM Da RU Am IR Elb Kdv
- 970. *Euchromius gratiosellus* (Caradja, 1910)** (Pyralidae) **Synonym(s):** *gratiosella* Caradja, 1910; *gartheellus* Derra, 1985; *siuxellus* Ganev & Hacker, 1986 **Range (in code):** ES Co IT RU Sr KG UK Cm TR Cc Ui Ln IR Shh
- 971. *Euchromius jaxartellus* (Erschoff, 1874)** (Pyralidae) **Synonym(s):** *jaxartella* Erschoff, 1874 **Range (in code):** Cc AZ Nv Ord KG UK RU Tv TR JO TM Kp UZ Br IR Ab Oru Ak Ss Gls Gor Sbz Zj Kh Ui Ku AF Hr Srb Ca
- 972. *Euchromius ramburiellus* (Duponchel, 1836)** (Pyralidae) **Synonym(s):** *ramburiellus* Duponchel, 1836; *zonellus* Zeller, 1847; *luteella* Caradja, 1910; *#ramburellus* Rothschild, 1924; *islamella* Amsel, 1949 **Range (in code):** Cn MA LY DZ Afl Sfr BSa Gle Ktr Gha Hes Lgt Sbd Abe Bsk Onç TN Sfx PT ES An Grn Mu FR Co Sa Si IT SS YU BG RU Tv MD UA BY Ui KG UK IL Pa Hf EG JO LB IR Kdj Fa Enz Ssh Sde Kz Zhd Es Ahz Dzf Hz Bu Dlk IQ Bsr Bgd Amr TR Cc
- 973. *Euchromius zagulajevi* Bleszynski, 1965** (Pyralidae) **Synonym(s):** *zagulajevi* Bleszynski, 1965 **Range (in code):** Ui
- 974. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer, [1848])** (Pyralidae) **Synonym(s):** *splendidalis* Herrich-Schäffer, [1848] **Range (in code):** TN Gf DZ Bsk MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Kir Len Ui Ku
- 975. *Eurhodope* (s.str.) *rosella* (Scopoli, 1763)** (Pyralidae) **Synonym(s):** *rosella* Scopoli, 1763; *pudoralis* Denis & Schiffermüller, 1775; *pudorella* Hübner, 1796; *pudorana* Frölich, 1828 **Range (in code):** ES FR Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR SE LT TR Cc KG UK Ui Ln RU Da Cc
- 976. *Euzophera* (s.str.) *albipunctella* Ragonot, 1887** (Pyralidae) **Synonym(s):** *albipunctella* Ragonot, 1887 **Range (in code):** Ui Ku
- 977. *Euzophera* (s.str.) *alpherakyella* Ragonot, 1887** (Pyralidae) **Synonym(s):** *alpherakyella* Ragonot, 1887; *#alpherakyi* Zerny, 1914 **Range (in code):** TR IR Fa Elb KJ Th AF Pag PK Gg Hu Ch TM Kp KG UK Tk Dj Ui Ku T-S DsA
- 978. *Euzophera* (s.str.) *cinerosella* (Zeller, 1839)** (Pyralidae) **Synonym(s):** *cinerosella* Zeller, 1839; *incanella* Eversmann, 1844; *artemisiella* Stainton, 1859; *pimeleella* Zerny, 1934. **Range (in code):** ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv LB IL Hf Pa CY KG UK Ind Ui Ku MN
- 979. *Euzophera* (s.str.) *formosella* (Rebel, 1910)** (Pyralidae) **Synonym(s):** *formosella* Rebel, 1910 **Range (in code):** GR RU UA Cm TR IQ Kbl IR Elb Th Fa Kz Com CY SY AF Kbb BdA MN KG UK Ind Ui Ku
- 980. *Euzophera* (s.str.) *pyriella* Yang, 1994** (Pyralidae) **Synonym(s):** *pyriella* Yang, 1994 **Range (in code):** Ui KI
- 981. *Evergestis albifuscalis* (Hampson, 1900)** (Pyralidae) **Synonym(s):** *albifuscalis* Hampson, 1900 **Range (in code):** UZ Nmg Ui Ku
- 982. *Evergestis anartalis* (Staudinger, 1892)** (Pyralidae) **Synonym(s):** *anartalis* Staudinger, 1892; *heliacalis* Zerny, 1914 **Range (in code):** Ui Ku Kml UZ Fe Man Nmg KK Ax KG Tk Dj Ii
- 983. *Evergestis frumentalis* (Linnaeus, 1761)** (Pyralidae) **Synonym(s):** *frumentalis* Linnaeus, 1761; *espanalis* Schawerda, 1926 **Range (in code):** PT ES FR Co Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Lag Tbl AZ Kir Len DK SE FI EE LV RU MD UA BY IR TM Kp KG UK Tk Dj Ii Ui Ku Kml
- 984. *Evergestis infirmalis* (Staudinger, 1870)** (Pyralidae) **Synonym(s):** *infirmalis* Staudinger, 1870; *helenalis* Staudinger, 1870 **Range (in code):** GR TR IR Elb Kdv Shh Ui Kml Au
- 985. *Evergestis nomadalis* (Lederer, 1871)** (Pyralidae) **Synonym(s):** *nomadalis* Lederer, 1871 **Range (in code):** IT GR TR Cc AZ Kir Nv Ord IR Elb Th Mz Kh Nss Fa Sse TM Kp RU Am KG DsA Ui Ku
- 986. *Evergestis orientalis* (Eversmann, 1851)** (Pyralidae) **Synonym(s):** *orientalis* Eversmann, 1851 **Range (in code):** RU Sb Ui Yk T-S Kml Au MN Us Prj
- 987. *Evergestis plumbofascialis* (Ragonot, 1894)** (Pyralidae) **Synonym(s):** *plumbofascialis* Ragonot, 1894 **Range (in code):** ES RU Sj Ui Ii Kml
- 988. *Evergestis sorhageni* (Saubert, 1899)** (Pyralidae) **Synonym(s):** *sorhageni* Sauber, 1899; *obsoleta* Sauber, 1899 **Range (in code):** CN Ts Kno Ui Au KI MN Kml
- 989. *Evergestis spiniferalis* (Staudinger, [1900])** (Pyralidae) **Synonym(s):** *spiniferalis* Staudinger, [1900] **Range (in code):** AF Slg Adr KG Tk Nrk UZ Fe Ui Kml
- 990. *Gymnancyla craticulella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** *craticulella* Ragonot, 1887; *erschoffi* Ragonot, 1887. **Range (in code):** YU RU IR Elb Th Kdj Se Ss Kh Msh AF Bd Kbb Slg UZ Fe Man Ui Ku TM Kp KG UK Ind
- 991. *Gymnancyla gilvella* (Ragonot, 1887)** (Pyralidae) **Synonym(s):** *gilvella* Ragonot, 1887 **Range (in code):** Cn MA DZ Bsk Ajj TN Gf Ly Cy EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man Ui Ku
- 992. *Hypochalcia oxydella* Ragonot, 1887** (Pyralidae) **Synonym(s):** *oxydella* Ragonot, 1887; *castanella* Ragonot, 1887 **Range (in code):** Ui Ku
- 993. *Hypochalcia propinquella* (Eversmann, 1842)** (Pyralidae) **Synonym(s):** *propinquella* Eversmann, 1842; *candelisequella* Eversmann, 1844; *vesperella* Eversmann, 1844; *brunneella* Eversmann, 1844; *bruandella* Guenée, 1845; *affiniella* Zeller, 1848; *disjunctella* Zeller, 1848; *disjunctella* Herrich-Schäffer, 1849; *gianelliella* Ragonot, 1887; *hepaticella* Ragonot, 1887; *longobardella* Ragonot, 1887; *subrubiginella* Ragonot, 1887; *romanovi* Ragonot, 1893; *burgundiella* Ragonot, 1893; *ukrainae* Filipjev, 1931 **Range (in code):** FR BE AT IT CH HU BG RU Ur Or UA Ui Ku Ju KG UK
- 994. *Hypochalcia subrubiginella* Ragonot, 1887** (Pyralidae) **Synonym(s):** *subrubiginella* Ragonot, 1887; *gianelliella* Ragonot, 1887; *hepaticella* Ragonot, 1887; *longobardella* Ragonot, 1887; *romanovi* Ragonot, 1893 **Range (in code):** AT IT Ui Ku
- 995. *Hypotia khorgosalis* (Ragonot, 1891)** (Pyralidae) **Synonym(s):** *khorgosalis* Ragonot, 1891 **Range (in code):** Ui Khr
- 996. *Hypsopygia costalis* (Fabricius, 1775)** (Pyralidae) **Synonym(s):** *costalis* Fabricius, 1775; *fimbrialis* [Denis & Schiffermüller], 1775; *purpurana* Thunberg, 1784; *hyllalis* Walker, 1859; *rubrociliialis* Staudinger, 1870; *#lugens* Rebel, 1903; *syriaca* Zerny, 1914; *lugens* Caradja, 1917. **Range (in**

- code): DZ Orn PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Sro Th Elb Mz Gls IL Hf Pa EG TM Kp UZ Fe PK IQ Shq Dia KG Tk Tks Nrk Ui
- 997. *Isauria kuldgensis* Ragonot, 1887** (Pyralidae) Synonym(s): kuldgensis Ragonot, 1887 [Range \(in code\): Ui Ku KG Tk Dj KK T-S](#)
- 998. *Lambaesia pistrinariella* (Ragonot, 1887)** (Pyralidae) Synonym(s): pistrinariella Ragonot, 1887; acomptella Ragonot, 1888; #acomptella Caradja, 1916 [Range \(in code\): TR KK T-S Na Ui Ku Khr Au Al](#)
- 999. *Lambaesia pyraustella* (Zerny, 1914)** (Pyralidae) Synonym(s): pyraustella Zerny, 1914 [Range \(in code\): Ui Ju](#)
- 1000. *Lamoria sapozhnikovi* (Krulikovskiy, 1909)** (Pyralidae) Synonym(s): anella Zincken nec [Denis & Schiff.]; bipunctatus Zeller, 1848 nec Curt.; sapozhnikovi Krulikovskiy, 1909; decolor Caradja, 1910; zelleri Joannis, 1932 [Range \(in code\): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf LB Bei IR Mz ZA Ui Ku Mc JP LK IN](#)
- 1001. *Laristania aspergella* (Ragonot, 1887)** (Pyralidae) Synonym(s): aspergella Ragonot, 1887 [Range \(in code\): Ui Ku](#)
- 1002. *Lepidoneura grisealis* Hampson, 1900** (Pyralidae) Synonym(s): grisealis Hampson, 1900 [Range \(in code\): Ui Ku KG Tk Dj Ii KK Ik TR](#)
- 1003. *Loxostege angustipennis* (Zerny, 1914)** (Pyralidae) Synonym(s): angustipennis Zerny, 1914 [Range \(in code\): Ui Ln T-S](#)
- 1004. *Loxostege clathralis* (Hübner, [1813])** (Pyralidae) Synonym(s): clathralis (Hübner, [1813]); comptalis Lederer, 1855 nec Frr., [1848]; #nivalis Caradja, 1916 [Range \(in code\): RO HV RU Sr UA Cc GG Bjo Tbl AM Eri AZ Kir Lag Nv Ord Arr TR IR KG Uk Tk Dj Ii AF Shah Kot Pnj Kab Ui Au KG Uk](#)
- 1005. *Loxostege elutalis* Zerny, 1914** (Pyralidae) Synonym(s): elutalis Zerny, 1914 [Range \(in code\): Ui Ln](#)
- 1006. *Loxostege eversmanni* (Staudinger, 1892)** (Pyralidae) Synonym(s): eversmanni Staudinger, 1892; bicoloralis W. Warren, 1892 [Range \(in code\): KG Lps Ssn KK Ax Ui Ku](#)
- 1007. *Loxostege mucosalis* (Herrich-Schäffer, [1848])** (Pyralidae) Synonym(s): mucosalis Herrich-Schäffer, [1848] [Range \(in code\): HV MK BG Slv TR Ui Ku RU VI](#)
- 1008. *Loxostege rhabdalis* (Hampson, 1900)** (Pyralidae) Synonym(s): rhabdalis Hampson, 1900; rubrotinctalis Caradja, 1935 [ssp.] [Range \(in code\): Ui Ku KG Tk Dj MN](#)
- 1009. *Loxostege sticticalis* (Linnaeus, 1761)** (Pyralidae) Synonym(s): #lupulina Clerk, 1759; sticticalis Linnaeus, 1761; miana Müller, 1764; sylvata Panzer, 1804; tetragonalis Haworth, 1811; lupulinalis Guenée, 1854 [Range \(in code\): MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR Cr TR Cc GG Tbl Bjo Der Da AZ Nv MD UA Cm TM Kp DK NO SE FI EE LV LT RU Sb VI BY KG Tk Dj Ii Ui Kun Ku Kml IR Gls Kh Dam Elb AF Hr PK Psu Bl Qu CA](#)
- 1010. *Loxostege ziczac* (Sauber, 1899)** (Pyralidae) Synonym(s): ziczac Sauber, 1899 [Range \(in code\): Ui](#)
- 1011. *Mecyna flavalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): flavalis [Denis & Schiffermüller], 1775; paludalis Rougemont, 1906; flaviculis Caradja, 1916; cuencalis Caradja, 1916; luteoflavalis Mutuura, 1954 [Range \(in code\): DZ Lbs Tou ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Plr Gor Mz Gls Cc GG Bjo AZ Kir Len Nv Ord Ui Ju](#)
- 1012. *Megasis* (Tsaraphycis) *mimeticella* (Staudinger, 1879)** (Pyralidae) Synonym(s): mimeticella Staudinger, 1879; tolli Amsel, 1953. [Range \(in code\): DZ ES FR HU BG TR Cc SA IR Mz Th Elb KK Na Ui Ku](#)
- 1013. *Megasis* (s.str.) *alpherakii* Ragonot, 1887** (Pyralidae) Synonym(s): alpherakii Ragonot, 1887 [Range \(in code\): AF KK T-S Na Ik Ui Ku Ju](#)
- 1014. *Merulempista cingillella* (Zeller, 1846)** (Pyralidae) Synonym(s): cingillella Zeller, 1846; myricariella Millière, 1864; azrounella D. Lucas, 1933; hartigi Roesler, 1967 [Range \(in code\): MA Azr ES FR Si IT DE CH AT SK YU HV B-H AL RO IL Jt Pa Hf TR RU Cc GG Lag IR Ss Irs UA AF Hr CN Ui IMn NHu Hph](#)
- 1015. *Merulempista digitata* Li & Ren, 2011** (Pyralidae) Synonym(s): digitata Li & Ren, 2011 [Range \(in code\): CN Gn Ui](#)
- 1016. *Metaxmeste phrygialis* (Hübner, 1796)** (Pyralidae) Synonym(s): phrygialis Hübner, 1796; rupicolalis Hübner, 1799; monedula Esper, 1805; sericealis Hübner, 1825; lineolalis Eversmann, 1844; nevadalis Staudinger, 1859; aprutialis Constantini, 1923; kardakoffi M. Hering, 1940; cinerealis Della Beffa, 1942 [Range \(in code\): ES FR Co IT GB? DE CH AT PL HU RO YU B-H AL BG GR NO SE RU Ur Sb UA AM Cc GG Akh Da Kus KK Ik Al Tj Ui Ju Kl Au KG Tk Dj Ii](#)
- 1017. *Myelois* (s.str.) *calicatella* Ragonot, 1887** (Pyralidae) Synonym(s): calicatella Ragonot, 1887 [Range \(in code\): Ui Ku](#)
- 1018. *Myelois* (s.str.) *immaculatella* Ragonot, 1888** (Pyralidae) Synonym(s): immaculatella Ragonot, 1888; heratella Amsel, 1970 [Range \(in code\): DZ Gha TM Kp AF Hr Ui Kml](#)
- 1019. *Myrlaea orcella* (Ragonot, 1887)** (Pyralidae) Synonym(s): orcella Ragonot, 1887 [Range \(in code\): UZ Fe Ui KG Tk Nrk IR Elb Kdv](#)
- 1020. *Nomophila noctuella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): noctuella [Denis & Schiffermüller], 1775; hybridalis Hübner, 1796; incertalis Hübner, [1825]; indistinctalis Walker, 1859 [Range \(in code\): Cn Md MA Rbt DZ Bsa Btba Bsk Sfr Cst TN Sfx LY Cy Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO SS B-H HV MK YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz JO Amm LB Bsa Bei AF Hr Bmu Anj Gz Jla Kot SA SA50 SA74 KE Elg Nai SD SD07 SN GM CG TZ MW Mje AO ZW MZ DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Ans Bf Est Nta Kzu LS Tra Gau Pre Umk Wri RE KM MG MU Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr Ii Ui Ku Njr Mer Har Nam SD95 EG EG07 EG11 EG31 EG33 EG34 EG35 ET ET08 ET70 ET87 ET263 SY Hal IL Pa Js Hf YE Sna BH PK Mre Krc UZ Smk Br Rw Bl Lag Ax Dlh Hp Cp Drm Ca Ass Khs Pj Nl Nag Nnt Poo Pus Sml NP SI MM LK CN Mc Ti Hun Pkn Yu Lik Kgs Sz Ome Stg T-T KP KR JP Hkk Hw](#)
- 1021. *Nyctegretis lineana* (Scopoli, 1786)** (Pyralidae) Synonym(s): lineana Scopoli, 1786; achatinella Hübner, [1824]. [Range \(in code\): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL IQ IR Mz Elb CN Ui Ku Shs AF KG Uk TM Kp MN](#)
- 1022. *Oncocera amoenella* (Zeller, 1848)** (Pyralidae) Synonym(s): amoenella Zeller, 1848; erberi Mann, 1867 [Range \(in code\): IT HV RO YU AL MK GR TR Arr Cc AM IR Gls Ui Ku Ga AF TM TJ KG Ao At MN UZ](#)
- 1023. *Oncocera semirubella* (Scopoli, 1763)** (Pyralidae) Synonym(s): semirubella Scopoli, 1763; rosella Goeze, 1783 nec Sc., 1763; purpurella Thunberg, 1788; sanguinella Hübner, 1796; sanguinea Haworth, 1811; nigrella Caradja, 1916 [Range \(in code\): DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh Ui Tek Kty](#)
- 1024. *Ostrinia nubilalis* (Hübner, 1796)** (Pyralidae) Synonym(s): nubilalis Hübner, 1796; silacealis Hübner, 1796; glabralis Haworth, 1803; appositalis Lederer, 1858; #paulalis Fuchs, 1900; funeralis Zerny, 1914; rubescens Krulikovskiy, 1928; mauretanica Mutuura & Munroe, 1970; persica Mutuura & Munroe, 1970 [Range \(in code\): MA DZ Orn Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg UZ Fe PK K-P CY SY Dms IR Elb Gh Tgo CA On Nfl Qb Mnt Ui Ku US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU](#)
- 1025. *Ostrinia scapularis* (Walker, 1859)** (Pyralidae) Synonym(s): scapularis Walker, 1859; assamensis Mutuura & Munroe, 1970; narynensis Mutuura & Munroe, 1970; pasifica Mutuura & Munroe, 1970; perpasifica Mutuura & Munroe, 1970; rossica Mutuura & Munroe, 1970; subpasifica Mutuura & Munroe, 1970; orientalis Mutuura & Munroe, 1970; kurilensis Mutuura & Munroe, 1970; ussuriensis Mutuura & Munroe, 1970; [Range \(in code\): KG Aa TrA Nrk IN Ass CN Ui Kgs Fkn Hun Yu Kwa TW UA Cm RU Prj Us Krl JP Hkk](#)

- 1026. *Pediasia alaica* (Rebel,1907)** (Pyralidae) Synonym(s): alaica Rebel,1907; #atrella Caradja,1910 Range (in code): KK AI UZ Fe Pm T-S Ui Ju M-A
- 1027. *Pediasia kuldjaensis* (Caradja,1916)** (Pyralidae) Synonym(s): #uniformellus Caradja,1910; kuldjaensis Caradja,1916; soffneri Bleszynski,1954 Range (in code): RU Ur Ui Ku
- 1028. *Pediasia luteella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): luteella [Denis & Schiffermüller],1775; exoletella [Denis & Schiffermüller],1775; exsoletella Hübner,1796; ochrella Hübner,1796; kindermannii Zeller,1863; uhryki Rothschild,1911. Range (in code): PT FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Shh Plr Mz Elb Gor EE LV LT RU Mo Tt Sb Mnu Kj MD UA BY KG Tk Dj At Mn DsA UZ Man MN CN Ui Ku Ju
- 1029. *Pediasia pseudopersella* Bleszynski,1959** (Pyralidae) Synonym(s): pseudopersella Bleszynski,1959 Range (in code): IR Ar Elb Kdj Th CN Gn IMn Ui Kun
- 1030. *Pempelia genistella* (Duponchel,[1837])** (Pyralidae) Synonym(s): genistella Duponchel,[1837]; ulicella Herrich-Schäffer,1852; albilineella Staudinger,1859; davisellus Newman,1871 Range (in code): DZ Onç PT ES FR Co Sa GB CH IT SK HU YU RU AF Hr KG Uk Ui Ku UZ TM Kp
- 1031. *Pempelia intricatella* Ragonot,1887** (Pyralidae) Synonym(s): intricatella Ragonot,1887 Range (in code): Cc GG Tbl AM Eri AZ Len IR Elb Plr Srd TM Kp UZ Ui Au
- 1032. *Pempelia laetella* Zerny,1914** (Pyralidae) Synonym(s): laetella Zerny,1914 Range (in code): Ui Ln
- 1033. *Pempelia rosella* Zerny,1914** (Pyralidae) Synonym(s): rosella Zerny,1914 Range (in code): Ui Ln
- 1034. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): ornatella [Denis & Schiffermüller],1775; criptella Hübner,1796; criptea Haworth,1811; ornatalis Hübner,[1825]; fraternella Ragonot,1887; gigantella Amsel,1932; aixella Lucas,1938; elbursella Amsel,1954 Range (in code): DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord DK SE FI EE LV LT RU Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA
- 1035. *Phycita macrodontella* (Ragonot,1887)** (Pyralidae) Synonym(s): macrodontella Ragonot,1887; burkhunella Ragonot,1888; pallidisinata Toll,1948 Range (in code): Cc AM TR IR Kh UZ Fe Ui Ku KG Tk Dj UZ
- 1036. *Pima boisduvaliella* (Guenée,1845)** (Pyralidae) Synonym(s): boisduvaliella Guenée,1845; farrella J.Curtis,1850; lafauryiella Constant,1865 Range (in code): DZ Ges PT ES FR IT GB BE NL DE CH PL HU RO TR Cc KK Ku Al Ui TM Kp DK NO SE FI EE LV LT RU MD UA BY
- 1037. *Pima trifidella* (Zerny,1914)** (Pyralidae) Synonym(s): trifidella Zerny,1914 Range (in code): Ui Au
- 1038. *Plodia interpunctella* (Hübner,[1813])** (Pyralidae) Synonym(s): interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zea Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora Matsumura,1917; glycinivorella Matsumura,1932. Range (in code): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk CN Ui Kgs Stg JP Hkk TW ZA AU CA
- 1039. *Pogonotrophus tancrei* Sauber,1899** (Pyralidae) Synonym(s): tancrei Sauber,1899 Range (in code): TM Krn KK Ik Ui Ju Ku
- 1040. *Pseudobissetia terrestrella* (Christoph,1885)** (Pyralidae) Synonym(s): terrestrella Christoph,1885; hypenalis Rebel,1910; tozeurellus Lucas,1911 Range (in code): ES Si IT RO BG TN JO TM Kp SY IR Kh Gh Tgo Fa Shr Sse UZ Br KK Ik Ui RU Us
- 1041. *Pseudophycita deformella* (Möschler,1866)** (Pyralidae) Synonym(s): deformella Möschler,1866 Range (in code): RU Sr KG Tk Dj Tar Ui Ku
- 1042. *Pyralis perversalis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): lucidalis Eversmann,1844 (praeoce.); perversalis Herrich-Schäffer,[1849]; narynensis Zerny,1914; rubiginetincta Caradja,1931; #narynsensis Amsel,1961 Range (in code): CZ HU RO RU Ur MD UA BY TR Cc GG Ord Kir AZ Nv KG Tk Nrk Ui Ku IR Elb Mz Kh LB Bsa
- 1043. *Pyrausta despicata* (Scopoli,1763)** (Pyralidae) Synonym(s): despicata Scopoli,1763; koenigiana O.F.Müller,1764; vestianella Clerck,1764; cespitalis [Denis & Schiffermüller],1775; sordialis Thunberg,1784; intermediaris Duponchel,1833; tendinosalis Bremer,1874; yangtsealis Caradja,1938; ifranalis Leraut,2001 Range (in code): MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR IQ Rvw Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli Ui Ju Ku UZ Fe AZ AM LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG DZ Lbs BY MD UA Cm Lvv Da Aa VI KP KR
- 1044. *Pyrausta ecteinalis* Hampson,1900** (Pyralidae) Synonym(s): ecteinalis Hampson,1900 Range (in code): Ui Ki
- 1045. *Pyrausta sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): sanguinalis Linnaeus,1767; crenalis Scriba,1770; haematalis Hübner,[1819] Range (in code): MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG AZ Tbl Bjo Kir Lag AM Eri IL Pa Hf Js LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh Srb Pl Nv Ord Len Mz GlS DZ Bsk Clo TN Gf Ui Ku
- 1046. *Pyrausta silhetalis* (Guenée,1854)** (Pyralidae) Synonym(s): silhetalis Guenée,1854; lateralis Walker,1862; pangialis R.Felder & Rogenhofer,[1875]; cuprealis Moore,1878 Range (in code): BD Syl IN Meg Ass Ui Yk PK Thu
- 1047. *Pyrausta thionialis* (Zeller,1872)** (Pyralidae) Synonym(s): thionialis Zeller,1872; dotatalis Christoph,1881; kukunorensis Sauber,1899; latiplagalis Caradja,1934; caucasica Slamka,2013 [ssp.]; bashkirica Slamka,2013 [ssp.] Range (in code): CN Ui Ju Kno Ts Gn MN RU Sb Am Ss Ur Mo Cc Kb Mo Sb Am
- 1048. *Pyrausta wockei* Rebel,1902** (Pyralidae) Synonym(s): wockei Rebel,1902 Range (in code): Ui Ju Au Kml KG Tk Dj Ti
- 1049. *Scoparia ancipitella* (Laharpe,1855)** (Pyralidae) Synonym(s): ancipitella Laharpe,1855; ulmella Knaggs,1867; conspicalis Hodgkinson,1881 Range (in code): FR IT GB DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Am Al Prj Us Ui
- 1050. *Scoparia juldusella* (Caradja,1917)** (Pyralidae) Synonym(s): juldusella Caradja,1917 Range (in code): Ui Ju
- 1051. *Seeboldia korgosella* Ragonot,1887** (Pyralidae) Synonym(s): korgosella Ragonot,1887; uralskella Caradja,1910; occidentella Zerny,1927; jolanella Schmidt,1933 Range (in code): TN ES Cue FR Py AL RU Or Ui Ku Khr KG Uk KK Na Ik TR
- 1052. *Selagia argyrella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): argyrella ([Denis & Schiffermüller],1775 Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cr Cc AM DK SE EE LV LT RU MD UA BY KG Uk Tk Dj Ui Kml
- 1053. *Selagia uralensis* Rebel,1910** (Pyralidae) Synonym(s): uralensis Rebel,1910 Range (in code): RU Ur Ui Ju KK Na KG Tk Dj
- 1054. *Sitochroa palealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): ? flaveolata Hufnagel,1767; palealis [Denis & Schiffermüller],1775; stigmatalis De Villiers,1789; selenalis Hübner,[1819]; anaxisalis Walker,1859; algiralis Allard,1867; extremalis Caradja,1916 Range (in code): MA DZ Sfr Cst PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY IR Mz Gh Tgo Cc AM GG Lag AZ Nv Ord Da Der Hkd CN Ui Ku US Ilm Idp Mch Wc
- 1055. *Talis chamylella* Staudinger,[1900]** (Pyralidae) Synonym(s): chamylella Staudinger,[1900] Range (in code): Ui Kml RU Sj
- 1056. *Talis quercella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): #quercella [Denis & Schiffermüller],1775; noctuella Hübner,1796; neglectella Hübner,[1824]. Range (in code): TN Gf DZ Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur MD UA BY IQ Smr IR Ar Ab Bzg Ak Tbz Elb Kdj Th KG Uk Ui Ku MN

- 1057. *Tephris cyriella* (Erschoff, 1874)** (Pyralidae) Synonym(s): *cyriella* Erschoff, 1874 Range (in code): DZ Ajj Ah MA ES RO UZ
Ui Ku TM Kp Krn
- 1058. *Thisanotia chrysonuchella* (Scopoli, 1763)** (Pyralidae) Synonym(s): *chrysonuchella* Scopoli, 1763; *gramella* Fabricius, 1781; *campella* Hübner, 1793; *dilutior* Alpheraky, 1877. Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG
GR Cr TR Cc GG DK SE LT Ru Tt At Ui Ju Ku MN
- 1059. *Thospia trifasciella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *trifasciella* Ragonot, 1887; *alborivulella* Ragonot, 1888. Range (in code): Ui Ku UZ Nmg RU Sb AF IR Elb Th TR
- 1060. *Titanio basalis* Caradja, 1928** (Pyralidae) Synonym(s): *basalis* Caradja, 1928 Range (in code): Ui Ln
- 1061. *Titanio emiralis* Caradja, 1916** (Pyralidae) Synonym(s): *emiralis* Caradja, 1916 Range (in code): Ui Ln
- 1062. *Titanio inconspicualis* Zerny, 1914** (Pyralidae) Synonym(s): *inconspicualis* Zerny, 1914 Range (in code): Ui Ku Ju KG Tk Dj
Ii KK Ax
- 1063. *Titanio mortualis* Caradja, 1916** (Pyralidae) Synonym(s): *mortualis* Caradja, 1916 Range (in code): Ui Ln
- 1064. *Udea aksuensis* (Caradja, 1928)** (Pyralidae) Synonym(s): *aksuensis* Caradja, 1928 Range (in code): Ui Au
- 1065. *Udea austriacalis* (Herrich-Schäffer, 1851)** (Pyralidae) Synonym(s): *austriacalis* Herrich-Schäffer, 1851; *donzelalis* Guenée, 1854; *sororalis* Heyden, 1860; *nitidalis* Heinemann, 1865 Range (in code): ES FR IT CH AT RO AL BG GR RU Cc GG Bku Akh Smt At Sj Ui Ju
- 1066. *Udea fulvalis* (Hübner, [1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner, [1809]; *prunoidalis* Staudinger, 1879 Range (in code):
ES FR Co Si IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR DK Fi EE LV LT RU MD UA BY AF Hr IR Gls Kh Ui Ku
- 1067. *Udea lutealis* (Hübner, [1809])** (Pyralidae) Synonym(s): *lutealis* Hübner, [1809]; *pascualis* Lienig & Zeller, 1846; *aetialis* Stephens, 1850; *aetialis* Guenée, 1854; *perochrealis* Christoph, 1887 Range (in code): ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO
YU AL BG DK NO SE Fi EE LV LT RU MD UA BY Ui Ju TR Cc GG Lag Bku
- 1068. *Udea praepetalis* (Lederer, 1869)** (Pyralidae) Synonym(s): *praepetalis* Lederer, 1869; *haemopsamma* Meyrick, 1937 Range (in code):
IR Ha Adv Fa Th Kdj Elb Kdv Mz Plr Gor Sse TR Cc AZ Nv Ord IQ Ry Slf TM KK Ui Kml
- 1069. *Udea russispersalis* (Zerny, 1914)** (Pyralidae) Synonym(s): *russispersalis* Zerny, 1914 Range (in code): Ui Ju
- 1070. *Viettea terstrigella* (Christoph, 1877)** (Pyralidae) Synonym(s): *terstrigella* Christoph, 1877 Range (in code): RU Ur KG Uk
TM Krn IR Elb Srd MN Ui Ku
- 1071. *Xanthocrambus argentarius* (Staudinger, 1867)** (Pyralidae) Synonym(s): *argentarius* Staudinger, 1867 Range (in code):
RU Ur Mnu KJ Am KG Tk Dj CN Ui Ku Ju Ii Ti Btn Shs Gn TR

Saturniidae

- 1072. *Saturnia (Neoris) shadulla* (Moore, 1872)** (Saturniidae) Synonym(s): *shadulla* Moore, 1872; *svenihedini* M. Hering, 1936; *alatauca* O. Bang-Haas, 1937 Range (in code): AF Ch TJ UZ KK Frz CN Gn Shs Ui Sdh Ku Ju Um KG T-S Aa TrA MN RU At Tv Sb Sj

Scythridae

- 1073. *Scythris (scopolella-gr.) apicalis* (Zeller, 1847)** (Scythridae) Synonym(s): *apicalis* Zeller, 1847; *unipunctella* Rebel, 1901; *#mediella* Caradja, 1920 Range (in code): FR RO GR TR Cc AM Eri IQ Hjo Er IR LB Ui Ku
- 1074. *Scythris (seliniella-gr.) seliniella* (Zeller, 1839)** (Scythridae) Synonym(s): *seliniella* Zeller, 1839 Range (in code): ES FR
IT? DE CH AT PL CZ SK HU RO YU AL GR TR LV RU MD UA BY KG Uk Ui Ku
- 1075. *Scythris (sinensis-gr.) sinensis* (R. Felder & Rogenhofer, 1875)** (Scythridae) Synonym(s): *sinensis* R. Felder & Rogenhofer, 1875; *apicigutella* Christoph, 1882; *pyrrhopyga* Filipjev, 1924; *penthaxantha* Meyrick, 1929; *kibarae* Matsumura, 1931; *mitakeana* Matsumura, 1931 Range (in code): EE DE GB LT LV JP KP KR TW RU Us BY Sb CN Kgs Ui Ku Brç Gn Hph Hnn Lng She Tkj Jn US Pns

Sesiidae

- 1076. *Bembecia tancrei* (Püngeler, 1905)** (Sesiidae) Synonym(s): *tancrei* Püngeler, 1905 Range (in code): Ui Au Alt
- 1077. *Bembecia viguraea* (Püngeler, 1912)** (Sesiidae) Synonym(s): *viguraea* Püngeler, 1912; *auricaudata* Bartel, 1912 Range (in code):
CN Ui Ku Kl Au Ii KK KG TJ TeA KuA
- 1078. *Bembecia wagneri* (Püngeler, 1912)** (Sesiidae) Synonym(s): *wagneri* Püngeler, 1912 Range (in code): KG Ui Ii Tk
- 1079. *Chamaesphracia astatifomis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer, 1846
Range (in code): AT CZ SK HU RO YU BG GR TR RU Cc GG Smt Bjo Mng MD UA BY KG Uk Ui Au Ii At Lps
- 1080. *Dipchaspecia kashgarensis* Spatenka & Kallies, 2001** (Sesiidae) Synonym(s): *kashgarensis* Spatenka & Kallies, 2001
Range (in code): Ui Ga
- 1081. *Dipchaspecia roseiventris* (Bartel, 1913)** (Sesiidae) Synonym(s): *roseiventris* Bartel, 1913 Range (in code): KK KG Tk Dj Ii
Ui
- 1082. *Paranthrene tabaniformis* (Rottemburg, 1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg, 1775; *asiliformis* [Denis & Schiffermüller], 1775 nec Rott., 1775; *sesia* Gmelin, 1789; *rhingiaeformis* Hübner, 1790; *crabroniformis* Laspeyres, 1801 nec Fabr., 1793; *tricincta* Harris, 1839; *serratifomis* Freyer, 1842; *rhingiiformis* Staudinger, 1856; *denotata* Edwards, 1882; *flammans* Hampson, 1893 Range (in code): MA DZ Orn Sbd TN
PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL Bnt BG Hsk GR CY TR DK NO SE Fi EE LV LT RU Am Sb MD UA BY
Ui Kun Chr TJ Pm IR Elb Mz Ha Es
- 1083. *Pyropteron chrysoneura* (Püngeler, 1913)** (Sesiidae) Synonym(s): *chrysoneura* Püngeler, 1913 Range (in code): KG Tk Dj
Ii Ui
- 1084. *Sesia przewalskii* (Alpheraky, 1882)** (Sesiidae) Synonym(s): *przewalskii* Alpheraky, 1882 Range (in code): Ui Ku Chr Kun
KG Sp Lps
- 1085. *Synanthedon serica* (Alpheraky, 1882)** (Sesiidae) Synonym(s): *serica* Alpheraky, 1882 Range (in code): Ui Ku Kun KG

Sphingidae

- 1086. *Agrius convolvuli* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927 Range (in

code): Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt VI Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Pq Mdo Mno Bkd Ktd Neg Pal Pan Sam Sga Siq Pre Brb Mpu AU NSW WS FJ SB TZ Bkw Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab CMA Cuo Cuo3 Czm Cz10 TAK Bnk Chu Nst Phc Kln TW Cc AZ AM Cp LK Pdy Abe Btma Bsk Tun Agi Clo

- 1087. Deilephila elpenor (Linnaeus,1758)** (Sphingidae) Synonym(s): elpenor Linnaeus,1758; porcus Retzius,1783; vitis Oken,1815; lewisii Butler,1875; cinerescens Newnham,1900; philippii Niepelt,1921; szechuana Chu & Wang,1980; tristis Lempke & Stolk,1986 Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sr Sb At Am VI Pt IN Sml Syl Djl Meg Ass Khs Mpr Slo Nag MM NP TW BD MD UA Cm BY GG Smt Bjo Lag Cc IR Elb Gor CN Pkn Ui Kun Sz PK Pj Sd KP KR JP AF Sfk Bkw
- 1088. Deilephila porcellus (Linnaeus,1758)** (Sphingidae) Synonym(s): porcellus Linnaeus,1758 Range (in code): DZ Dzc Blid Btma Tis Tni PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB IQ IR TM DK SE FI EE LV LT RU Sr Ur Mo VI Pt Ir Irk Ya At Am MD UA Bkw Cm BY GG Smt Bjo Tbl AZ Hkd Cc PK Pj CN Ui Ku Um Au IMn KK Ik MN KG TJ UZ
- 1089. Deilephila suellus Staudinger,1878** (Sphingidae) Synonym(s): suellus Staudinger,1878; kuruschi O.Bang-Haas,1938. Range (in code): TR IR GG Bjo Tbl Lag Cc RU Da KK Ik Ui Au Ju IQ LB Bsa
- 1090. Hemaris (Cochrania) ducalis (Staudinger,1887)** (Sphingidae) Synonym(s): ducalis Staudinger,1887 Range (in code): TM Kp IR Kh TJ Pm AF PK Bl Qu Ui KK KG
- 1091. Hemaris (Eitschbergera) alaiana (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): alaiana Rothschild & Jordan,1903 KK KG CN Ui Range (in code): KK KG Ui
- 1092. Hemaris (s.str.) fuciformis (Linnaeus,1758)** (Sphingidae) Synonym(s): fuciformis Linnaeus,1758; variegata Allioni,1766; musca Retzius,1783; bombyliformis sensu Ochsenheimer,1808; milesiformis Treitschke,1834; caprifolii Zeller,1869; loniceræ Zeller,1869; robusta Alpheraky,1882; simillima Moore,1888; ganssuensis Grum-Grshimailo,1891; heynei Bartel,1898; Range (in code): MA DZ Lbs Hrh PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR IR Mz Elb Th Kh DK NO SE FI EE LV LT RU Mo Sr Ur Or Ao Sb Am At MD UA Bkw BY KG Ssn Lps Sp Uk AZ Tlh Cc GG Smt Bjo Tbl Bku CN Ui Ku Muz Gn IN Hp Kgr AF Nu Bsg
- 1093. Hyles chamyla (Denso,1913)** (Sphingidae) Synonym(s): chamyla Denso,1913; apocyni Shchetkin,1956 Range (in code): TM Kp UZ KK TJ Ui Kml
- 1094. Hyles euphorbiae (Linnaeus,1758)** (Sphingidae) Synonym(s): euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980. Range (in code): Md Cn MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd DK SE FI EE LV LT RU Ao Sr Sb Ur MD UA Bkw BY AZ Tlh IR Elb Th Ui Ku Muz TJ Pm TR Cc GG Smt Bjo Tbl JO IL Pa Hf LB Bsa Bei IQ SY Dms IR Elb Th
- 1095. Hyles gallii (Rottemburg,1775)** (Sphingidae) Synonym(s): gallii Rottemburg,1775; intermedia Kirby,1837; oxybaphi Clemens,1859; gallii Kirby,1892; sachaliensis Matsumura,1929; nepalensis Daniel,1961; tibetana Eichler,1971. Range (in code): Cn ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb Am At To Ir Irk Ya Prj Us Pt Ao Sr Or Tt MD UA Bkw BY CN Ui Yu Mc Pkn KG Ssn Uk Sp Lps JP IN Ch CA Lbr US
- 1096. Hyles hippophaes (Esper,[1789])** (Sphingidae) Synonym(s): hippophaes Esper,[1789]; teriolensis Dannehl,1929; kiortsi Koutsaftikis,1974; #hippophaes De Freina,1981 Range (in code): ES FR Co IT DE CH AT RO YU BG GR TR RU Da Der MD UA BY KG TJ Pm UZ Fe Ui Ku Ln MN IR Ch Cc GG Tbl AF Sfk Kab Srb
- 1097. Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): livornica Esper,[1780]; koechlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998. Range (in code): Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh SbZ DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAU Ade Hw ZA Cap Fs Blo SO MG IQ TW Bkw TH CMA NP SI Ch Djl YE Ad CN Ti Yu T-T CM Cy Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc Cp Ak Msw Ess Orn Odj Agi Ges Bsa Omy Bsk Ktr Khh Dhmm Onq Gha Dzc Mzg Hrh Gf Omy Gle Ceg Gtt Ath Ah
- 1098. Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): zygophylli Ochsenheimer,1808; jaxartis Fforeich,1938; xanthoxyli Derzhavets,1977; kirgisa Eitschberger & Lukhtanov,1996. Range (in code): RU Da Der Ao Cc GG Tbl AZ Nv Ord TR AF TM Krn MN KK KG Uk Tks Ui Ln Tpn AM UZ TJ RU Da IR Elb
- 1099. Laothoe populeti (Bienert,[1870])** (Sphingidae) Synonym(s): populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934. Range (in code): TR Cc AZ Nv Ord Kir GG Bjo Lag AM LB SY IQ IR Ab Oru Qba Mz GlS Kh TM UZ TJ KK KG Uk Ssn T-S CN Ui Ku Ts Kno
- 1100. Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; nigra Cosmovici,1892. Range (in code): Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu Ui Kun Bkw BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm VI Pt Tt Or Bgd Rd JO Kab Khi Pjr Hrz Cc Mre Ab Qba Oru Ak Shf Rbt Saia Orn Agi Blid Omy Bsk Ktr Mzg Hrh Ahr Sfr Tni Tis
- 1101. Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): kindermanni Lederer,1852; #obscura Closs,1917 Range (in code): TR Arr IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci Gg Psu JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len UZ Fe Man Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S TR A
- 1102. Sphingonaepiopsis kuldjaensis (Graeser,1892)** (Sphingidae) Synonym(s): kuldjaensis Graeser,1892 Range (in code): UZ TJ Ui Ku KK KG AF

Thyatiridae

- 1103. Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): #or [Denis & Schiffermüller],1775; gammagraecum Retzius,1783; consobrina Borkhausen,1790; gemina Beckwith,1794 nec Vill.,1789; terrosa Graeser,1888; graelica Kane,1894; fasciata Spuler,1908; obscura Spuler,1908; marginata Warnecke,1911; nigrescens Werny,[1967] Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt Lag AM AZ Kir DK NO SE FI EE LV LT RU MD UA BY Sb Am Us KG Ii Ui

Tineidae

- 1104. Cephitinea colonella (Erschoff,1874)** (Tineidae) Synonym(s): colonella Erschoff,1874 Range (in code): KG Aa DsA TJ RU Am Us Vv UZ CN Ui Ku Sz
- 1105. Monopis christophi G.Petersen,1957** (Tineidae) Synonym(s): christophi G.Petersen,1957; straminella Zagulyaev,1958 Range (in code): Sr RU IR Ak Aha MN AF Ui

- 1106. *Monopis imella* (Hübner,[1813])** (Tineidae) Synonym(s): imella Hübner,[1813]; nitidella Zagulyaev,1960. Range (in code): DZ Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc AZ Len LB Bsa DK SE FI EE LV LT RU MD UA BY IR Fa Shr Kh MN Ui
- 1107. *Monopis monachella* (Hübner,1796)** (Tineidae) Synonym(s): monachella Hübner,1796; mediella Fabricius,1794 Range (in code): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT GR RU MD UA BY IR Elb Mz Clu NP CN Yu Sz Gn Ui Ti TW IN LK MM JP ID PH PG
- 1108. *Monopis pallidella* Zagulyaev,1955** (Tineidae) Synonym(s): pallidella Zagulyaev,1955; orgidhani Georgescu,1964 Range (in code): RO RU Mo IR MN AF CN Ui Gn IMn
- 1109. *Monopis pavlovskii* (Zagulyaev,1955)** (Tineidae) Synonym(s): pavlovskii Zagulyaev,1955 Range (in code): IR PK CN Hun Yu Ui Hun Kgs She JP RU Us Vv
- 1110. *Myrmecozela* (Flavida) *lutosella* (Eversmann,1844)** (Tineidae) Synonym(s): lutosella Eversmann,1844; gigantea Christoph,1873; centrogramma Meyrick,1921; insignis Amsel,1935; stichograpta Meyrick,1936 Range (in code): TR IL Pa IQ Bgd IR Elb Fa Bu Ke RU Ao Or Ur KG Ui Ku
- 1111. *Myrmecozela* (s.str.) *dzhungarica* Zagulyaev,1971** (Tineidae) Synonym(s): dzhungarica Zagulyaev,1971 Range (in code): Ui Ku
- 1112. *Nemapogon flabellata* Xiao & Li,2010** (Tineidae) Synonym(s): flabellata Xiao & Li,2010 Range (in code): Ui
- 1113. *Nemapogon gerasimovi* Zagulyaev,1961** (Tineidae) Synonym(s): gerasimovi Zagulyaev,1961 Range (in code): CN Pkn She Ui Jn KG RU Sb TM KK
- 1114. *Nemapogon inconditella* (Lucas,1956)** (Tineidae) Synonym(s): inconditella Lucas,1956; buckwelli Lucas,1956; heydeni G.Petersen,1957; hispanellus Gozmany,1960; thomasi Capuşe,1975. Range (in code): MA ES FR Co Sa IT GB DE AT CZ SK HU RO YU BG GR TR Cc GG Bjo Tbl DK SE RU Sb MD UA Cm BY KG Aa At Ui
- 1115. *Niditinea tugurialis* (Meyrick,1932)** (Tineidae) Synonym(s): tugurialis Meyrick,1932; baryspilas Meyrick,1937; unipunctella Zagulyaev,1960 Range (in code): CN Ui Kgs Ch IR Ab Oru Elb Th Kh Msh Bzg Mz IQ BH TR HV CY IL Pa JO SY EG LB TM K-K SA JP
- 1116. *Pararhodobates syriacus* (Lederer,1857)** (Tineidae) Synonym(s): syriacus Lederer,1857; macropodella Erschoff,1874 Range (in code): LB KG Uk RU Sr Ui Ku KK Ax KG Uk Aa Kpt TM Kp UZ Smk TJ
- 1117. *Tinea pellationella* Linnaeus,1758** (Tineidae) Synonym(s): pellationella Linnaeus,1758; zoolegella Scopoli,1763; albella Costa,[1836] nec Thunb.,1788; demiurga Meyrick,1920; gerasimovi Zagulyaev,1978. Range (in code): DZ Agi ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn BG GR Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY ZA YE IN Ass SI CA US NZ NO SE MN Ui AU

Tortricidae

- 1118. *Acleris albiscapulana* (Christoph,1881)** (Tortricidae) Synonym(s): albiscapulana Christoph,1881 Range (in code): RU Us Vv JP Hkk Ui Kml
- 1119. *Acleris stachi* (Razowski,1953)** (Tortricidae) Synonym(s): stachi Razowski,1953 Range (in code): Ui Ku
- 1120. *Acleris alata* (Danilevski,1962)** (Tortricidae) Synonym(s): alata Danilevski,1962 Range (in code): KG TrA Aa MN CN Pkn IMn Ui She Ts Shs
- 1121. *Aethes atmospila* (Meyrick,1937)** (Tortricidae) Synonym(s): atmospila Meyrick,1937 Range (in code): CN Ui Yu
- 1122. *Aethes cinereoviridana* (Kennel,1899)** (Tortricidae) Synonym(s): cinereoviridana Kennel,1899 Range (in code): UZ Fe Nmg Ui
- 1123. *Aethes moribundana* (Staudinger,1859)** (Tortricidae) Synonym(s): moribundana Staudinger,1859; respirantana Staudinger,1879; dispersana Kennel,1899; dilutana Kennel,1899; helvolana Kennel,1900; lanceolata Filipjev,1924. Range (in code): DZ Tni Tis PT ES An Mlg FR Si IT PL CZ SK HU RO YU AL TR IR Lo Th Ak Mz Ha Avd Fa AF RU Sb Ir MD UA BY Cc GG SY Dms Hal UZ Fe Smk Man KG Lps Dsa MN CN IMn Ts Ui Hph
- 1124. *Aethes obscurana* (Caradja,1916)** (Tortricidae) Synonym(s): obscurana Caradja,1916; lacindana Kennel,1919. Range (in code): Ui Ju KG TrA Dsa KK AI TJ
- 1125. *Aethes pardaliana* (Kennel,1899)** (Tortricidae) Synonym(s): pardaliana Kennel,1899 Range (in code): IR KuM Kh AF Pag Pnj Bda Kbb UZ Smk Ch TM Ui
- 1126. *Aethes rectilineana* (Caradja,1939)** (Tortricidae) Synonym(s): rectilineana Caradja,1939; bradleyi Razowski,1962. Range (in code): CN Shs Hpe Kgs Gn Mc Ui MN RU Ask Us Prj JP Hkk
- 1127. *Agapeta hamana* (Linnaeus,1758)** (Tortricidae) Synonym(s): hamana Linnaeus,1758; trigonana [Denis & Schiffermüller],1775; citrinella Fourcroy,1785; cruciana Fabricius,1787; diversana Hübner,1793 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR IR Kh Plr Dam Elb Gor Lo Zj Kd DK NO SE FI EE LV LT RU Cc MD UA BY AF KK Ik MN Ui Ku IN
- 1128. *Aphelia* (Anaphelia) *aglossana* (Kennel,1899)** (Tortricidae) Synonym(s): aglossana Kennel,1899; accuratana Kennel,1901; continentana Rebel,1916; iliensis Rebel,1916; scutellana Obratsov,1943. Range (in code): KG Sp Tar Dsa Dj Tk Ii MN Tk Ui RU Sb Am
- 1129. *Bactra* (s.str.) *lancealana* (Hübner,[1799])** (Tortricidae) Synonym(s): lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852; suspensa Diakonoff,1962; mongolica Diakonoff,1972 Range (in code): DZ Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr DK NO SE FI EE LV LT RU MD UA BY TR IL Pa LB AZ Len SY Hal Cc AM Eri IQ Bsr Hjo TM Krn PK Krc IN IR Gor Gh Tgo Mz Gls Kh TJ Pm MN Ui Kml ID Sum Clb LK KP KR
- 1130. *Clepsis aerosana* (Lederer,1853)** (Tortricidae) Synonym(s): aerosana Lederer,1853 Range (in code): RU Ur At Sb Vv MN Ui
- 1131. *Clepsis celsana* (Kennel,1919)** (Tortricidae) Synonym(s): celsana Kennel,1919 Range (in code): KG Tk Dj Ui
- 1132. *Clepsis luctuosana* (Rebel,1914)** (Tortricidae) Synonym(s): luctuosana Rebel,1914; #lutosana Rebel,1914 Range (in code): Ui Ku T-S
- 1133. *Clepsis neglectana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): neglectana Herrich-Schäffer,1851; flavana Duponchel,1834 nec Hüb.,[1799]; betulifolia Lederer,1859; striolana Ragonot,1879; xylostoma Meyrick,1891; severana Kennel,1901; delibatana Rothschild,1912; dorana Kennel,1919; acclivana Zerny,1933. Range (in code): DZ Phv TN PT FR IT MT BE DE CH AT PL CZ RO BG TR SE FI EE LV LT RU Tv MD UA BY LB Bsa Cc GG CY KK Ik KG Uk Tk Dj Ii Ui Um Brç
- 1134. *Clepsis pallidana* (Fabricius,1776)** (Tortricidae) Synonym(s): pallidana Fabricius,1776; strigana Hübner,[1799]; stramineana Herrich-Schäffer,[1851]; quinquemaculana Bremer,1864; cesareana Joannis,1891; districta Meyrick,1920. Range (in code): DZ ES FR Co IT BE DE CH AT PL CZ SK HU RO AL BG GR TR DK SE FI EE LV LT RU Sb Am Prj Us MD UA BY Cc GG IR Ak MN CN Shs Yu Tkg Ui Um Mc Gn JP Hkk KP KR
- 1135. *Clepsis sarthana* (Ragonot,1894)** (Tortricidae) Synonym(s): sarthana Ragonot,1894 Range (in code): TM UZ Fe Nmg Smk RU At KG Lps Ui Ku

- 1136. Cnephasia (s.str.) abrasana (Duponchel, 1843)** (Tortricidae) Synonym(s): abrasana Duponchel, 1843 Range (in code): PT Co IT BE AT SK HU RO YU AL BG GR TR EE LT IR Sbl Ui Ku
- 1137. Cnephasia (s.str.) agathana (Kennel, 1919)** (Tortricidae) Synonym(s): agathana Kennel, 1919 Range (in code): Ui Ju
- 1138. Cnephasia (s.str.) kenneli Obratzsov, 1956** (Tortricidae) Synonym(s): obsoletana Kennel, 1901 nec Wd., 1832; kenneli Obratzsov, 1956 Range (in code): TR SY Ui Ku
- 1139. Cnephasia (s.str.) marcidana Kennel, 1901** (Tortricidae) Synonym(s): marcidana Kennel, 1901 Range (in code): Ui Krk
- 1140. Cnephasia (s.str.) sedana (Constant, 1884)** (Tortricidae) Synonym(s): sedana Constant, 1884; marcidana Kennel, 1901; valderiana Turati & Verity, 1912; alaicana Caradja, 1916; agathana Kennel, 1919; obscurana Osthelder, 1938; oricasis Meyrick, 1932; amseli Razowski, 1957; pirizanica Razowski, 1965 Range (in code): ES FR IT BE DE CH AT TR SY Hal Cc GG IR IN Ch Gl MN Ui Ju RU At Ch
- 1141. Cnephasia (s.str.) tianshanica Filipjev, 1934** (Tortricidae) Synonym(s): tianshanica Filipjev, 1934; osthelderi Obratzsov, 1950; sareptana Razowski, 1959; alatauana Razowski, 1961 Range (in code): RU Sr Ur TR T-S Ui Ku KK KG DsA Cc GG
- 1142. Cochyliidia heydeniana (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): heydeniana Herrich-Schäffer, [1851]; pudorana Staudinger, 1859; erigenana Walsingham, 1891; sabulicola Walsingham, 1900; almana Kennel, 1919; obratzsovi Amsel, 1951; amseli Obratzsov, 1956 Range (in code): MA PT ES FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ LB Bei DK NO SE FI LV LT RU Ur Sb Am Us KrI Sh MD UA BY Ui KG KP KR JP MN
- 1143. Cochyliidia implicitana (Wocke, 1856)** (Tortricidae) Synonym(s): implicitana Wocke, 1856; coercitana Staudinger, 1859; noctulatana Agenjo, 1952. Range (in code): MA PT ES An FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY KK KG TrA Aa DsA IR Mz Ui
- 1144. Cochyliomorpha fuscimacula (Falkovitsh, 1963)** (Tortricidae) Synonym(s): fuscimacula Falkovitsh, 1963 Range (in code): RU Sr TM KG Ka CN She Ui
- 1145. Cochyliomorpha halophilana (Christoph, 1882)** (Tortricidae) Synonym(s): halophilana Christoph, 1882; clavana Constant, 1888 [ssp.] Range (in code): FR SK HU RO IT Ch RU Sr Ur Cc GG Lag TM Kp IR Se Srd Elb Shh AF Pag Ui
- 1146. Cochyliomorpha meridiana (Staudinger, 1859)** (Tortricidae) Synonym(s): meridiana Staudinger, 1859; claviculana Mann, 1863; frauenfeldi Mann, 1871; naeviferana Kennel, 1899; priscillana Kennel, 1919 Range (in code): PT ES An FR IT CH YU MK AL BG RO GR TR RU Sr Ur Pr Cc GG AM LB KG Tk Dj Ui Ku
- 1147. Cochyliomorpha meridiolana (Ragonot, 1894)** (Tortricidae) Synonym(s): meridiolana Ragonot, 1894; ochrostriana Kennel, 1899; meridiolana Kennel, 1900 nec Ragonot, 1894; kenneli Razowski, 1967. Range (in code): TR IQ IR Elb Th UZ Fe Smk Ui Ku KG TrA Aa
- 1148. Cochyliomorpha mongolicana (Ragonot, 1894)** (Tortricidae) Synonym(s): mongolicana Ragonot, 1894 Range (in code): TM UZ Br KG Ssn Ui Ku
- 1149. Cochyliomorpha nomadana (Erschoff, 1874)** (Tortricidae) Synonym(s): nomadana Erschoff, 1874 Range (in code): RU IR Elb Shh Ak Kdj Lo Bk TR Cc AM Eri TM Kp K-K UZ Smk KG DsA Tk Dj Ui Ku AF Kab
- 1150. Cochyliomorpha perturbatana (Kennel, 1900)** (Tortricidae) Synonym(s): perturbatana Kennel, 1900; herminiana Kennel, 1919. Range (in code): RU Ur Or KG Aa Uk Tk Dj TrA Ui Ku
- 1151. Cochylys amoenana Kennel, 1899** (Tortricidae) Synonym(s): amoenana Kennel, 1899; apricana Kennel, 1899 Range (in code): TR Cc GG Smt Akh IR Kh KuB AF TJ KK UZ Smk Dsb Fe Nmg Man Bd Slg PK Pj Bl Qu Ax Ui Ku
- 1152. Cochylys atricapitana (Stephens, 1852)** (Tortricidae) Synonym(s): atricapitana Stephens, 1852 Range (in code): MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Sr TR MD UA BY Ui
- 1153. Cochylys defessana Mann, 1861** (Tortricidae) Synonym(s): defessana Mann, 1861; centaureana Staudinger, 1879. Range (in code): MK BG GR TR IR Elb Th By TM Kp RU Sr SY Hal Cc GG Mng Ui
- 1154. Cochylys faustana (Kennel, 1919)** (Tortricidae) Synonym(s): faustana Kennel, 1919 Range (in code): KG Tk Dj Ii AF Hr Bark Kab Srb PK Bl Qu Haz Kag Nar CN IMn Ui RU
- 1155. Cochylys hybridella (Hübner, [1813])** (Tortricidae) Synonym(s): hybridella Hübner, [1813]; dissolutana Herrich-Schäffer, [1847]; carduana Zeller, 1847; clarana Caradja, 1916. Range (in code): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR LB SY Hal Cc AM DK SE FI EE LV RU Ur Am Prj Us MD UA BY CN Shs Gn Mc IMn Jn Lng Ui IN Hp JP Hkk KP KR
- 1156. Cochylys piana (Kennel, 1899)** (Tortricidae) Synonym(s): piana Kennel, 1899; pamira Obratzsov, 1943; subposterana Toll, 1947; pseudefessana Razowski, 1963 Range (in code): IR KuM Kh Elb Th Ha Avd AF Adr Gbh Kab TJ Pm Chr Rsh KG Tk Ii Dj UZ MN CN Ui IMn Lng She
- 1157. Cochylys posterana Zeller, 1847** (Tortricidae) Synonym(s): posterana Zeller, 1847; collateralana Seebold, 1879; nigrociliana Kennel, 1899; cuerana Chrétien, 1925 Range (in code): MA DZ PT ES An Grn FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY LB Say SY Dms Cc AM Eri KK Ik IR KuM Kh Elb Kdv Th GlS Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse TM Kp IQ Hjo CN Ui Ku Gn
- 1158. Cydia adjunctana (Kennel, 1901)** (Tortricidae) Synonym(s): adjunctana Kennel, 1901 Range (in code): TR TM Krn UZ Fe Man Ui Ku IR Elb Mz Kdv AF MN
- 1159. Cydia pomonella (Linnaeus, 1758)** (Tortricidae) Synonym(s): pomonella Linnaeus, 1758; pomona Fabricius, 1775; pomonana [Denis & Schiffermüller], 1775; nitens Fourcroy, 1785; aeneana De Villers, 1789; putaminana Staudinger, 1859; simpsonii Busck, 1903; glaphyrana Rebel, 1941 Range (in code): DZ Cst Btina PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IL Pa IR Gh Tgo Ss Irs Cc Fa Shr GG AZ Len Da LB Bsa SY Hal Ch PK Bl Qu Ui Ku KI US MX CA AU NZ ZA
- 1160. Dichrorampha alaicana (Rebel, 1910)** (Tortricidae) Synonym(s): alaicana Rebel, 1910; tamerlana Kennel, 1919 Range (in code): KK Al Ui Ku KG Tk Dj
- 1161. Dichrorampha cinerosana (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): #cinerosana Herrich-Schäffer, 1848; cinerosana Herrich-Schäffer, 1851; eurychorana Rebel, 1941 Range (in code): DE HU MK AL TR Ui Ku
- 1162. Dichrorampha dzhungarica (Danilevsky, 1948)** (Tortricidae) Synonym(s): dzhungarica Danilevsky, 1948 Range (in code): KG DsA TrA Ui Ku
- 1163. Dichrorampha gracilis (Danilevsky, 1948)** (Tortricidae) Synonym(s): gracilis Danilevsky, 1948 Range (in code): Cc RU Da Ui Ku
- 1164. Dichrorampha senectana Guenée, 1845** (Tortricidae) Synonym(s): senectana Guenée, 1845; pseudocinerosana Obratzsov, 1958 Range (in code): ES FR IT GB BE DE CH AT SK HU RO YU BG SE FI EE LV LT RU MD UA BY CN Ui Ku
- 1165. Eana (Eutrachia) goiiana (Linnaeus, 1761)** (Tortricidae) Synonym(s): #argentana Clerck, 1759; goiiana Linnaeus, 1761; govana Fabricius, 1775; argyria Retzius, 1783; gerningiana De Villers, 1789; margaritalis Hübner, 1790; magnana Hübner, [1813]; georgiella Hulst, 1887 Range (in code): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU MD UA BY Cc GG IQ IR Elb Kdv Ha Mz Ch US Cf Col Ui Ku
- 1166. Eana (s.str.) andreana (Kennel, 1919)** (Tortricidae) Synonym(s): andreana Kennel, 1919; ?kuldjaensis Razowski, 1959; #kuldjaensis Razowski, 2001 Range (in code): RU KG Uk Ui Ku TR

- 1167. *Epiblema foenellum* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** foenella Linnaeus,1758; hohenwartiana Scopoli,1772; scopoliانا [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863 Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY Cc GG KG KK CN Mc Sz Ui Yu Fkn Jn Hpe MN KP KR JP Hkk Sh Krl IN TW TH Cma Agk VN
- 1168. *Epiblema rimosanum* (Christoph,1882)** (Tortricidae) **Synonym(s):** rimosana Christoph,1882; rotundana Snellen,1883; bimaculosana Caradja,1916 Range (in code): RU Sb Us Ui Ju
- 1169. *Epiblema sarmatanum* (Christoph,1872)** (Tortricidae) **Synonym(s):** sarmatana Christoph,1872; fuchsiana Rössler,1877 Range (in code): FR IT DE CH AT SK RO BG RU Sr Ur Sb Am Prj Us MD UA BY KG Ui Ku
- 1170. *Epiblema sugii* Kawabe,1976** (Tortricidae) **Synonym(s):** sugii Kawabe,1976 Range (in code): JP Ui
- 1171. *Epinotia nisella* (Clerck,1759)** (Tortricidae) **Synonym(s):** nisella Clerck,1759; boeberana Fabricius,1787; pavonana Donovan,1793; cuspidana Haworth,1811; rhombifasciana Haworth,1811; stictana Haworth,1811; cinereana Haworth,1811; nisana Guenée,1845 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY KG Sb MN Sh Krl JP Ui Ku Gn Ts
- 1172. *Epinotia thapsiana* (Zeller,1847)** (Tortricidae) **Synonym(s):** thapsiana Zeller,1847 Range (in code): Cn PT ES FR Co Sa Si IT MT CH AT CZ HU YU AL GR Cr TR Mo MD UA BY IL IR Ss Elb Kdv Cc Gls GG IN Ld KG KK TJ TM Ui Ku KP KR
- 1173. *Epinotia tianshanensis* Liu & Nasu,1993** (Tortricidae) **Synonym(s):** tianshanensis Liu & Nasu,1993 Range (in code): Ui
- 1174. *Eriopsela annana* (Kennel,1919)** (Tortricidae) **Synonym(s):** annana Kennel,1919 Range (in code): Ui Ju
- 1175. *Eucosma cana* (Haworth,1811)** (Tortricidae) **Synonym(s):** marmorana Fabricius,1798; cana Haworth,1811; monetulana Hübner,[1817]; carduana Guenée,1845; subvittana Staudinger,1892. Range (in code): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT TR Cc Ksp RU Ur Sb Am Vv Prj Us MD UA BY IR Gls KG CN Fkn Yu Ui Gn JP Ksp
- 1176. *Eucosma conterminana* (Guenée,1845)** (Tortricidae) **Synonym(s):** conterminana Guenée,1845 Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LT TR IR Cc GG AZ AM RU Ur Sb Prj Us MD UA BY KG Uk KK Ik Fe Osh IN Ld CN Ui IMn MN
- 1177. *Eucosma haberhaueri* (Kennel,1901)** (Tortricidae) **Synonym(s):** haberhaueri Kennel,1901 Range (in code): CN Ui Ku UZ Nmg Fe
- 1178. *Eucosma metzneriana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** metzneriana Treitschke,1830; anserana Heinemann,1863; intacta Walsingham,1900; joannisola Dufrane,1955; phaenops Razowski,1972; #metzneriana Trematerra,2010 Range (in code): FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR Gor DK FI LV LT RU Sb Am Prj Us MD UA BY KG KK Ik CN Ui Gn Ti MN KP KR JP
- 1179. *Eucosma ottoniana* (Kennel,1918)** (Tortricidae) **Synonym(s):** ottoniana Kennel,1918 Range (in code): CN Ui Ln
- 1180. *Eucosma pergratana* (Rebel,1914)** (Tortricidae) **Synonym(s):** pergratana Rebel,1914 Range (in code): Ui Ku KG MN
- 1181. *Eucosma pupillana* (Clerck,1759)** (Tortricidae) **Synonym(s):** pupillana Clerck,1759; ansinthiana Hübner,1799; absynthiana Hübner,1822; saerdabana Obraztsov,1968 Range (in code): ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Ur MD UA BY TR IR Elb Dam Gor KG KK Ik TJ CN Ui Mc Ts
- 1182. *Eucosma scorzonera* (Benander,1942)** (Tortricidae) **Synonym(s):** scorzonera Benander,1942 Range (in code): PL CZ SK NO SE FI EE LV RU MD UA BY KG CN Jn Gn Ui
- 1183. *Eucosma tundrana* (Kennel,1900)** (Tortricidae) **Synonym(s):** tundrana Kennel,1900; cordulana Rebel,1917 Range (in code): DE CZ SK HU RO RU Sb Am Prj Us KG CN Ui Ku IMn Mc Gn Cc
- 1184. *Eucosma wimmerana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** wimmerana Treitschke,1835; incana Lienig & Zeller,1846; maritima Walker,1863; gracilis Filipjev,1924 Range (in code): FR Si IT BE NL DE CH AT PL CZ SK HU RO LV LT KG MN RU Sb Prj Us JP CN Gn Ui
- 1185. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) **Synonym(s):** margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914. Range (in code): ES FR Si IT DE SK HU RO YU MK RU Sr MD UA BY TR Cc AM IR Elb Dam Kdv Ar Th Kh Ak AF KG Uk T-S CN Ui Ku IMn
- 1186. *Eugnosta romanovi* (Kennel,1900)** (Tortricidae) **Synonym(s):** romanovi Kennel,1900 Range (in code): Ui Au Ku KG TrA Aa Tk Dj RU
- 1187. *Eupoecilia ambiguella* (Hübner,1796)** (Tortricidae) **Synonym(s):** ambiguella Hübner,1796; omphaciella Faure-Bignet de Simonest,1801; roserana Frölich,1828; turbinaris Meyrick,1928 Range (in code): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG TrA Aa DsA CN Ahw Pkn Hn Mc Hun Fkn Gn Kwa Lng She Sz Ui Yu TW JP NP IN Ass Meg Khs MY Shh Bor KP KR TH Cma Cdo
- 1188. *Falseuncaria degreyana* (McLachlan,1869)** (Tortricidae) **Synonym(s):** degreyana McLachlan,1869; alaiana Caradja,1916; roseotincta Filipjev,1924 Range (in code): TR FR IT GB BE DE CH PL SK HU RO YU DK NO SE FI LV LT RU At Sb MD UA BY KK KG MN Ui Ku
- 1189. *Falseuncaria ruficiliana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** ciliella Hübner,[1796] nec [Denis & Schiff.],1775; ruficiliana Haworth,[1811]; coniana Fuchs,1903; tectana Fuchs,1903. Range (in code): ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk DsA AF Bd Ui
- 1190. *Grapholita* (s.str.) *aureolana* (Tengström,1848)** (Tortricidae) **Synonym(s):** aureolana Tengström,1848; phacana Wocke,1864 Range (in code): FR IT DE CH AT NO SE FI RU MD UA BY Sb Us Kmt KG Ui
- 1191. *Grapholita* (s.str.) *lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** lunulana [Denis & Schiffermüller],1775; mederleana Frölich,1828; jungiana Frölich,1828; selenana Zeller,1847; effusana Lederer,1855; conspectana Lederer,1859; selliferana Kennel,1901; bipartitana Kennel,1901; dimidiatana Kennel,1901; intacta Walsingham, 1903; amplidorsana Caradja,1916; exosticha Meyrick,1936; praedorsana Amsel,1958 Range (in code): DZ Lbs MA PT ES FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK RO YU AL TR Cc CY LB DK NO SE FI EE LV LT RU Ur Sb At MD UA BY Ui
- 1192. *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** permixtana [Denis & Schiffermüller],1775; antennana Frölich,1828; mussehlana Treitschke,1835; dymotana Treitschke,1835. Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR FI EE LV LT RU MD UA BY CN Jn Tkg Hun She Kgs Hpe Ui KP KR JP
- 1193. *Gynnidomorpha vectisana* (Humphreys & Westwood,1845)** (Tortricidae) **Synonym(s):** vectisana Humphreys & Westwood,1845; griseana Haworth,[1811]; geyeriana Herrich-Schäffer,1851; griseus Durrant & Joannis,1922. Range (in code): ES Si IT IE GB BE NL DE AT PL CZ SK HU RO SE FI EE LV LT RU MD UA BY CN Jn Tkg Hun She Kgs Hpe Ui KP KR JP
- 1194. *Gypsonoma minutana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** minutana Hübner,[1799]; vermiculana Duponchel,1836; albifasciana Caradja,1916 Range (in code): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ur Prj Us TR IR Tz Cc GG AM Eri IL Pa AF KG Uk MN CN Pkn Mc Gn Ts Ui KP KR JP Hkk
- 1195. *Gypsonoma oppressana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** oppressana Treitschke,1835; cnephasiana Obraztsov,1943 Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI LV LT RU MD UA BY TJ KG KK CN Sz Gn Ts Ui
- 1196. *Lobesia* (s.str.) *herculeana* (Kennel,1900)** (Tortricidae) **Synonym(s):** herculeana Kennel,1900 Range (in code): Ui Ku

- 1197. *Notocelia aquana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** #roborana [Denis & Schiffermüller],1775; aquana Hübner,[1799]. **Range (in code):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR DK NO SE FI EE LV LT RU SB MD UA BY Ce GG IR KG UI
- 1198. *Notocelia incarnatana* (Hübner,[1800])** (Tortricidae) **Synonym(s):** incarnatana Hübner,[1800]; incarnana Haworth,1811; amoenana Hübner,[1817]; longispina Nasu,1980 **Range (in code):** PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY IR Gls Ui Ku KG TM MN JP Hkk
- 1199. *Olethreutes (Argyroploce) stibiana* (Guenée,1845)** (Tortricidae) **Synonym(s):** stibiana Guenée,1845; sibirana Caradja,1916; fluviana Kennel,1919. **Range (in code):** ES FR IT BE DE AT PL CZ SK HU RO YU AL BG GR TR IR Ha RU UA Ur Sb Sj KK MN KG Uk CN Ui Ku SY Hal
- 1200. *Pandemis chondrillana* (Herrich-Schäffer,1860)** (Tortricidae) **Synonym(s):** chondrillana Herrich-Schäffer,1860; praeffloratana Kennel,1901; laurana Kennel,1919; elsana Kennel,1919; eulogiana Kennel,1919; #unicolor Obratzov,1943. **Range (in code):** FR RO BG RU Sr Sb MD UA Cm BY TR IR Mz Elb Gh Dam Kh Msh Ha Ak Mrd Gls Gor Ar Se UZ KG Tk Dj KK CN Ui Ju MN Ce GG AF
- 1201. *Pelochrista buddhana* (Kennel,1919)** (Tortricidae) **Synonym(s):** buddhana Kennel,1919 **Range (in code):** Ui
- 1202. *Pelochrista decolorana* (Freyer,1842)** (Tortricidae) **Synonym(s):** decolorana Freyer,1842 **Range (in code):** ES FR Si DE AT PL SK HU RO BG RU MD UA BY CN IMn Mc Gn Ui MN KP KR JP
- 1203. *Pelochrista huebneriana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** huebneriana Lienig & Zeller,1846; chanana Staudinger,[1900] **Range (in code):** DE AT PL CZ SK DK SE FI EE LV LT RU Sb KG MN CN Ui Kml Ts
- 1204. *Pelochrista idotatana* (Kennel,1901)** (Tortricidae) **Synonym(s):** idotatana Kennel,1901; #idotatana Kennel,1921 **Range (in code):** RU KG Uk Ui Ku
- 1205. *Pelochrista labyrinthica* (Christoph,1872)** (Tortricidae) **Synonym(s):** labyrinthica Christoph,1872 **Range (in code):** TR RO RU Sr UA KG Uk Ui Kl
- 1206. *Pelochrista medullana* (Staudinger,1880)** (Tortricidae) **Synonym(s):** medullana Staudinger,1880 **Range (in code):** CZ SK YU BG GR TR SY Hal LB IR KK Ui
- 1207. *Pelochrista umbraculana* (Eversmann,1844)** (Tortricidae) **Synonym(s):** umbraculana Eversmann,1844; subterminana Erschoff,1871; inignana Kennel,1901 **Range (in code):** RU Ur Sb Ir Am Blg Ui Ku
- 1208. *Phalonidia contractana* (Zeller,1847)** (Tortricidae) **Synonym(s):** contractana Zeller,1847; manifestana Kennel,1900; exaequata Meyrick,1923; thermoconis Meyrick,1925 **Range (in code):** DZ Bsk Anna PT ES FR Sa Si IT MT AT CZ SK HU RO MK HV AL BG Bgz GR TR CY LB Bei IL Hf Js Pa Cc AM Eri SY Dms IR Gor Elb Mz Clu Kh Gls Th Dam Ar Fa Gh TM Kp AF Srb PK TJ Pm Ch RU Sr Ur KG Uk CN Hnn Ui Ku KK IN Ch Sri
- 1209. *Phtheochroa inopiana* (Haworth,1811)** (Tortricidae) **Synonym(s):** inopiana Haworth,1811; centrana Herrich-Schäffer,1851; obscurana Kennel,1913; pallidana Caradja,1916. **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU HV RO YU AL BG DK NO SE FI EE LV LT RU Da Cc Ur Sb Am MD UA IR Ab Mak BY TJ Pm MN KG KK Uk DsA TrA MN Ui Ii CN Mc Pkn Gn Hph Jn JP US Cf
- 1210. *Phtheochroa thiana* Staudinger,[1900]** (Tortricidae) **Synonym(s):** thiana Staudinger,[1900]; dilectana Kennel,1900. **Range (in code):** Ui Kml T-S RU Sr TR
- 1211. *Thiodia citrana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** citrana Hübner,[1799]; libanicolana Obratzov,1964 [ssp.] **Range (in code):** ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR AM Eri SY Dms Hal DK NO SE FI EE LV LT RU Us MD UA BY LB Bsa Cc GG AZ IR Elb KG Uk TM Sb Sh Ui JP
- 1212. *Thiodia torridana* (Lederer,1859)** (Tortricidae) **Synonym(s):** torridana Lederer,1859 **Range (in code):** FR IT DE CH AT PL CZ SK HU YU RU Ur Sb Am Us Sh Krl Cc GG TR KG Uk TM KK Ui Ku
- 1213. *Zeiraphera griseana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** griseana Hübner,[1799]; diniana Guenée,1845; occultana Douglas,1846; pinicolana Lienig & Zeller,1846; desertana Caradja,1916 **Range (in code):** ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY Ce GG KG MN Sb KP KR JP CN IMn Jn Gn Ui

Yponomeutidae


- 1214. *Phrealcia steuri* Mey,2013** (Yponomeutidae) **Synonym(s):** steuri Mey,2013 **Range (in code):** Ui
- 1215. *Ypsolopha albiramella* (Mann,1861)** (Yponomeutidae) **Synonym(s):** albiramella Mann,1861 **Range (in code):** ES IT? YU AL GR Cr TR IL Pa IR RU Cc AM TM Ui
- 1216. *Ypsolopha altissimella* (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** altissimella Chrétien,1915 **Range (in code):** TN Gf Ui
- 1217. *Ypsolopha bicostata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** bicostata Jin, Wang & Li,2013 **Range (in code):** Ui
- 1218. *Ypsolopha blandella* (Christoph,1882)** (Yponomeutidae) **Synonym(s):** blandella Christoph,1882 **Range (in code):** ES EE CN Gn Hph Mc Hnn IMn Sz Ui JP KP KR RU Am Us
- 1219. *Ypsolopha brevalva* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** brevalva Jin, Wang & Li,2013 **Range (in code):** CN Gn Ui
- 1220. *Ypsolopha capitalba* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** capitalba Jin, Wang & Li,2013 **Range (in code):** Ui
- 1221. *Ypsolopha dentella* (Fabricius,1775)** (Yponomeutidae) **Synonym(s):** dentella Fabricius,1775; harpella [Denis & Schiffermüller],1775; caprifolii Retzius,1783; dentatus Fabricius,1798; pallescentella Staudinger,1892 **Range (in code):** ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY Ce IL Pa Sb CN Ui Mc JP
- 1222. *Ypsolopha helva* Sohn & Wu,2010** (Yponomeutidae) **Synonym(s):** helva Sohn & Wu,2010 **Range (in code):** CN Ui Ts
- 1223. *Ypsolopha latiuscula* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** latiuscula Jin, Wang & Li,2013 **Range (in code):** CN Gn Ui
- 1224. *Ypsolopha leuconotella* (Snellen,1884)** (Yponomeutidae) **Synonym(s):** leuconotella Snellen,1884; lonicerella Stöckl,1922 **Range (in code):** RO SK HU RU Us KG Uk CN Pkn Hph Mc Hnn IMn Ui JP KG UA
- 1225. *Ypsolopha mucronulata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** mucronulata Jin, Wang & Li,2013 **Range (in code):** CN Ui
- 1226. *Ypsolopha purpurata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** purpurata Jin, Wang & Li,2013 **Range (in code):** CN IMn NHu Ts Ui
- 1227. *Ypsolopha sarmaticella* (Rebel,1917)** (Yponomeutidae) **Synonym(s):** sarmaticella Rebel,1917 **Range (in code):** FI EE LV RU Ui
- 1228. *Ypsolopha satellitella* (Staudinger,1871)** (Yponomeutidae) **Synonym(s):** satellitella Staudinger,1871 **Range (in code):** RU Ur Ui Kl RU KK TM AF TR UZ Man

- 1229.** *Ypsolopha yasudai* Moriuti, 1964 (Yponomeutidae) Synonym(s): yasudai Moriuti, 1964 Range (in code): JP KP KR RU CN
Mc Ui


Zygaenidae

- 1230.** *Adscita (s.str.) statices* (Linnaeus, 1758) (Zygaenidae) Synonym(s): statices Linnaeus, 1758; turcosa Retzius, 1783; stuticus Fourcroy, 1785; micans Freyer, 1833; extensa Alberti, 1937; anomala Verity, 1946; lutrinensis Heuser, 1960; heuseri Reichl, 1964 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Cc GG MD UA BY KK KG Ui Ii
- 1231.** *Hysteroscene hyalina* (Leech, 1889) (Zygaenidae) Synonym(s): hyalina Leech, 1889; #univittata Strand, 1915; univittata M. Hering, 1925 Range (in code): Ui TW
- 1232.** *Jordanita (Roccia) budensis* (Speyer & Speyer, 1858) (Zygaenidae) Synonym(s): budensis Speyer & Speyer, 1858 Range (in code): ES FR IT CH AT SK HU RO YU AL BG GR TR Cc RU MD UA BY Ui Ju Ku
- 1233.** *Jordanita (Roccia) naufocki* (Alberti, 1937) (Zygaenidae) Synonym(s): naufocki Alberti, 1937 Range (in code): Ui Ku Ju KK KG DsA TrA Aa Ax Ket Tk Dj
- 1234.** *Jordanita (Roccia) paupera* (Christoph, 1887) (Zygaenidae) Synonym(s): paupera Christoph, 1887; mollis Groum-Grshimailo, 1893; hamifera Jordan, 1909; tamerlana Alberti, 1937; minor Alberti, 1937 Range (in code): TR JO TM Ger KG TJ UZ Smk IR Shh Elb Ui Um Ku Kl Ju RU Vv KP KR
- 1235.** *Jordanita (Tremewanina) splendens* (Staudinger, 1887) (Zygaenidae) Synonym(s): splendens Staudinger, 1887 Range (in code): UZ Fe Man Nmg Ui Ku KK Ik KG Tk Dj Ax
- 1236.** *Zygaena (Agrumenia) carniolica* (Scopoli, 1763) (Zygaenidae) Synonym(s): carniolica Scopoli, 1763; nigra Dziurzynski, 1909; transiensnigra Dziurzynski, 1909 Range (in code): ES FR Si IT BE LU DE Brd CH AT Stm PL CZ SK HU RO Do B-H Sjn HV Zad SS YU MK Skj AL BG Vrn Ppp Slv GR Cr Ve Prn TR IR Elb Mz Dam KG Tk Ii Ui UZ LB Ksr Bsa SY Nv Ord AZ AM Alg GG Smt Im Kta Akh Cc LV RU Ur Nt Sr Da Aty Nov Kr Kis Tua MD UA Cm BY
- 1237.** *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763) (Zygaenidae) Synonym(s): purpuralis Brünnich, 1763; pythia Fabricius, 1777; scabiosae Scheven, 1777; pilosellae Esper, 1780; pluto Ochsenheimer, 1808; pasiphae Meigen, [1829]; tatvanica Reiss & Reiss, 1973. Range (in code): ES FR Si IT IE GB BE LU DE CH AT PL CZ SK HU RO B-H HV MK Och Doj YU AL BG Slv GR TR AM Alg GG Smt Akh Tbl Cc DK LT RU Kc Teb Kis Pja Da Der At MD UA Cm BY KK KG Lps Ket Ui Ku T-S Na


Maps




Map 1 - *Arctia caja* (Arctiidae).




Map 2 - *Palearctia erschoffii* (Arctiidae).




Map 3 - *Phragmatobia fuliginosa* (Arctiidae).




Map 4 - *Alcis repandata* (Geometridae).




Map 5 - *Aplocera plagiata* (Geometridae).




Map 6 - *Cataclysme riguata* (Geometridae).




Map 7 - *Horisme vitalbata* (Geometridae).




Map 8 - *Idaea straminata* (Geometridae).




Map 9 – *Ligdia coctata* (Geometridae).




Map 10 - *Opisthograptis luteolata* (Geometridae).




Map 11 – *Scopula decorata* (Geometridae).




Map 12 – *Scopula ornata* (Geometridae).




Map 13 – *Scopula rubiginata* (Geometridae).




Map 14 – *Scotopteryx chenopodiata* (Geometridae).




Map 15 - *Xanthorhoe fluctuata* (Geometridae).




Map 16 - *Lymantria dispar* (Lymantriidae).




Map 17 - *Amphipyra tragopoginis* (Noctuidae).




Map 18 - *Anaplectoides prasina* (Noctuidae).




Map 19 - *Apopetes phantasma* (Noctuidae).




Map 20 - *Athetis lepigone* (Noctuidae).




Map 21 – *Catocala neonympha* (Noctuidae).




Map 23 – *Eugnorisma trigonica* (Noctuidae).




Map 24 – *Lacanobia thalassina* (Noctuidae).




Map 25 - *Lygephila cracca* (Noctuidae).




Map 26 - *Mythimna ferrago* (Noctuidae).




Map 27 - *Xestia c-nigrum* (Noctuidae).




Map 28 – *Xestia baja* (Noctuidae).




Map 29 – *Notodonta ziczac* (Notodontidae).




Map 30 – *Loxostege sticticalis* (Pyrallidae).




Map 31 – *Nomophila noctuella* (Pyrallidae).




Map 32 – *Oncocera semirubella* (Pyralidae).




Map 33 - *Ostrinia nubilalis* (Pyralidae).



Map 34 – *Uresiphita gilvata* (Pyralidae).



Map 35 - *Saturnia shadulla* (Saturniidae).



Map 36 – *Scythris sinensis* (Scythridae).

Priamus¹

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, established in 1981, and appears in volumes at irregular intervals. Each volume is composed of parts. This serial is regularly and permanently archived in the recognized international site, "The Internet Archive", in accordance with the Rules of the International Code of Zoological Nomenclature (Article 8.5.3.1).

It includes larger original articles of the research workers of the Centre, regarding taxonomy, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are English or Turkish.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)², Miscellaneous Papers (print and online versions) (ISSN 1015-8235)³, Memoirs (print and online versions) (ISSN-8227)⁴, DVD Films⁵, Iconographia Insectorum⁶ (online), Cesa Publications on African Lepidoptera (online)⁷, Cesa News (online)⁸, Cesa Books (online)⁹

Owners / Sahipleri - Editors / Yayıncılar: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Van Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria) and Dr. Ole Karsholt (Denmark): Gelechioidea, and some other Microlepidoptera groups in Palaearctic (Lepidoptera). Mag. Peter Buchner (Austria): Depressariidae (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera.

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

Molecular studies: Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)

<https://archive.org/>

also recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom, <https://clarivate.com/>

¹ <http://www.cesa-tr.org/Priamus.htm> - pdf available after corresponding; *Priamus* (online) available at the Internet Archive.

² <http://www.cesa-tr.org/Pri.htm>

³ <http://www.cesa-tr.org/Miscell.htm>

⁴ <http://www.cesa-tr.org/Memoirs.htm>

⁵ <http://www.cesa-tr.org/CDF.htm>

⁶ <http://www.cesa-tr.org/Icon.htm>

⁷ <http://www.cesa-tr.org/CPAL.htm>

⁸ <http://www.cesa-tr.org/Cesanews.htm>

⁹ <http://www.cesa-tr.org/Cesabooks.htm>